


2024/06/06 1415Z

CYUY OVUNI BOTOS YMX YUL CYUL

274.52 nm / 508.41 km



Notes

Requested: CYUY OVUNI BOTOS YMX YUL YMX33 XULTA CYUL

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CYUY	-	48.20620	0 ft	-	Rouyn Noranda	
APT	-	-78.83560	0 m			
OVUNI	-	48.30630	0 ft	13	-	
FIX	-	-78.52690	0 m			
BOTOS	-	46.51460	0 ft	156	-	
FIX	-	-75.72000	0 m			
YMX	-	45.88820	0 ft	67	MIRABEL (MONTREAL)	
VOR	-	-74.37570	0 m			
YUL	-	45.61570	0 ft	23	MONTREAL	
VOR	-	-73.97090	0 m			
CYUL	-	45.46750	0 ft	13	Montreal-Pierre Elliot Trudeau Intl	
APT	-	-73.74380	0 m			

CYUY

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 1

Elevation: 987 ft / 301 m
Location: 48.206200 -78.835600
Magnetic Var: 11.865 W

METAR

CYUY 061400Z 20008KT 180V240 15SM SCT015 SCT180 SCT210 20/17 A2944 RMK CU3AC1CI1 CI TR SLP971 DENSITY ALT 2400FT

TAF

TAF CYUY 061140Z 0612/0624 18007KT P6SM SCT007 BKN080 TEMPO 0612/0615 5SM -SHRA -DZ BR BKN007 OVC080 FM061500 2101

Frequencies

REC - 122.20 MHz - ROUYN NORANDA UNICOM APP - 125.90 MHz - MONTREAL AREA CONTROL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	164 ft	7,490 ft	64.17	ASPHALT	0 ft	0 ft
	50 m	2,283 m	76.03		0 m	0 m
26	164 ft	7,490 ft	244.19	ASPHALT	0 ft	0 ft
	50 m	2,283 m	256.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-LOC	IUY	109.90 MHz	18 nm	64.28	-	988 ft
				33 km	76.15		988 m

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.892 W

METAR

CYUL 061400Z 13006KT 15SM OVC038 25/19 A2955 RMK SC8 SLP009 DENSITY ALT 1700FT

TAF

TAF AMD CYUL 061348Z 0613/0712 14005KT P6SM SCT030 BKN120 TEMPO 0613/0616 P6SM -SHRA VCTS BKN030CB OVC080 FM061600

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m