

# LIRQ

Firenze-Peretola "Amerigo Vespucci"


# LIRN

Napoli-Capodichino "Ugo Niutta"

2024/06/04 0459Z

LIRQ GITOD **M726** PEMAR LIRN

223.46 nm / 413.84 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIRQ	-	43.81000	0 ft	-	Firenze-Peretola	"Amerigo Vespucci"
APT	-	11.20510	0 m			
GITOD	-	42.80030	27,600 ft	77	-	
FIX	-	12.31070	8,412 m			
PEMAR	M726	42.02970	19,700 ft	53	-	
FIX	AWY-LO	12.91940	6,005 m			
LIRN	-	40.88600	0 ft	92	Napoli-Capodichino	"Ugo Niutta"
APT	-	14.29080	0 m			

## LIRQ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 142 ft / 43 m  
Location: 43.810000 11.205100  
Magnetic Var: 3.585 E

## METAR

LIRQ 040420Z 17003KT 9999 FEW030 15/13 Q1015

## TAF

TAF LIRQ 032300Z 0400/0424 VRB05KT 9999 FEW030 BECMG 0410/0412 26010KT TEMPO 0414/0418 RA BECMG 0418/0420 VRB05KT

## Frequencies

REC - 129.35 MHz - ATIS  
TWR - 122.10 MHz - FIRENZE TOWER

TWR - 118.30 MHz - FIRENZE TOWER  
APP - 125.82 MHz - FIRENZE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	98 ft	5,123 ft	48.10	ASPHALT	338 ft	0 ft
	30 m	1,561 m	44.52		103 m	0 m
23	98 ft	5,123 ft	228.11	ASPHALT	1,903 ft	0 ft
	30 m	1,561 m	224.53		580 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IFZ	110.30 MHz	18 nm	-	-	144 ft
				33 km	-		144 m
05	LOC-ILS	IFZ	110.30 MHz	18 nm	48.10	-	131 ft
				33 km	44.52		131 m
05	GS	IFZ	110.30 MHz	10 nm	47.00	3.00	144 ft
				19 km	43.41		144 m

## LIRN

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 292 ft / 89 m  
Location: 40.886000 14.290800  
Magnetic Var: 3.968 E

## METAR

LIRN 040420Z 04002KT CAVOK 16/13 Q1015 NOSIG

## TAF

TAF LIRN 032300Z 0400/0424 VRB05KT 9999 FEW030 BECMG 0410/0412 22010KT BECMG 0418/0420 VRB05KT

## Frequencies

APP - 124.35 MHz - NAPOLI APPROACH  
TWR - 118.50 MHz - NAPOLI TOWER  
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH  
GND - 121.90 MHz - NAPOLI GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.07		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.11		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.11		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.09		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.11		292 m