

# LFSB

EuroAirport Basel-Mulhouse-Freiburg


# LFPG

Paris Charles De Gaulle

2024/05/07 0228Z

LFSB LUVAL **UM164** MELKO LFPG

217.99 nm / 403.71 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LFSB	-	47.59580	0 ft	-	EuroAirport Basel-Mulhouse-Freiburg	
APT	-	7.52481	0 m			
LUVAL	-	48.29390	24,300 ft	104	-	
FIX	-	5.15361	7,407 m			
MELKO	UM164	48.27810	20,200 ft	19	-	
FIX	AWY-HI	4.67361	6,157 m			
LFPG	-	49.00970	0 ft	94	Paris Charles De Gaulle	
APT	-	2.56257	0 m			

## LFSB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 884 ft / 269 m  
Location: 47.595800 7.524810  
Magnetic Var: 2.872 E

## METAR

LFSB 070200Z AUTO 16003KT 9999 ///TCU 10/10 Q1014 BECMG SCT040

## TAF

TAF LFSB 062300Z 0700/0724 VRB03KT 9999 SCT040 PROB40 TEMPO 0708/0718 SHRA SCT040TCU BECMG 0710/0713 35010KT

## Frequencies

TWR - 118.30 MHz - BALE TOWER	GND - 121.60 MHz - BALE GROUND
APP - 118.57 MHz - BALE APPROACH	APP - 119.35 MHz - BALE APPROACH
APP - 121.25 MHz - BALE APPROACH	REC - 127.87 MHz - BALE ATIS
CLD - 121.95 MHz - CLEARANCE DELIVERY	COM - 130.90 MHz - BALE INFO

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	5,977 ft	76.98	CONCRETE	0 ft	0 ft
	60 m	1,822 m	74.11		0 m	0 m
26	197 ft	5,977 ft	257.00	CONCRETE	728 ft	0 ft
	60 m	1,822 m	254.13		222 m	0 m
15	197 ft	12,807 ft	154.84	CONCRETE	0 ft	302 ft
	60 m	3,904 m	151.97		0 m	92 m
33	197 ft	12,807 ft	334.86	CONCRETE	3,674 ft	0 ft
	60 m	3,904 m	331.98		1,120 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	MH	111.55 MHz	18 nm	-	-	860 ft
				33 km	-		860 m
33	DME	IBLU	109.35 MHz	18 nm	-	-	885 ft
				33 km	-		885 m
15	LOC-ILS	MH	111.55 MHz	18 nm	154.85	-	884 ft
				33 km	151.98		884 m
33	LOC-ILS	IBLU	109.35 MHz	18 nm	334.85	-	884 ft
				33 km	331.98		884 m
15	GS	MH	111.55 MHz	10 nm	154.85	3.00	884 ft
				19 km	151.98		884 m
33	GS	IBLU	109.35 MHz	10 nm	334.85	3.50	884 ft
				19 km	331.98		884 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.494 E

## METAR

LFPG 070200Z 35001KT CAVOK 11/08 Q1014 NOSIG

## TAF

TAF LFPG 062300Z 0700/0806 16003KT CAVOK TX19/0713Z TN09/0703Z PROB30 0704/0706 3000 BR PROB30 0710/0717 SCT030TC

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m