


2024/05/04 1759Z

KADM TEYUS KSWI

46.36 nm / 85.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KADM	-	34.30320	0 ft	-	ARDMORE MUNI
APT	-	-97.01680	0 m		
TEYUS	-	33.86290	3,200 ft	31	-
FIX	-	-96.68210	975 m		
KSWI	-	33.62420	0 ft	15	SHERMAN MUNI
APT	-	-96.58610	0 m		

KADM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 762 ft / 232 m
Location: 34.303200 -97.016800
Magnetic Var: 2.725 E

METAR

KADM 041650Z 00000KT 10SM OVC018 23/20 A3000

TAF

UNKNOWN

Frequencies

REC - 125.60 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.50 MHz -
COM - 118.50 MHz - CTAF
GND - 121.80 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	7,211 ft	84.93	CONCRETE	0 ft	0 ft
	46 m	2,198 m	82.20		0 m	0 m
26	150 ft	7,211 ft	264.94	CONCRETE	0 ft	0 ft
	46 m	2,198 m	262.22		0 m	0 m
13	150 ft	7,223 ft	135.54	ASPHALT	0 ft	300 ft
	46 m	2,201 m	132.82		0 m	91 m
31	150 ft	7,223 ft	315.55	ASPHALT	300 ft	300 ft
	46 m	2,201 m	312.82		91 m	91 m
04	150 ft	6,763 ft	45.27	CONCRETE	0 ft	0 ft
	46 m	2,061 m	42.55		0 m	0 m
22	150 ft	6,763 ft	225.28	CONCRETE	0 ft	0 ft
	46 m	2,061 m	222.56		0 m	0 m
17	100 ft	5,019 ft	180.41	ASPHALT	0 ft	0 ft
	30 m	1,530 m	177.69		0 m	0 m
35	100 ft	5,019 ft	0.41	ASPHALT	0 ft	0 ft
	30 m	1,530 m	357.69		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	IAIW	108.90 MHz	18 nm	315.54	-	788 ft
				33 km	312.81		788 m
31	GS	IAIW	108.90 MHz	10 nm	316.09	3.00	729 ft
				19 km	313.36		729 m