

# EHAM

Amsterdam Schiphol


# SA8U

LOS CARDOS

2024/06/05 0144Z

EHAM DIBLI **UL610** RAPIX MOKBU DVR **M189** LYD **UM189** HAWKE **M189** NEVIL **UM189** ANGLO **G27** JSY **UN472** QPR  
**UN866** KORUL **R1** DEMOS **UN741** PECKY **UN747** PELUS 3300N0-1800W 3200N0-1900W 3000N0-2000W 2900N0-2100W  
2700N0-2200W 2600N0-2300W 2400N0-2400W 2300N0-2500W 2100N0-2600W 2000N0-2700W 1800N0-2800W  
1700N0-2900W 1500N0-3000W 1400N0-3100W 1200N0-3200W 1100N0-3300W 900N0-3400W MOVGA **UM799** EGBIR  
**UZ5** PUMBI ILSUL **UZ5** BSI **UM403** VAS **UM529** SIS **UW20** PAR SA8U

6254.43 nm / 11583.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
DIBLI FIX	-	51.41190 2.26250	35,000 ft 10,668 m	107	-
RAPIX FIX	UL610 AWY-HI	51.44310 2.00000	35,000 ft 10,668 m	10	-
MOKBU FIX	-	51.26940 1.48722	35,000 ft 10,668 m	21	-
DVR VOR	-	51.16260 1.35909	35,000 ft 10,668 m	8	DOVER
SANDY FIX	M189 AWY-LO	51.06420 1.06750	35,000 ft 10,668 m	12	-
LYD VOR	M189 AWY-LO	50.99970 0.87866	35,000 ft 10,668 m	8	LYDD
WAFFU FIX	UM189 AWY-HI	50.58250 0.34972	35,000 ft 10,668 m	32	-
HAWKE FIX	UM189 AWY-HI	50.37420 0.09028	35,000 ft 10,668 m	15	-
OSPOL FIX	M189 AWY-LO	50.15000 -0.18551	35,000 ft 10,668 m	17	-
NEVIL FIX	M189 AWY-LO	50.00000 -0.36823	35,000 ft 10,668 m	11	-
ANGLO FIX	UM189 AWY-HI	49.92830 -0.45500	35,000 ft 10,668 m	5	-
EPATI FIX	G27 AWY-LO	49.79360 -1.08222	35,000 ft 10,668 m	25	-
AKIKI FIX	G27 AWY-LO	49.59140 -1.41667	35,000 ft 10,668 m	17	-
BENIX FIX	G27 AWY-LO	49.54670 -1.49000	35,000 ft 10,668 m	3	-
KETIK FIX	G27 AWY-LO	49.32330 -1.87306	35,000 ft 10,668 m	20	-
JSY VOR	G27 AWY-LO	49.22110 -2.04615	35,000 ft 10,668 m	9	JERSEY
BADUR FIX	UN472 AWY-HI	48.71080 -2.95111	35,000 ft 10,668 m	47	-
ARE VOR	UN472 AWY-HI	48.33260 -3.60247	35,000 ft 10,668 m	34	MONTS D'ARREE
QPR VOR	UN472 AWY-HI	47.95730 -4.18472	35,000 ft 10,668 m	32	QUIMPER PLUGUFFAN
EBOMO FIX	UN866 AWY-HI	47.82110 -4.31256	35,000 ft 10,668 m	9	-
KEREB FIX	UN866 AWY-HI	47.59140 -4.52472	35,000 ft 10,668 m	16	-
COQUE FIX	UN866 AWY-HI	47.07920 -4.99056	35,000 ft 10,668 m	36	-
KOLEK FIX	UN866 AWY-HI	46.61280 -5.40806	35,000 ft 10,668 m	32	-
KORUL FIX	UN866 AWY-HI	44.83520 -6.91972	35,000 ft 10,668 m	124	-
KORAV FIX	R1 AWY-LO	43.65310 -7.86558	35,000 ft 10,668 m	81	-
STG	R1	42.92690	35,000 ft	50	SANTIAGO

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	-8.42539	10,668 m		
DEMOS	R1	41.92570	35,000 ft	73	-
FIX	AWY-LO	-9.36200	10,668 m		
ASMAR	UN741	39.37250	35,000 ft	184	-
FIX	AWY-HI	-11.59560	10,668 m		
VERAM	UN741	36.77250	35,000 ft	184	-
FIX	AWY-HI	-13.67530	10,668 m		
PECKY	UN741	34.53030	35,000 ft	157	-
FIX	AWY-HI	-15.33780	10,668 m		
PELUS	UN747	33.44530	35,000 ft	108	-
FIX	AWY-HI	-17.07110	10,668 m		
3300N0-1800W	-	33.00000	35,000 ft	53	-
LATLON	-	-18.00000	10,668 m		
3200N0-1900W	-	32.00000	35,000 ft	78	-
LATLON	-	-19.00000	10,668 m		
3000N0-2000W	-	30.00000	35,000 ft	130	-
LATLON	-	-20.00000	10,668 m		
2900N0-2100W	-	29.00000	35,000 ft	79	-
LATLON	-	-21.00000	10,668 m		
2700N0-2200W	-	27.00000	35,000 ft	131	-
LATLON	-	-22.00000	10,668 m		
2600N0-2300W	-	26.00000	35,000 ft	80	-
LATLON	-	-23.00000	10,668 m		
2400N0-2400W	-	24.00000	35,000 ft	131	-
LATLON	-	-24.00000	10,668 m		
2300N0-2500W	-	23.00000	35,000 ft	81	-
LATLON	-	-25.00000	10,668 m		
2100N0-2600W	-	21.00000	35,000 ft	132	-
LATLON	-	-26.00000	10,668 m		
2000N0-2700W	-	20.00000	35,000 ft	82	-
LATLON	-	-27.00000	10,668 m		
1800N0-2800W	-	18.00000	35,000 ft	132	-
LATLON	-	-28.00000	10,668 m		
1700N0-2900W	-	17.00000	35,000 ft	82	-
LATLON	-	-29.00000	10,668 m		
1500N0-3000W	-	15.00000	35,000 ft	133	-
LATLON	-	-30.00000	10,668 m		
1400N0-3100W	-	14.00000	35,000 ft	83	-
LATLON	-	-31.00000	10,668 m		
1200N0-3200W	-	12.00000	35,000 ft	133	-
LATLON	-	-32.00000	10,668 m		
1100N0-3300W	-	11.00000	35,000 ft	84	-
LATLON	-	-33.00000	10,668 m		
900N0-3400W	-	9.00000	35,000 ft	133	-
LATLON	-	-34.00000	10,668 m		
MOVGA	-	7.66667	35,000 ft	99	-
FIX	-	-35.00000	10,668 m		
EGIMI	UM799	6.00000	35,000 ft	127	-
FIX	AWY-HI	-36.33330	10,668 m		
EGBIR	UM799	3.82633	35,000 ft	173	-
FIX	AWY-HI	-38.24920	10,668 m		
MEBNU	UZ5	0.50350	35,000 ft	223	-
FIX	AWY-HI	-39.93320	10,668 m		
OPRUD	UZ5	-2.04817	35,000 ft	172	-
FIX	AWY-HI	-41.24600	10,668 m		
NISNO	UZ5	-2.50667	35,000 ft	31	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-41.48380	10,668 m		
PEPER	UZ5	-3.10617	35,000 ft	39	-
FIX	AWY-HI	-41.77350	10,668 m		
MUGDI	UZ5	-3.68800	35,000 ft	39	-
FIX	AWY-HI	-42.08420	10,668 m		
CALIF	UZ5	-4.46900	35,000 ft	53	-
FIX	AWY-HI	-42.52250	10,668 m		
TNA	UZ5	-5.06246	35,000 ft	39	TERESINA
VOR	AWY-HI	-42.82510	10,668 m		
GUEST	UZ5	-5.67317	35,000 ft	40	-
FIX	AWY-HI	-43.10780	10,668 m		
ILNEM	UZ5	-6.57717	35,000 ft	59	-
FIX	AWY-HI	-43.52970	10,668 m		
KODSI	UZ5	-7.36967	35,000 ft	52	-
FIX	AWY-HI	-43.90170	10,668 m		
BARKA	UZ5	-7.96291	35,000 ft	39	-
FIX	AWY-HI	-44.18160	10,668 m		
EPGAS	UZ5	-9.00617	35,000 ft	69	-
FIX	AWY-HI	-44.67630	10,668 m		
ILSUG	UZ5	-10.11850	35,000 ft	73	-
FIX	AWY-HI	-45.20400	10,668 m		
OTELO	UZ5	-11.74740	35,000 ft	108	-
FIX	AWY-HI	-45.98760	10,668 m		
OSABI	UZ5	-12.54630	35,000 ft	53	-
FIX	AWY-HI	-46.37530	10,668 m		
ISUSI	UZ5	-13.57220	35,000 ft	68	-
FIX	AWY-HI	-46.87720	10,668 m		
PAROL	UZ5	-14.17350	35,000 ft	40	-
FIX	AWY-HI	-47.17350	10,668 m		
FLINT	UZ5	-14.67030	35,000 ft	33	-
FIX	AWY-HI	-47.41650	10,668 m		
MOLMO	UZ5	-14.75380	35,000 ft	5	-
FIX	AWY-HI	-47.45830	10,668 m		
PUMBI	UZ5	-15.10080	35,000 ft	23	-
FIX	AWY-HI	-47.63250	10,668 m		
ILSUL	-	-15.15320	35,000 ft	3	-
FIX	-	-47.65880	10,668 m		
OPSET	UZ5	-15.29550	35,000 ft	9	-
FIX	AWY-HI	-47.72550	10,668 m		
BSI	UZ5	-15.87190	35,000 ft	38	BRASILIA
VOR	AWY-HI	-48.02190	10,668 m		
SIREM	UM403	-16.55020	35,000 ft	54	-
FIX	AWY-HI	-48.64630	10,668 m		
PAMEO	UM403	-16.91100	35,000 ft	29	-
FIX	AWY-HI	-48.98600	10,668 m		
KETUL	UM403	-17.06750	35,000 ft	12	-
FIX	AWY-HI	-49.13200	10,668 m		
SIBUT	UM403	-17.29130	35,000 ft	18	-
FIX	AWY-HI	-49.34620	10,668 m		
EGONI	UM403	-18.00080	35,000 ft	57	-
FIX	AWY-HI	-50.02970	10,668 m		
ANDIV	UM403	-18.47570	35,000 ft	38	-
FIX	AWY-HI	-50.48580	10,668 m		
TESEK	UM403	-18.84550	35,000 ft	29	-
FIX	AWY-HI	-50.83920	10,668 m		
LITUS	UM403	-19.29600	35,000 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-51.28350	10,668 m		
VAMIK	UM403	-19.56630	35,000 ft	22	-
FIX	AWY-HI	-51.55200	10,668 m		
GEKOT	UM403	-19.93170	35,000 ft	30	-
FIX	AWY-HI	-51.91970	10,668 m		
VOVKO	UM403	-20.24320	35,000 ft	25	-
FIX	AWY-HI	-52.23380	10,668 m		
UTRAG	UM403	-20.64070	35,000 ft	32	-
FIX	AWY-HI	-52.63730	10,668 m		
ASEPO	UM403	-20.84850	35,000 ft	17	-
FIX	AWY-HI	-52.84930	10,668 m		
VALEV	UM403	-21.08650	35,000 ft	19	-
FIX	AWY-HI	-53.08830	10,668 m		
DUNCE	UM403	-21.45420	35,000 ft	30	-
FIX	AWY-HI	-53.47580	10,668 m		
VUMUB	UM403	-21.64200	35,000 ft	15	-
FIX	AWY-HI	-53.66800	10,668 m		
KABEG	UM403	-22.55050	35,000 ft	75	-
FIX	AWY-HI	-54.60820	10,668 m		
REBOX	UM403	-23.40630	35,000 ft	71	-
FIX	AWY-HI	-55.51470	10,668 m		
SOSMO	UM403	-23.63500	35,000 ft	19	-
FIX	AWY-HI	-55.75970	10,668 m		
NILKI	UM403	-24.65640	35,000 ft	86	-
FIX	AWY-HI	-56.86940	10,668 m		
VAS	UM403	-25.24420	35,000 ft	50	ASUNCION
VOR	AWY-HI	-57.52190	10,668 m		
ARPAS	UM529	-25.73170	35,000 ft	34	-
FIX	AWY-HI	-57.87530	10,668 m		
FSA	UM529	-26.21030	35,000 ft	34	FORMOSA
VOR	AWY-HI	-58.22470	10,668 m		
VUMDA	UM529	-27.01830	35,000 ft	56	-
FIX	AWY-HI	-58.76620	10,668 m		
SIS	UM529	-27.44690	35,000 ft	30	RESISTENCIA
VOR	AWY-HI	-59.05710	10,668 m		
OPKAN	UW20	-28.32970	35,000 ft	55	-
FIX	AWY-HI	-59.36780	10,668 m		
RTA	UW20	-29.20860	35,000 ft	55	RECONQUISTA
VOR	AWY-HI	-59.68250	10,668 m		
VARES	UW20	-30.26610	34,600 ft	65	-
FIX	AWY-HI	-60.01060	10,546 m		
PAR	UW20	-31.80840	14,100 ft	95	PARANA
VOR	AWY-HI	-60.48450	4,298 m		
SA8U	-	-32.27190	0 ft	66	LOS CARDOS
APT	-	-61.66220	0 m		

## EHAM

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 6

Elevation: -11 ft / -3 m  
Location: 52.308100 4.764170  
Magnetic Var: 2.053 E

## METAR

EHAM 050125Z 32006KT 290V350 9999 FEW018 BKN038 11/10 Q1008 NOSIG

## TAF

TAF EHAM 042307Z 0500/0606 27016KT 9999 -RADZ BKN015 BECMG 0500/0502 29008KT NSW SCT035 PROB40 TEMPO 0500/0501 4000

## Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.72		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.76		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.16		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.16		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.80		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.13		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m