


2024/06/06 0618Z

PAKN AUB **R99** TESPE PADU

440.81 nm / 816.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAKN	-	58.67710	0 ft	-	KING SALMON
APT	-	-156.65000	0 m		
AUB	-	58.73720	1,900 ft	5	CHINOOK (KING SALMON)
NDB	-	-156.77800	579 m		
TESPE	R99	54.93300	18,700 ft	347	-
FIX	AWY-LO	-164.78200	5,700 m		
PADU	-	53.89890	0 ft	87	Unalaska
APT	-	-166.54500	0 m		

PAKN

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 2

Elevation: 73 ft / 22 m

Location: 58.676900 -156.650000

Magnetic Var: 11.584 E

METAR

PAKN 060554Z 30008KT 10SM OVC045 06/01 A2962

TAF

TAF PAKN 060523Z 0606/0706 28008KT P6SM VCSH OVC050 FM061000 VRB04KT P6SM -SHRA BKN025 OVC040 FM062100 16012G22KT

Frequencies

REC - 128.80 MHz - KING SALMON ATIS

GND - 121.90 MHz - KING SALMON GND

COM - 121.90 MHz - KING SALMON CTAF

TWR - 118.30 MHz - KING SALMON TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	8,906 ft	131.92	ASPHALT	0 ft	194 ft
	46 m	2,715 m	120.33		0 m	59 m
30	150 ft	8,906 ft	311.95	ASPHALT	39 ft	564 ft
	46 m	2,715 m	300.36		12 m	172 m
18	100 ft	4,021 ft	196.26	ASPHALT	16 ft	0 ft
	30 m	1,226 m	184.67		5 m	0 m
36	100 ft	4,021 ft	16.25	ASPHALT	0 ft	0 ft
	30 m	1,226 m	4.67		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAKN	110.30 MHz	18 nm	131.94	-	73 ft
				33 km	120.36		73 m
30	LOC-LOC	IAKN	110.30 MHz	18 nm	311.95	-	73 ft
				33 km	300.37		73 m
12	GS	IAKN	110.30 MHz	10 nm	131.94	3.00	73 ft
				19 km	120.36		73 m
30	GS	IAKN	110.30 MHz	10 nm	311.95	3.00	73 ft
				19 km	300.37		73 m