

# LFPG

Paris Charles De Gaulle


# OIII

Tehran Mehrabad Intl

2024/05/16 0126Z

LFPG MMD **Z110** LIMGO **UZ111** OBIGA **UL984** OKG **L726** BNO **T303** MAKAL **P27** MALBE **N190** NETED **M860** KUGOS  
**UL851** TBN **UP146** ARI ARI **UL223** DASIS **R660** TBZ TBZ **UM573** TRN OIII

2325.72 nm / 4307.24 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 39000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
MMD	-	49.39130	36,800 ft	103	MONTMEDY
VOR	-	5.12442	11,217 m		
VAVOT	Z110	49.48690	39,000 ft	18	-
FIX	AWY-LO	5.56667	11,887 m		
FIR63	Z110	49.54310	39,000 ft	10	-
FIX	AWY-LO	5.82417	11,887 m		
LIMGO	Z110	49.63720	39,000 ft	18	-
FIX	AWY-LO	6.28167	11,887 m		
PITES	UZ111	49.72860	39,000 ft	10	-
FIX	AWY-HI	6.51936	11,887 m		
OBIGA	UZ111	50.03080	39,000 ft	30	-
FIX	AWY-HI	7.13833	11,887 m		
RUDUS	UL984	50.04760	39,000 ft	36	-
FIX	AWY-HI	8.07827	11,887 m		
FFM	UL984	50.05370	39,000 ft	21	FRANKFURT
VOR	AWY-HI	8.63709	11,887 m		
BOMBI	UL984	50.05670	39,000 ft	6	-
FIX	AWY-HI	8.80028	11,887 m		
ESATI	UL984	50.06310	39,000 ft	15	-
FIX	AWY-HI	9.19000	11,887 m		
LOHRE	UL984	50.06690	39,000 ft	11	-
FIX	AWY-HI	9.48639	11,887 m		
OSBIT	UL984	50.07010	39,000 ft	11	-
FIX	AWY-HI	9.78307	11,887 m		
RASPU	UL984	50.07280	39,000 ft	12	-
FIX	AWY-HI	10.09860	11,887 m		
KOMIB	UL984	50.07340	39,000 ft	5	-
FIX	AWY-HI	10.24270	11,887 m		
SULUS	UL984	50.07520	39,000 ft	18	-
FIX	AWY-HI	10.72880	11,887 m		
LONLI	UL984	50.07470	39,000 ft	19	-
FIX	AWY-HI	11.22640	11,887 m		
KULOK	UL984	50.07280	39,000 ft	15	-
FIX	AWY-HI	11.63050	11,887 m		
ABERU	UL984	50.06920	39,000 ft	17	-
FIX	AWY-HI	12.09370	11,887 m		
OKG	UL984	50.06510	39,000 ft	12	CHEB
VOR	AWY-HI	12.40570	11,887 m		
ELMEK	L726	49.90390	39,000 ft	63	-
FIX	AWY-HI	14.02990	11,887 m		
VLM	L726	49.70430	39,000 ft	41	VLASIM
VOR	AWY-HI	15.06670	11,887 m		
OSNEK	L726	49.51320	39,000 ft	25	-
FIX	AWY-HI	15.63800	11,887 m		
BODAL	L726	49.46410	39,000 ft	6	-
FIX	AWY-HI	15.78270	11,887 m		
TUMKA	L726	49.40790	39,000 ft	7	-
FIX	AWY-HI	15.94730	11,887 m		
BITSI	L726	49.30830	39,000 ft	12	-
FIX	AWY-HI	16.23630	11,887 m		
BNO	L726	49.15010	39,000 ft	20	BRNO

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	16.69260	11,887 m		
ESETO	T303	49.22990	39,000 ft	40	-
FIX	AWY-HI	17.71830	11,887 m		
MAKAL	T303	49.24600	39,000 ft	17	-
FIX	AWY-HI	18.16570	11,887 m		
ZLA	P27	49.20290	39,000 ft	13	ZILINA
NDB	AWY-LO	18.51040	11,887 m		
RUTKI	P27	49.17330	39,000 ft	16	-
FIX	AWY-LO	18.94010	11,887 m		
LIPMU	P27	49.12310	39,000 ft	26	-
FIX	AWY-LO	19.62310	11,887 m		
PPD	P27	49.06470	39,000 ft	28	TATRY
VOR	AWY-LO	20.35010	11,887 m		
UDREL	P27	49.01030	39,000 ft	19	-
FIX	AWY-LO	20.83610	11,887 m		
MALBE	P27	48.82390	39,000 ft	61	-
FIX	AWY-HI	22.37500	11,887 m		
BANUV	N190	48.32330	39,000 ft	89	-
FIX	AWY-HI	24.50060	11,887 m		
BUKOV	N190	47.95170	39,000 ft	62	-
FIX	AWY-HI	25.95830	11,887 m		
DOBOK	N190	47.49330	39,000 ft	66	-
FIX	AWY-HI	27.46940	11,887 m		
NETED	N190	47.11440	39,000 ft	53	-
FIX	AWY-HI	28.64920	11,887 m		
KIV	M860	46.92600	39,000 ft	15	CHISINAU
VOR	AWY-HI	28.90450	11,887 m		
ANEDO	M860	46.36330	39,000 ft	46	-
FIX	AWY-HI	29.69190	11,887 m		
DIGAM	M860	45.25830	39,000 ft	89	-
FIX	AWY-HI	31.11170	11,887 m		
BOMKI	M860	44.53500	39,000 ft	58	-
FIX	AWY-HI	32.03000	11,887 m		
NEVKA	M860	44.15750	39,000 ft	29	-
FIX	AWY-HI	32.47640	11,887 m		
TUNSA	M860	43.92330	39,000 ft	18	-
FIX	AWY-HI	32.75830	11,887 m		
ABRAN	M860	43.61720	39,000 ft	24	-
FIX	AWY-HI	33.12220	11,887 m		
KUGOS	M860	42.78060	39,000 ft	65	-
FIX	AWY-HI	34.08780	11,887 m		
KARDE	UL851	41.90390	39,000 ft	141	-
FIX	AWY-HI	37.04530	11,887 m		
OLUPO	UL851	41.70860	39,000 ft	29	-
FIX	AWY-HI	37.66190	11,887 m		
TOLUN	UL851	41.34000	39,000 ft	55	-
FIX	AWY-HI	38.79000	11,887 m		
ERIDU	UL851	41.21530	39,000 ft	18	-
FIX	AWY-HI	39.16980	11,887 m		
TBN	UL851	40.99530	39,000 ft	31	TRABZON
VOR	AWY-HI	39.79560	11,887 m		
YAVUZ	UP146	40.04440	39,000 ft	133	-
FIX	AWY-HI	42.43330	11,887 m		
ARI	UP146	39.67170	39,000 ft	35	AGRI VOR-DME
DME	AWY-HI	43.02060	11,887 m		
ARI	-	39.64580	39,000 ft	1	AGRI

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	-	43.02710	11,887 m		
DASIS	UL223	38.90860	39,000 ft	70	-
FIX	AWY-HI	44.20810	11,887 m		
BORES	R660	38.47470	39,000 ft	59	-
FIX	AWY-HI	45.36030	11,887 m		
VUVAG	R660	38.42470	39,000 ft	6	-
FIX	AWY-HI	45.49060	11,887 m		
TBZ	R660	38.14820	39,000 ft	37	TABRIZ
VOR	AWY-HI	46.21270	11,887 m		
TBZ	-	38.13910	39,000 ft	1	TABRIZ VORTAC
DME	-	46.23090	11,887 m		
DAMOS	UM573	37.43860	39,000 ft	83	-
FIX	AWY-HI	47.75580	11,887 m		
TRN	UM573	35.69700	300 ft	199	TEHRAN
VOR	AWY-HI	51.28380	91 m		
OIII	-	35.69260	0 ft	1	Tehran Mehrabad Intl
APT	-	51.31750	0 m		

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.497 E

## METAR

LFPG 160100Z 21007KT 9999 -SHRA SCT046 SCT050 BKN060 14/11 Q1006 NOSIG

## TAF

TAF LFPG 152300Z 1600/1706 24005KT 9999 BKN040 TX19/1615Z TN09/1705Z TEMPO 1601/1606 4000 -SHRA SCT030TCU PROB30

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

## OIII

Region: IRAN  
Timezone: ASIA/TEHRAN  
Runways: 3

Elevation: 3,963 ft / 1,208 m  
Location: 35.692600 51.317500  
Magnetic Var: 5.106 E

## METAR

OIII 160100Z 26004KT 9999 FEW040 20/03 Q1016 A3001 NOSIG

## TAF

TAF OIII 152300Z 1600/1706 30007KT 8000 FEW040 TEMPO 1607/1615 29017KT FEW040TCU

## Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.13		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.60		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.66		44 m	43 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m