


2024/06/09 1019Z

KONT NULMN 3500N-11700W 3600N-11700W TRTIS KTPH

249.11 nm / 461.36 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 235kts
- Cruise Altitude: 22000ft
- Cruise Speed: 420kts
- Descent Rate: 1300ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KONT APT	- -	34.05590 -117.60100	0 ft 0 m	-	Ontario Intl
NULMN FIX	- -	34.73730 -117.06600	17,400 ft 5,304 m	48	-
3500N-11700W LATLON	- -	35.00000 -117.00000	22,000 ft 6,706 m	16	-
3600N-11700W LATLON	- -	36.00000 -117.00000	22,000 ft 6,706 m	60	-
TRTIS FIX	- -	36.61020 -117.11600	16,100 ft 4,907 m	37	-
KTPH APT	- -	38.06050 -117.08700	0 ft 0 m	87	TONOPAH

KONT

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 944 ft / 288 m
Location: 34.055900 -117.601000
Magnetic Var: 11.285 E

METAR

KONT 090953Z 23004KT 10SM OVC013 17/12 A2992 RMK A02 SLP120 T01670122

TAF

TAF AMD KONT 090612Z 0906/1012 25008KT P6SM OVC013 FM090700 VRB04KT P6SM OVC012 FM091730 VRB04KT 6SM HZ SCT015 FM092000 VRB04KT 6SM HZ SCT015 FM092300 VRB04KT 6SM HZ SCT015

Frequencies

REC - 124.25 MHz - ONTARIO ATIS	CLD - 118.10 MHz - ONTARIO CLEARANCE
GND - 121.90 MHz - ONTARIO GROUND	TWR - 120.60 MHz - ONTARIO TOWER
APP - 127.00 MHz - SOCAL APPROACH	DEP - 127.00 MHz - SOCAL DEPARTURE
DEP - 119.65 MHz - SOCAL DEPARTURE	DEP - 134.00 MHz - SOCAL DEPARTURE
DEP - 135.40 MHz - SOCAL DEPARTURE	DEP - 125.50 MHz - SOCAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	12,176 ft	89.96	CONCRETE	997 ft	397 ft
	46 m	3,711 m	78.67		304 m	121 m
26R	151 ft	12,176 ft	269.98	CONCRETE	0 ft	400 ft
	46 m	3,711 m	258.70		0 m	122 m
08R	151 ft	10,178 ft	89.96	CONCRETE	0 ft	400 ft
	46 m	3,102 m	78.67		0 m	122 m
26L	151 ft	10,178 ft	269.98	CONCRETE	0 ft	397 ft
	46 m	3,102 m	258.69		0 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	ITWO	111.35 MHz	18 nm	-	-	944 ft
				33 km	-		944 m
26R	DME	IONT	109.70 MHz	18 nm	-	-	944 ft
				33 km	-		944 m
08L	LOC-ILS	IAOD	109.70 MHz	18 nm	89.97	-	944 ft
				33 km	78.68		944 m
26L	LOC-ILS	ITWO	111.35 MHz	18 nm	269.97	-	944 ft
				33 km	258.68		944 m
26R	LOC-ILS	IONT	109.70 MHz	18 nm	269.97	-	944 ft
				33 km	258.68		944 m
08L	GS	IAOD	109.70 MHz	10 nm	89.97	3.00	944 ft
				19 km	78.68		944 m
26L	GS	ITWO	111.35 MHz	10 nm	269.97	3.00	944 ft
				19 km	258.68		944 m
26R	GS	IONT	109.70 MHz	10 nm	269.97	3.00	944 ft
				19 km	258.68		944 m