

# SBRF

Recife-Guararapes Intl


# SNKN

Currais Novos

2024/05/15 0551Z

SBRF RUMBA SNKN

146.85 nm / 271.96 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBRF	-	-8.12547	0 ft	-	Recife-Guararapes Intl
APT	-	-34.92350	0 m		
RUMBA	-	-7.12233	14,600 ft	78	-
FIX	-	-35.77280	4,450 m		
SNKN	-	-6.28056	0 ft	68	Currais Novos
APT	-	-36.54030	0 m		

## SBRF

Region: BRAZIL

Timezone: AMERICA/RECIFE

Runways: 1

Elevation: 33 ft / 10 m

Location: -8.125470 -34.923500

Magnetic Var: 21.888 W

## METAR

SBRF 150500Z 08003KT 010V130 8000 VCSH FEW013 SCT020 BKN045 27/26 Q1011

## TAF

TAF SBRF 142100Z 1500/1524 24005KT 9999 FEW018 TN25/1509Z TX30/1515Z TEMPO 1506/1512 16010KT 4000 DZ BR SCT010 BKN045

## Frequencies

REC - 127.65 MHz - ATIS

CLD - 120.40 MHz - RECIFE CLEARANCE

TWR - 118.35 MHz - RECIFE TOWER

TWR - 125.25 MHz - RECIFE TOWER

APP - 119.95 MHz - RECIFE APPROACH

APP - 129.60 MHz - RECIFE APPROACH

CLD - 118.90 MHz - RECIFE CLEARANCE

GND - 121.85 MHz - RECIFE GROUND

TWR - 122.80 MHz - RECIFE TOWER

APP - 119.50 MHz - RECIFE APPROACH

APP - 120.40 MHz - RECIFE APPROACH

COM - 122.80 MHz - UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,906 ft	161.89	ASPHALT	978 ft	0 ft
	45 m	3,324 m	183.78		298 m	0 m
36	148 ft	10,906 ft	341.89	ASPHALT	0 ft	528 ft
	45 m	3,324 m	3.78		0 m	161 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IRF	110.30 MHz	18 nm	161.89	-	33 ft
				33 km	183.78		33 m
18	GS	IRF	110.30 MHz	10 nm	162.89	3.00	33 ft
				19 km	184.78		33 m