

MTPP

Toussaint Louverture Intl


TFFR

Pointe-A-Pitre Intl

2024/05/18 0132Z

MTPP ETKAR T16 CDO UT15 NAKEM T15 MELLA G633 MAZ RTE12 JOSHE RTE4 TUUNA A555 COY R888 MODUX TFFR

641.58 nm / 1188.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MTPP	-	18.58010	0 ft	-	Toussaint Louverture Intl
APT	-	-72.29260	0 m		
ETKAR	-	18.45480	35,000 ft	99	-
FIX	-	-70.54750	10,668 m		
BUBIB	T16	18.44100	35,000 ft	15	-
FIX	AWY-LO	-70.27540	10,668 m		
BRURY	T16	18.42950	35,000 ft	12	-
FIX	AWY-LO	-70.05280	10,668 m		
CDO	T16	18.43420	35,000 ft	21	PUNTA CAUCEDO (SANTO DOMINGO)
VOR	AWY-LO	-69.66730	10,668 m		
NADAX	UT15	18.31620	35,000 ft	49	-
FIX	AWY-HI	-68.80310	10,668 m		
NAKEM	UT15	18.26060	35,000 ft	22	-
FIX	AWY-LO	-68.40580	10,668 m		
MELLA	T15	18.20000	35,000 ft	23	-
FIX	AWY-LO	-68.00000	10,668 m		
ZADAV	G633	18.23370	35,000 ft	28	-
FIX	AWY-HI	-67.50050	10,668 m		
MAZ	G633	18.25650	35,000 ft	19	MAYAGUEZ
VOR	AWY-HI	-67.15100	10,668 m		
JOSHE	RTE12	18.24240	35,000 ft	37	-
FIX	AWY-HI	-66.50100	10,668 m		
MIGHT	RTE4	18.16500	35,000 ft	11	-
FIX	AWY-HI	-66.31830	10,668 m		
TUUNA	RTE4	17.98090	35,000 ft	27	-
FIX	AWY-HI	-65.88610	10,668 m		
SNOOZ	A555	17.81500	35,000 ft	46	-
FIX	AWY-HI	-65.08390	10,668 m		
COY	A555	17.73440	35,000 ft	22	SAINT CROIX
VOR	AWY-HI	-64.70070	10,668 m		
MODUX	R888	16.95890	20,100 ft	108	-
FIX	AWY-LO	-63.00000	6,126 m		
TFFR	-	16.26550	0 ft	94	Pointe-A-Pitre Intl
APT	-	-61.53300	0 m		

MTPP

Region: HAITI
Timezone: AMERICA/PORT-AU-PRINCE
Runways: 1

Elevation: 125 ft / 38 m
Location: 18.580100 -72.292600
Magnetic Var: 10.746 W

METAR

UNKNOWN

TAF

TAF MTPP 171730Z 1718/1818 10010KT 9999 FEW032 TEMPO 1719/1721 30010KT PROB30 TEMPO 1802/1806 4800 TSRA SCT014CB 9

Frequencies

TWR - 118.30 MHz - PORT-AU-PRINCE TOWER

APP - 119.80 MHz - PORT-AU-PRINCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	141 ft	10,049 ft	86.97	ASPHALT	0 ft	0 ft
	43 m	3,063 m	97.71		0 m	0 m
28	141 ft	10,049 ft	266.98	ASPHALT	0 ft	0 ft
	43 m	3,063 m	277.72		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMG	111.50 MHz	18 nm	-	-	121 ft
				33 km	-		121 m
10	LOC-ILS	IMG	111.50 MHz	18 nm	87.00	-	121 ft
				33 km	97.75		121 m
10	GS	IMG	111.50 MHz	10 nm	74.34	3.00	122 ft
				19 km	85.09		122 m

TFFR

Region: Elevation: 35 ft / 11 m
FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN) -61.533000
Timezone: AMERICA/GUADELOUPE Magnetic Var: 15.020 W
Runways: 1

METAR

TFFR 180100Z AUTO 10004KT CAVOK 28/24 Q1016 NOSIG

TAF

TAF AMD TFFR 180038Z 1800/1824 09003KT 9999 SCT025 TEMPO 1809/1815 4000 SHRA SCT015CB SCT018TCU SCT025 PROB30 TEM

Frequencies

REC - 127.60 MHz - ATIS GND - 121.85 MHz - POINT A PITRE GROUND
TWR - 118.40 MHz - POINT A PITRE TOWER APP - 121.30 MHz - RAIZET APPROACH
APP - 129.80 MHz - RAIZET APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,673 ft	100.87	ASPHALT	1,309 ft	98 ft
	45 m	3,253 m	115.89		399 m	30 m
30	148 ft	10,673 ft	280.87	ASPHALT	978 ft	853 ft
	45 m	3,253 m	295.89		298 m	260 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	PP	110.30 MHz	18 nm	100.95	-	35 ft
				33 km	115.97		35 m
12	GS	PP	110.30 MHz	10 nm	100.95	3.20	35 ft
				19 km	115.97		35 m