


2024/05/15 0255Z

KBFL CITIE **V107** PXN KSFO

208.27 nm / 385.71 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBFL APT	-	35.43350 -119.05800	0 ft 0 m	-	Meadows Field
CITIE FIX	-	36.43060 -120.56300	24,300 ft 7,407 m	94	-
PXN VOR	V107 AWY-LO	36.71550 -120.77900	20,000 ft 6,096 m	20	PANOCHÉ
KSFO APT	-	37.61850 -122.37500	0 ft 0 m	93	San Francisco Intl

## KBFL

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 2

Elevation: 509 ft / 155 m  
Location: 35.433500 -119.058000  
Magnetic Var: 11.844 E

## METAR

KBFL 150154Z 31012KT 10SM CLR 31/09 A2976 RMK A02 SLP070 T03110094

## TAF

TAF KBFL 142320Z 1500/1524 32009KT P6SM SKC FM150300 VRB05KT P6SM SKC

## Frequencies

COM - 118.10 MHz - CTAF	COM - 122.95 MHz - BAKERSFIELD UNICOM
REC - 118.60 MHz - ATIS	GND - 121.70 MHz - BAKERSFIELD GROUND
TWR - 118.10 MHz - BAKERSFIELD TOWER	APP - 118.80 MHz - BAKERSFIELD APPROACH
APP - 118.90 MHz - BAKERSFIELD APPROACH	DEP - 126.45 MHz - BAKERSFIELD DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	98 ft	7,689 ft	135.44	ASPHALT	0 ft	0 ft
	30 m	2,344 m	123.60		0 m	0 m
30L	98 ft	7,689 ft	315.45	ASPHALT	1,503 ft	0 ft
	30 m	2,344 m	303.61		458 m	0 m
12L	151 ft	10,836 ft	135.44	ASPHALT	0 ft	0 ft
	46 m	3,303 m	123.59		0 m	0 m
30R	151 ft	10,836 ft	315.45	ASPHALT	3,419 ft	197 ft
	46 m	3,303 m	303.61		1,042 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	DME	IBFL	111.90 MHz	18 nm	-	-	507 ft
				33 km	-		507 m
30R	LOC-ILS	IBFL	111.90 MHz	18 nm	315.45	-	509 ft
				33 km	303.61		509 m
30R	GS	IBFL	111.90 MHz	10 nm	315.45	3.00	509 ft
				19 km	303.61		509 m

## KSFO

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 4

Elevation: 13 ft / 4 m  
Location: 37.618500 -122.375000  
Magnetic Var: 12.842 E

## METAR

KSFO 150156Z 30016KT 10SM FEW008 SCT200 15/10 A2986 RMK A02 SLP111 T01500100

## TAF

KSFO 142334Z 1500/1606 31016G26KT P6SM SKC FM150500 30008KT P6SM FEW015 FM150900 28006KT P6SM OVC007 FM151800 020

## Frequencies

REC - 113.70 MHz - D-ATIS	REC - 115.80 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.20 MHz -	GND - 121.80 MHz - SAN FRANCISCO GROUND
SAN FRANCISCO CLEARANCE DELIVERY	APP - 134.50 MHz - NORCAL APPROACH
TWR - 120.50 MHz - SAN FRANCISCO TOWER	APP - 128.57 MHz - NORCAL APPROACH
APP - 128.32 MHz - NORCAL APPROACH	DEP - 120.90 MHz - NORCAL DEPARTURE
APP - 133.95 MHz - NORCAL APPROACH	
DEP - 135.10 MHz - NORCAL DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.05		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.05		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.08		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.88		0 m	136 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m