


2024/05/08 0650Z

LHBP BAREB **Q570** CE **P10** KEB LYTV

312.07 nm / 577.96 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LHBP	-	47.43529	0 ft	-	Ferihegy (Budapest)
APT	-	19.26579	0 m	-	
BAREB	-	45.74611	34,000 ft	107	-
FIX	-	18.41333	10,363 m	-	
CE	Q570	45.52842	35,000 ft	14	CEPIN NDB
NDB	AWY-LO	18.56005	10,668 m	-	
ADULA	P10	45.27056	35,000 ft	15	-
FIX	AWY-LO	18.64194	10,668 m	-	
VIBOP	P10	44.99830	33,700 ft	16	-
FIX	AWY-LO	18.72668	10,272 m	-	
KEB	P10	43.93386	18,800 ft	65	SARAJEVO VOR-DME
VOR	AWY-LO	18.44983	5,730 m	-	
LYTV	-	42.40466	0 ft	92	Tivat
APT	-	18.72329	0 m	-	

## LHBP

Region: HUNGARY  
Timezone: EUROPE/BUDAPEST  
Runways: 2

Elevation: 495 ft / 151 m  
Location: 47.436900 19.255600  
Magnetic Var: 5.500 E

## METAR

LHBP 080630Z 02006KT 350V050 9999 BKN031 BKN040 BKN049 15/09 Q1017 NOSIG

## TAF

TAF TAF LHBP 080515Z 0806/0906 02005KT 9999 BKN040 BECMG 0806/0808 08009KT TEMPO 0806/0822 -SHRA SCT030TCU SCT060

## Frequencies

REC - 117.30 MHz - ATIS	REC - 132.37 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER	TWR - 118.10 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND	CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 119.50 MHz - BUDAPEST APPROACH	APP - 122.97 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH	APP - 124.90 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,882 ft	132.42	CONCRETE	0 ft	0 ft
	45 m	3,012 m	126.92		0 m	0 m
31L	148 ft	9,882 ft	312.44	CONCRETE	0 ft	0 ft
	45 m	3,012 m	306.94		0 m	0 m
13L	148 ft	12,175 ft	132.46	CONCRETE	0 ft	0 ft
	45 m	3,711 m	126.96		0 m	0 m
31R	148 ft	12,175 ft	312.49	CONCRETE	0 ft	0 ft
	45 m	3,711 m	306.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
13R	DME	FER	110.50 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
31L	DME	FHL	111.50 MHz	14 nm	-	-	495 ft
				26 km	-		495 m
31R	DME	BPR	109.50 MHz	32 nm	-	-	495 ft
				59 km	-		495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm	132.48	-	495 ft
				33 km	126.98		495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm	132.44	-	495 ft
				33 km	126.94		495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm	312.44	-	495 ft
				33 km	306.94		495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm	312.48	-	495 ft
				33 km	306.98		495 m
13L	GS	BPL	109.15 MHz	10 nm	132.48	3.00	495 ft
				19 km	126.98		495 m
13R	GS	FER	110.50 MHz	10 nm	132.44	3.00	495 ft
				19 km	126.94		495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.94		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.98		495 m

## LYTV

Region: SERBIA AND MONTENEGRO  
Timezone: EUROPE/PODGORICA  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 42.404700 18.723300  
Magnetic Var: 4.830 E

## METAR

LYTV 080630Z 14003KT 030V200 CAVOK 19/15 Q1015 NOSIG

## TAF

TAF LYTV 080500Z 0806/0906 23006KT 9999 SCT040 TX25/0813Z TN14/0906Z PROB30 TEMPO 0810/0816 SHRA FEW030TCU SCT040

## Frequencies

TWR - 118.00 MHz - TIVAT TOWER

APP - 118.00 MHz - TIVAT APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	8,210 ft	138.97	ASPHALT	0 ft	0 ft
	45 m	2,503 m	134.14		0 m	0 m
32	148 ft	8,210 ft	318.99	ASPHALT	0 ft	0 ft
	45 m	2,503 m	314.16		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	TIV	111.30 MHz	18 nm	-	-	49 ft
				33 km	-		49 m
32	LOC-LOC	TIV	111.30 MHz	18 nm	339.00	-	56 ft
				33 km	334.17		56 m