

DAAG

Alger/Houari Boumediene


LIRF

Roma-Fiumicino "Leonardo da Vinci"

2024/05/10 1738Z

DAAG LIMON **G26** REQIN **UM986** ETEKO **M986** KUPIM **UM986** ORKUM **M603** ALG **L5** RUXOP LIRF

539.63 nm / 999.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAAG	-	36.69750	0 ft	-	Alger/Houari Boumediene
APT	-	3.21225	0 m	-	
LIMON	-	37.07110	14,200 ft	39	-
FIX	-	3.89944	4,328 m	-	-
BOURI	G26	37.98920	35,000 ft	76	-
FIX	AWY-HI	5.00000	10,668 m	-	-
REQIN	G26	39.00000	35,000 ft	84	-
FIX	AWY-HI	6.25000	10,668 m	-	-
ETEKO	UM986	39.71390	35,000 ft	50	-
FIX	AWY-HI	6.80444	10,668 m	-	-
KUPIM	M986	40.33440	35,000 ft	43	-
FIX	AWY-LO	7.29778	10,668 m	-	-
ORKUM	UM986	40.56390	35,000 ft	16	-
FIX	AWY-HI	7.48278	10,668 m	-	-
ELSAG	M603	40.60810	35,000 ft	23	-
FIX	AWY-HI	8.00000	10,668 m	-	-
ALG	M603	40.62810	35,000 ft	11	ALGHERO
VOR	AWY-HI	8.24389	10,668 m	-	
MINKA	L5	40.81920	35,000 ft	30	-
FIX	AWY-HI	8.85556	10,668 m	-	-
POZZO	L5	40.94580	30,800 ft	20	-
FIX	AWY-HI	9.26639	9,388 m	-	-
ROMPO	L5	41.09890	25,600 ft	24	-
FIX	AWY-HI	9.77083	7,803 m	-	-
RUXOP	L5	41.16920	23,100 ft	11	-
FIX	AWY-HI	10.00940	7,041 m	-	-
LIRF	-	41.81080	0 ft	107	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m	-	

DAAG

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 82 ft / 25 m
Location: 36.697500 3.212250
Magnetic Var: 1.708 E

METAR

DAAG 101700Z 06012KT CAVOK 22/11 Q1016

TAF

TAF TAF DAAG 101100Z 1012/1112 06012KT CAVOK PROB40 TEMPO 1012/1017 06015G25KT BECMG 1019/1021 VRB02KT PROB30 110

Frequencies

GND - 121.80 MHz - ALGIERS GROUND
TWR - 119.70 MHz - ALGIERS TOWER
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER
APP - 121.40 MHz - ALGIERS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.01		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.97		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.665 E

METAR

LIRF 101650Z 23006KT CAVOK 22/13 Q1014 NOSIG

TAF

TAF LIRF 101100Z 1012/1118 25012KT CAVOK BECMG 1017/1019 03006KT BECMG 1108/1110 26010KT BECMG 1116/1118 VRB05KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m