


2024/05/22 0526Z

EHEH SORAT EHBK

35.61 nm / 65.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 100kts
- Cruise Altitude: 1000ft
- Cruise Speed: 100kts
- Descent Rate: 1000ft/min
- Descent Speed: 100kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHEH	-	51.45000	0 ft	-	Eindhoven
APT	-	5.37444	0 m		
SORAT	-	51.21580	1,000 ft	16	-
FIX	-	5.59667	305 m		
EHBK	-	50.91580	0 ft	19	Maastricht
APT	-	5.77694	0 m		

## EHEH

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: 144 ft / 44 m  
Location: 51.450000 5.374440  
Magnetic Var: 2.261 E

## METAR

EHEH 220518Z AUTO 23011KT 180V290 4400 BR FEW008 SCT009 BKN011 14/13 Q1006 GRN TEMPO SCT006 BKN008

## TAF

TAF EHEH 212331Z 2200/2306 27007KT 4000 -RADZ BKN007 OVC010 TEMPO 2200/2202 2500 DZRA BKN003 OVC006 BECMG 2202/2204 2500 DZRA BKN003 OVC006

## Frequencies

REC - 126.02 MHz - INFORMATION	GND - 121.92 MHz - GROUND
TWR - 122.10 MHz - TOWER	TWR - 131.00 MHz - TOWER
APP - 123.10 MHz - RAPCON SOUTH	APP - 124.50 MHz - ARRIVAL
APP - 122.10 MHz - ARRIVAL	APP - 132.50 MHz - ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,833 ft	34.92	ASPHALT	820 ft	0 ft
	45 m	2,997 m	32.66		250 m	0 m
21	148 ft	9,833 ft	214.94	ASPHALT	797 ft	0 ft
	45 m	2,997 m	212.68		243 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	EHZ	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
21	DME	EHO	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
03	LOC-ILS	EHZ	109.75 MHz	18 nm	34.94	-	74 ft
				33 km	32.68		74 m
21	LOC-ILS	EHO	109.75 MHz	18 nm	214.94	-	74 ft
				33 km	212.68		74 m
03	GS	EHZ	109.75 MHz	10 nm	34.94	3.00	74 ft
				19 km	32.68		74 m
21	GS	EHO	109.75 MHz	10 nm	214.94	3.00	74 ft
				19 km	212.68		74 m

## EHBK

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: 375 ft / 114 m  
Location: 50.915800 5.776940  
Magnetic Var: 2.392 E

## METAR

EHBK 220455Z AUTO 22009KT 190V250 6000 SCT026 SCT037 BKN042 14/13 Q1006 BECMG 9999

## TAF

TAF EHBK 212312Z 2200/2306 24007KT 9999 BKN009 BECMG 2200/2203 BKN012 PROB40 TEMPO 2200/2203 6000 -RADZ BKN004 BE

## Frequencies

REC - 124.57 MHz - MAASTRICHT INFORMATION  
TWR - 119.70 MHz - BEEK TOWER  
APP - 123.97 MHz - BEEK APPROACH

TWR - 119.47 MHz - BEEK TOWER  
CLD - 121.82 MHz - BEEK DELIVERY  
APP - 120.20 MHz - BEEK APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,019 ft	32.54	ASPHALT	810 ft	0 ft
	45 m	2,749 m	30.15		247 m	0 m
21	148 ft	9,019 ft	212.56	ASPHALT	814 ft	0 ft
	45 m	2,749 m	210.17		248 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	BKZ	111.55 MHz	18 nm	-	-	375 ft
				33 km	-		375 m
21	DME	BKN	111.55 MHz	18 nm	-	-	375 ft
				33 km	-		375 m
03	LOC-ILS	BKZ	111.55 MHz	18 nm	32.56	-	375 ft
				33 km	30.17		375 m
21	LOC-ILS	BKN	111.55 MHz	18 nm	212.56	-	375 ft
				33 km	210.17		375 m
03	GS	BKZ	111.55 MHz	10 nm	32.56	3.00	375 ft
				19 km	30.17		375 m
21	GS	BKN	111.55 MHz	10 nm	212.56	3.00	375 ft
				19 km	210.17		375 m