


2024/05/29 0146Z

SCCI EGOSA **G550** ASOPA **UG550** ASADO **UT659** DAKAX **UT658** ESQ SAZS

716.03 nm / 1326.08 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCCI	-	-53.00260	0 ft	-	Carlos Ibanez del Campo
APT	-	-70.85350	0 m	-	
EGOSA	-	-52.00000	21,500 ft	60	-
FIX	-	-70.99500	6,553 m	-	-
ASOPA	G550	-49.61420	35,000 ft	143	-
FIX	AWY-LO	-71.29390	10,668 m	-	-
ASADO	UG550	-48.02690	35,000 ft	95	-
FIX	AWY-HI	-71.48170	10,668 m	-	-
IMBAV	UT659	-45.90140	35,000 ft	129	-
FIX	AWY-HI	-70.99330	10,668 m	-	-
DAKAX	UT659	-44.79690	35,000 ft	67	-
FIX	AWY-HI	-70.75690	10,668 m	-	-
ESQ	UT658	-42.88720	22,300 ft	115	ESQUEL
VOR	AWY-HI	-71.10030	6,797 m	-	-
SAZS	-	-41.15110	0 ft	104	San Carlos de Bariloche
APT	-	-71.15790	0 m	-	

SCCI

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 3

Elevation: 139 ft / 42 m
Location: -53.002600 -70.853500
Magnetic Var: 12.720 E

METAR

SCCI 290100Z 14009KT 9999 -RA OVC012 05/02 Q0986 NOSIG

TAF

TAF SCCI 282201Z 2900/3000 17015KT 8000 FEW015 BKN030 OVC050 TN01/2909Z TX05/2918Z TEMPO 2900/2908 5000 -RA -RASN

Frequencies

GND - 121.90 MHz -
APP - 128.10 MHz -

TWR - 118.70 MHz -
APP - 123.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,162 ft	88.80	ASPHALT	0 ft	197 ft
	45 m	2,793 m	76.08		0 m	60 m
25	148 ft	9,162 ft	268.77	ASPHALT	0 ft	787 ft
	45 m	2,793 m	256.05		0 m	240 m
12	148 ft	7,881 ft	138.93	ASPHALT	0 ft	171 ft
	45 m	2,402 m	126.21		0 m	52 m
30	148 ft	7,881 ft	318.91	ASPHALT	0 ft	190 ft
	45 m	2,402 m	306.19		0 m	58 m
01	148 ft	5,507 ft	28.61	ASPHALT	0 ft	0 ft
	45 m	1,679 m	15.89		0 m	0 m
19	148 ft	5,507 ft	208.60	ASPHALT	0 ft	0 ft
	45 m	1,679 m	195.88		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	INAS	109.90 MHz	18 nm	-	-	139 ft
				33 km	-		139 m
25	LOC-ILS	INAS	109.90 MHz	18 nm	268.78	-	139 ft
				33 km	256.06		139 m
25	GS	INAS	109.90 MHz	10 nm	268.78	3.00	139 ft
				19 km	256.06		139 m

SAZS

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/SALTA
Runways: 1

Elevation: 2,761 ft / 842 m
Location: -41.151100 -71.157900
Magnetic Var: 5.861 E

METAR

SAZS 290100Z 28013KT 8000 -RA STC029 BKN036 08/05 Q1007

TAF

TAF SAZS 282300Z 2900/2924 31010G20KT 8000 RA SCT015 BKN030 TX08/2918Z TN03/2911Z BECMG 2904/2906 9999 NSW SCT020

Frequencies

REC - 127.90 MHz - BARILOCHE ATIS
TWR - 119.10 MHz - BARILOCHE TOWER

GND - 121.80 MHz - BARILOCHE GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	157 ft	7,710 ft	114.82	ASPHALT	0 ft	502 ft
	48 m	2,350 m	108.96		0 m	153 m
29	157 ft	7,710 ft	294.81	ASPHALT	0 ft	325 ft
	48 m	2,350 m	288.94		0 m	99 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	DME	BR	109.50 MHz	18 nm	-	-	2,776 ft
				33 km	-		2,776 m
29	LOC-ILS	BR	109.50 MHz	18 nm	294.81	-	2,775 ft
				33 km	288.95		2,775 m
29	GS	BR	109.50 MHz	10 nm	294.81	3.00	2,775 ft
				19 km	288.95		2,775 m