


2024/05/26 0552Z

KSYF HLC **J80** CATTs KMCI

335.00 nm / 620.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSYF APT	-	39.76126 -101.79578	0 ft 0 m	-	CHEYENNE CO MUNI
HLC DME	-	39.25875 -100.22585	27,100 ft 8,260 m	78	HILL CITY VORTAC
SLOWR FIX	J80 AWY-HI	39.30407 -97.52797	27,000 ft 8,230 m	125	-
CATTS FIX	J80 AWY-HI	39.30322 -96.15380	13,300 ft 4,054 m	63	-
KMCI APT	-	39.29714 -94.71339	0 ft 0 m	66	Kansas City Intl

KMCI

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 1,024 ft / 312 m
Location: 39.297200 -94.713400
Magnetic Var: 1.133 E

METAR

KMCI 260453Z 18008G21KT 9SM OVC190 23/12 A2961 RMK AO2 PK WND 18040/0425 SLP014 T02280122

TAF

KMCI 252330Z 2600/2624 14012G20KT P6SM SCT250 TEMPO 2604/2606 4SM TSRA BR OVC025CB FM260800 20009KT 4SM TSRA OVC0

Frequencies

REC - 126.62 MHz - ATIS
GND - 121.65 MHz -
APP - 120.95 MHz -

COM - 122.95 MHz - UNICOM
TWR - 128.20 MHz - INTL TWR
DEP - 124.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	10,819 ft	12.88	ASPHALT	0 ft	400 ft
	46 m	3,298 m	11.74		0 m	122 m
19R	151 ft	10,819 ft	192.88	ASPHALT	0 ft	400 ft
	46 m	3,298 m	191.75		0 m	122 m
09	151 ft	9,512 ft	96.15	CONCRETE	0 ft	400 ft
	46 m	2,899 m	95.02		0 m	122 m
27	151 ft	9,512 ft	276.17	CONCRETE	0 ft	394 ft
	46 m	2,899 m	275.04		0 m	120 m
01R	151 ft	9,515 ft	12.90	CONCRETE	0 ft	400 ft
	46 m	2,900 m	11.76		0 m	122 m
19L	151 ft	9,515 ft	192.90	CONCRETE	0 ft	400 ft
	46 m	2,900 m	191.77		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	PVL	110.75 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
09	DME	IRNI	109.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
19L	DME	IDYH	109.55 MHz	18 nm	-	-	1,016 ft
				33 km	-		1,016 m
27	DME	IUQY	109.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
01L	LOC-ILS	IDOT	110.50 MHz	18 nm	12.88	-	1,026 ft
				33 km	11.75		1,026 m
01R	LOC-ILS	PVL	110.75 MHz	18 nm	12.90	-	1,026 ft
				33 km	11.77		1,026 m
09	LOC-ILS	IRNI	109.70 MHz	18 nm	96.17	-	1,026 ft
				33 km	95.03		1,026 m
19L	LOC-ILS	IDYH	109.55 MHz	18 nm	192.90	-	1,011 ft
				33 km	191.77		1,011 m
19R	LOC-ILS	IPAJ	109.10 MHz	18 nm	192.88	-	1,026 ft
				33 km	191.75		1,026 m
27	LOC-ILS	IUQY	109.70 MHz	18 nm	276.14	-	1,026 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	275.01		1,026 m
01L	GS	IDOT	110.50 MHz	10 nm	13.76	3.00	1,007 ft
				19 km	12.63		1,007 m
01R	GS	PVL	110.75 MHz	10 nm	13.80	3.00	1,026 ft
				19 km	12.67		1,026 m
09	GS	IRNI	109.70 MHz	10 nm	96.32	3.00	1,014 ft
				19 km	95.19		1,014 m
19L	GS	IDYH	109.55 MHz	10 nm	193.80	3.00	982 ft
				19 km	192.67		982 m
19R	GS	IPAJ	109.10 MHz	10 nm	193.76	3.00	981 ft
				19 km	192.63		981 m
27	GS	IUQY	109.70 MHz	10 nm	276.32	3.00	1,026 ft
				19 km	275.19		1,026 m