


2024/05/11 0445Z

LFSB DSU03 BHD 52N15 KAYLN SCUPP R0062 KEWR

3379.22 nm / 6258.31 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFSB	-	47.60118	0 ft	-	Bale-Mulhouse
APT	-	7.51797	0 m	-	
DSU03	-	48.99725	0 ft	210	-
FIX	-	2.67909	0 m	-	
BHD	-	50.39861	0 ft	254	BERRY HEAD VOR-DME
VOR	-	-3.49361	0 m	-	
52N15	-	52.00000	0 ft	443	-
FIX	-	-15.00000	0 m	-	
KAYLN	-	44.88840	0 ft	2003	-
FIX	-	-65.20409	0 m	-	
SCUPP	-	42.60306	0 ft	257	-
FIX	-	-70.23039	0 m	-	
R0062	-	40.70281	0 ft	210	-
FIX	-	-74.18071	0 m	-	
KEWR	-	40.70281	0 ft	0	-
APT	-	-74.18071	0 m	-	

LFSB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 884 ft / 269 m
Location: 47.595800 7.524810
Magnetic Var: 2.873 E

METAR

LFSB 110430Z AUTO 23002KT 9999 4000 NSC 08/07 Q1020 NOSIG

TAF

TAF LFSB 102300Z 1100/1124 VRB03KT CAVOK BECMG 1109/1112 01006KT

Frequencies

TWR - 118.30 MHz - BALE TOWER	GND - 121.60 MHz - BALE GROUND
APP - 118.57 MHz - BALE APPROACH	APP - 119.35 MHz - BALE APPROACH
APP - 121.25 MHz - BALE APPROACH	REC - 127.87 MHz - BALE ATIS
CLD - 121.95 MHz - CLEARANCE DELIVERY	COM - 130.90 MHz - BALE INFO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	5,977 ft	76.98	CONCRETE	0 ft	0 ft
	60 m	1,822 m	74.11		0 m	0 m
26	197 ft	5,977 ft	257.00	CONCRETE	728 ft	0 ft
	60 m	1,822 m	254.13		222 m	0 m
15	197 ft	12,807 ft	154.84	CONCRETE	0 ft	302 ft
	60 m	3,904 m	151.97		0 m	92 m
33	197 ft	12,807 ft	334.86	CONCRETE	3,674 ft	0 ft
	60 m	3,904 m	331.98		1,120 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	MH	111.55 MHz	18 nm	-	-	860 ft
				33 km	-		860 m
33	DME	IBLU	109.35 MHz	18 nm	-	-	885 ft
				33 km	-		885 m
15	LOC-ILS	MH	111.55 MHz	18 nm	154.85	-	884 ft
				33 km	151.98		884 m
33	LOC-ILS	IBLU	109.35 MHz	18 nm	334.85	-	884 ft
				33 km	331.98		884 m
15	GS	MH	111.55 MHz	10 nm	154.85	3.00	884 ft
				19 km	151.98		884 m
33	GS	IBLU	109.35 MHz	10 nm	334.85	3.50	884 ft
				19 km	331.98		884 m

KEWR

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 17 ft / 5 m
Location: 40.693600 -74.168600
Magnetic Var: 12.651 W

METAR

KEWR 110411Z 29007KT 10SM -RA FEW014 SCT020 OVC060 11/08 A2984 RMK AO2 RAB11 P0000 T01060083

TAF

KEWR 110233Z 1103/1206 03005KT P6SM SCT020 BKN060 FM110600 02006KT P6SM SCT120 FM111300 05006KT P6SM FEW050 FM111

Frequencies

REC - 115.70 MHz - D-ATIS	REC - 134.82 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.85 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - NEWARK GROUND	GND - 126.15 MHz - NEWARK GROUND
GND - 132.45 MHz - RAMP CONTROL	TWR - 118.30 MHz - NEWARK TOWER
TWR - 134.05 MHz - NEWARK TOWER	APP - 127.60 MHz - NEW YORK APPROACH
APP - 128.55 MHz - NEW YORK APPROACH	APP - 132.70 MHz - NEW YORK APPROACH
APP - 132.80 MHz - NEW YORK APPROACH	DEP - 119.20 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	11,011 ft	25.75	ASPHALT	2,539 ft	610 ft
	46 m	3,356 m	38.40		774 m	186 m
22R	150 ft	11,011 ft	205.76	ASPHALT	1,440 ft	0 ft
	46 m	3,356 m	218.41		439 m	0 m
04R	150 ft	10,009 ft	25.74	ASPHALT	1,191 ft	299 ft
	46 m	3,051 m	38.39		363 m	91 m
22L	150 ft	10,009 ft	205.75	ASPHALT	1,791 ft	0 ft
	46 m	3,051 m	218.40		546 m	0 m
11	150 ft	6,732 ft	95.00	ASPHALT	0 ft	505 ft
	46 m	2,052 m	107.65		0 m	154 m
29	150 ft	6,732 ft	275.02	ASPHALT	223 ft	0 ft
	46 m	2,052 m	287.67		68 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IEWR	110.75 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
04R	DME	IEZA	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
22L	DME	ILSQ	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
22R	DME	IJNN	110.75 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
04L	LOC-ILS	IEWR	110.75 MHz	18 nm	25.76	-	17 ft
				33 km	38.41		17 m
04R	LOC-ILS	IEZA	108.70 MHz	18 nm	25.75	-	17 ft
				33 km	38.40		17 m
11	LOC-ILS	IGPR	109.15 MHz	18 nm	95.01	-	17 ft
				33 km	107.66		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	LOC-ILS	ILSQ	108.70 MHz	18 nm	205.75	-	17 ft
				33 km	218.40		17 m
22R	LOC-ILS	IJNN	110.75 MHz	18 nm	205.76	-	17 ft
				33 km	218.41		17 m
04L	GS	IEWR	110.75 MHz	10 nm	25.76	3.00	17 ft
				19 km	38.41		17 m
04R	GS	IEZA	108.70 MHz	10 nm	25.75	3.00	17 ft
				19 km	38.40		17 m
11	GS	IGPR	109.15 MHz	10 nm	95.01	3.00	17 ft
				19 km	107.66		17 m
22L	GS	ILSQ	108.70 MHz	10 nm	205.75	3.00	17 ft
				19 km	218.40		17 m
22R	GS	IJNN	110.75 MHz	10 nm	205.76	3.00	17 ft
				19 km	218.41		17 m