


2024/06/05 0246Z

EGKK ETRAT UN859 LGL A34 BENAR UN859 BALAN UL152 LMG A34 AGN UN860 GRAUS A34 SEROX UN860 TATOS
LEAL

785.38 nm / 1454.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGKK APT	-	51.14880 -0.19192	0 ft 0 m	-	London Gatwick
ETRAT FIX	-	49.68330 0.16333	31,800 ft 9,693 m	89	-
DVL VOR	UN859 AWY-HI	49.31070 0.31272	35,000 ft 10,668 m	23	DEAUVILLE NORMANDIE
LGL VOR	UN859 AWY-HI	48.79060 0.53028	35,000 ft 10,668 m	32	L'AIGLE
BOBSA FIX	A34 AWY-LO	48.49580 0.64833	35,000 ft 10,668 m	18	-
BENAR FIX	A34 AWY-LO	48.25310 0.74444	35,000 ft 10,668 m	15	-
VANAD FIX	UN859 AWY-HI	47.83720 0.90722	35,000 ft 10,668 m	25	-
AMB VOR	UN859 AWY-HI	47.42890 1.06444	35,000 ft 10,668 m	25	AMBOISE
BALAN FIX	UN859 AWY-HI	46.51610 1.03333	35,000 ft 10,668 m	54	-
LMG VOR	UL152 AWY-HI	45.81590 1.02558	35,000 ft 10,668 m	42	LIMOGES
MAVAC FIX	A34 AWY-LO	45.51640 1.00194	35,000 ft 10,668 m	18	-
PERIG FIX	A34 AWY-LO	45.11720 0.96944	35,000 ft 10,668 m	24	-
BUGUS FIX	A34 AWY-LO	45.00000 0.96056	35,000 ft 10,668 m	7	-
RUMEL FIX	A34 AWY-LO	44.50000 0.92050	35,000 ft 10,668 m	30	-
LACOU FIX	A34 AWY-LO	44.29680 0.90439	35,000 ft 10,668 m	12	-
AGN VOR	A34 AWY-LO	43.88800 0.87286	35,000 ft 10,668 m	24	AGEN
ANETO FIX	UN860 AWY-HI	42.69300 0.55844	35,000 ft 10,668 m	73	-
TURUV FIX	UN860 AWY-HI	42.36750 0.47497	35,000 ft 10,668 m	19	-
GRAUS FIX	UN860 AWY-HI	41.97900 0.37644	35,000 ft 10,668 m	23	-
SEROX FIX	A34 AWY-LO	41.34670 0.21869	35,000 ft 10,668 m	38	-
CASPE FIX	UN860 AWY-HI	41.26840 0.19939	35,000 ft 10,668 m	4	-
MLA VOR	UN860 AWY-HI	41.12960 0.16525	35,000 ft 10,668 m	8	MAELLA
CRETA FIX	UN860 AWY-HI	40.87230 0.06156	34,000 ft 10,363 m	16	-
RIMES FIX	UN860 AWY-HI	40.55790 -0.06394	29,700 ft 9,053 m	19	-
SAURA FIX	UN860 AWY-HI	40.25600 -0.18336	25,700 ft 7,833 m	18	-
TATOS FIX	UN860 AWY-HI	40.00000 -0.28375	22,200 ft 6,767 m	16	-
LEAL APT	-	38.28220 -0.55811	0 ft 0 m	103	Alicante

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.505 E

METAR

EGKK 050220Z 24003KT CAVOK 09/08 Q1012

TAF

TAF EGKK 042258Z 0500/0606 33004KT 9999 SCT040 PROB30 TEMPO 0500/0506 8000

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.09		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.13		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.08		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.11		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.11		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.11		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.11		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.11		187 m

LEAL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 142 ft / 43 m
Location: 38.282200 -0.558114
Magnetic Var: 0.894 E

METAR

LEAL 050230Z 29003KT CAVOK 18/14 Q1016 NOSIG

TAF

TAF TAF LEAL 042300Z 0500/0524 VRB04KT CAVOK TX28/0512Z TN16/0505Z BECMG 0509/0511 11010KT PROB40 TEMPO 0512/0518

Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.29		129 m