

FIMP

Sir Seewoosagur Ramgoolam Intl


VRMM

Velana International Airport

2024/05/12 1442Z

FIMP PLS **G454** MEGOK -100S07300E GAN **R329** ATISA VRMM

1793.08 nm / 3320.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIMP APT	-	-20.43020 57.68360	0 ft 0 m	-	Sir Seewoosagur Ramgoolam Intl
PLS VOR	-	-20.42000 57.66240	400 ft 122 m	1	PLAISANCE (MAURITIUS)
TAPER FIX	G454 AWY-HI	-18.51440 59.37920	35,000 ft 10,668 m	150	-
PULIT FIX	G454 AWY-HI	-15.00000 62.41670	35,000 ft 10,668 m	273	-
NOMIG FIX	G454 AWY-HI	-10.65390 65.99670	35,000 ft 10,668 m	334	-
TOLID FIX	G454 AWY-HI	-6.97861 68.91830	35,000 ft 10,668 m	280	-
BOBOD FIX	G454 AWY-HI	-6.00000 69.68500	35,000 ft 10,668 m	74	-
OVTOP FIX	G454 AWY-HI	-4.03167 71.22970	35,000 ft 10,668 m	150	-
MEGOK FIX	G454 AWY-HI	-2.65083 72.30690	35,000 ft 10,668 m	105	-
-100S07300E LATLON	-	-1.00000 73.00000	35,000 ft 10,668 m	107	-
GAN VOR	-	-0.69427 73.15550	35,000 ft 10,668 m	20	GAN (GAN ISLAND)
ATISA FIX	R329 AWY-HI	3.35611 73.52720	10,700 ft 3,261 m	244	-
VRMM APT	-	4.19175 73.52920	0 ft 0 m	50	Velana International Airport

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.070 W

METAR

FIMP 121400Z 12011KT 8000 VCSH BKN015 SCT050 25/21 Q1017

TAF

TAF FIMP 121110Z 1212/1318 13010G20KT 9999 BKN016 TEMPO 1212/1306 7000 -SHRA FEW010 BKN015

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m

VRMM

Region: MALDIVES
Timezone: INDIAN/MALDIVES
Runways: 1

Elevation: 5 ft / 2 m
Location: 4.191670 73.529200
Magnetic Var: 2.350 W

METAR

VRMM 121400Z 29006KT 270V340 9999 FEW018TCU BKN270 30/27 Q1009 NOSIG

TAF

TAF VRMM 120500Z 1206/1312 29009KT 9999 SCT018TCU TEMPO 1208/1214 5000 SHRA FEW017CB

Frequencies

APP - 119.70 MHz - MALÉ APPROACH
GND - 121.60 MHz - MALÉ GROUND

TWR - 118.10 MHz - MALÉ TOWER
REC - 125.50 MHz - MALÉ INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,558 ft	179.06	ASPHALT	331 ft	0 ft
	45 m	3,218 m	181.41		101 m	0 m
36	148 ft	10,558 ft	359.06	ASPHALT	951 ft	59 ft
	45 m	3,218 m	1.41		290 m	18 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	IML	108.70 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
36	LOC-ILS	IML	108.70 MHz	18 nm	359.09	-	3 ft
				33 km	1.44		3 m
36	GS	IML	108.70 MHz	10 nm	359.09	3.00	3 ft
				19 km	1.44		3 m