

CYOD

Cold Lake AB


CYZH

SLAVE LAKE

2024/06/05 0512Z

CYOD CABRA CYZH

164.26 nm / 304.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYOD	-	54.40480	0 ft	-	Cold Lake AB
APT	-	-110.28400	0 m		
CABRA	-	54.90170	16,400 ft	87	-
FIX	-	-112.64700	4,999 m		
CYZH	-	55.29330	0 ft	76	SLAVE LAKE
APT	-	-114.77800	0 m		

CYOD

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 3

Elevation: 1,774 ft / 541 m
Location: 54.404800 -110.284000
Magnetic Var: 11.843 E

METAR

CYOD 050500Z 26007KT 10SM -RA SCT012 OVC055 10/09 A2936 RMK SC4SC4 DENSITY ALT 2322FT SLP954

TAF

TAF CYOD 050240Z 0503/0524 27008KT 6SM -RA BR BKN008 OVC020 TEMPO 0503/0507 P6SM NSW SCT008 OVC030 FM050700 30008KT

Frequencies

REC - 260.00 MHz - ATIS
GND - 121.90 MHz - GROUND
DEP - 322.80 MHz - DEPARTURE
CLD - 120.60 MHz - CLNC DEL
TWR - 126.20 MHz - TOWER
APP - 124.50 MHz - APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	200 ft	12,576 ft	143.85	ASPHALT	0 ft	95 ft
	61 m	3,833 m	132.01		0 m	29 m
31R	200 ft	12,576 ft	323.88	ASPHALT	0 ft	102 ft
	61 m	3,833 m	312.04		0 m	31 m
13R	150 ft	9,985 ft	143.74	ASPHALT	0 ft	200 ft
	46 m	3,044 m	131.90		0 m	61 m
31L	150 ft	9,985 ft	323.76	ASPHALT	0 ft	200 ft
	46 m	3,044 m	311.92		0 m	61 m
04	200 ft	8,108 ft	53.74	ASPHALT	0 ft	0 ft
	61 m	2,471 m	41.90		0 m	0 m
22	200 ft	8,108 ft	233.76	ASPHALT	0 ft	210 ft
	61 m	2,471 m	221.92		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	LOC-ILS	IOD	109.30 MHz	18 nm	323.87	-	1,774 ft
				33 km	312.03		1,774 m
13L	LOC-LOC	IOD	109.30 MHz	18 nm	143.87	-	1,774 ft
				33 km	132.03		1,774 m
31R	GS	IOD	109.30 MHz	10 nm	323.87	3.00	1,774 ft
				19 km	312.03		1,774 m