


2024/06/06 2033Z

SBCC TAROP **UL304** ESMAR SBIH

368.99 nm / 683.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCC	-	-9.33374	0 ft	-	Cachimbo Air Base
APT	-	-54.96530	0 m		
TAROP	-	-9.03200	9,500 ft	26	-
FIX	-	-54.63270	2,896 m		
UMPIX	UL304	-7.40417	35,000 ft	118	-
FIX	AWY-HI	-55.74630	10,668 m		
ESMAR	UL304	-5.74783	22,300 ft	119	-
FIX	AWY-HI	-56.86770	6,797 m		
SBIH	-	-4.24193	0 ft	104	Itaituba
APT	-	-56.00050	0 m		

SBCC

Region: BRAZIL
Timezone: AMERICA/SANTAREM
Runways: 1

Elevation: 1,764 ft / 538 m
Location: -9.333740 -54.965300
Magnetic Var: 19.251 W

METAR

SBCC 062000Z 08008KT CAVOK 31/15 Q1015

TAF

UNKNOWN

Frequencies

COM - 125.90 MHz - CACHIMBO RADIO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,522 ft	101.80	ASPHALT	0 ft	0 ft
	45 m	2,598 m	121.05		0 m	0 m
30	148 ft	8,522 ft	281.79	ASPHALT	0 ft	0 ft
	45 m	2,598 m	301.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	ICC	109.70 MHz	18 nm	101.79	-	1,764 ft
				33 km	121.04		1,764 m
12	GS	ICC	109.70 MHz	10 nm	101.79	3.00	1,764 ft
				19 km	121.04		1,764 m