


2024/06/09 1348Z

KGFA CDLYC TOVUM **Q842** EBGAL NOSIV LOMLO VETBI SAXOL **Q965** PEPGO CYEG

373.08 nm / 690.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KGFA	-	47.50500	0 ft	-	Malmstrom LRRS
APT	-	-111.18800	0 m		
CDLYC	-	49.00000	35,000 ft	103	-
FIX	-	-112.48400	10,668 m		
TOVUM	-	49.24140	35,000 ft	19	-
FIX	-	-112.81500	10,668 m		
ETLEM	Q842	49.43550	35,000 ft	11	-
FIX	AWY-HI	-112.88700	10,668 m		
EBGAL	Q842	50.69700	34,200 ft	78	-
FIX	AWY-HI	-113.37200	10,424 m		
NOSIV	-	50.90580	31,500 ft	12	-
FIX	-	-113.29200	9,601 m		
LOMLO	-	51.06970	29,200 ft	10	-
FIX	-	-113.38700	8,900 m		
VETBI	-	51.20220	27,500 ft	8	-
FIX	-	-113.42400	8,382 m		
SAXOL	-	51.46690	23,700 ft	17	-
FIX	-	-113.63200	7,224 m		
PEPGO	Q965	51.55800	22,500 ft	5	-
FIX	AWY-HI	-113.60100	6,858 m		
CYEG	-	53.30870	0 ft	105	Edmonton Intl
APT	-	-113.58100	0 m		

CYEG

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 2

Elevation: 2,373 ft / 723 m
Location: 53.308700 -113.581000
Magnetic Var: 13.291 E

METAR

CYEG 091300Z 22002KT 20SM FEW010 FEW035 BKN061 06/05 A3019 RMK CF1SC1SC6 CF TR SLP249

TAF

TAF CYEG 091140Z 0912/1012 VRB02KT P6SM FEW012 SCT030 BKN050 TEMPO 0912/0914 1 1/2SM BR FEW004 BKN012 PROB30 0912/

Frequencies

REC - 128.00 MHz - ATIS
GND - 121.70 MHz - EDMONTON GROUND
COM - 122.37 MHz - EDMONTON UNICOM
DEP - 133.65 MHz - EDMONTON DEPARTURE
CLD - 124.10 MHz - EDMONTON CLEARANCE
TWR - 118.30 MHz - EDMONTON TOWER
APP - 120.50 MHz - EDMONTON ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	200 ft	10,191 ft	135.02	ASPHALT	0 ft	95 ft
	61 m	3,106 m	121.73		0 m	29 m
30	200 ft	10,191 ft	315.04	ASPHALT	0 ft	92 ft
	61 m	3,106 m	301.75		0 m	28 m
02	200 ft	10,988 ft	34.87	ASPHALT	0 ft	98 ft
	61 m	3,349 m	21.58		0 m	30 m
20	200 ft	10,988 ft	214.89	ASPHALT	0 ft	98 ft
	61 m	3,349 m	201.60		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IEG	110.30 MHz	18 nm	34.89	-	2,373 ft
				33 km	21.60		2,373 m
12	LOC-ILS	IFP	109.90 MHz	18 nm	135.04	-	2,373 ft
				33 km	121.75		2,373 m
30	LOC-ILS	IKB	109.10 MHz	18 nm	315.04	-	2,373 ft
				33 km	301.75		2,373 m
02	GS	IEG	110.30 MHz	10 nm	34.89	3.00	2,373 ft
				19 km	21.60		2,373 m
12	GS	IFP	109.90 MHz	10 nm	135.04	3.00	2,373 ft
				19 km	121.75		2,373 m
30	GS	IKB	109.10 MHz	10 nm	315.04	3.00	2,373 ft
				19 km	301.75		2,373 m