

KJFK

John F Kennedy

—


KJAC

Jackson Hole

2024/05/16 0812Z

KJFK HAYED **J584** FQM **V188** TDT **V184** ERI **V116** SVM **V2** LAN **V510** VIO **J34** BAE **J16** FSD **J82** CZI **J32** BOY
KJAC

1655.04 nm / 3065.13 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK	-	40.63990	0 ft	-	John F Kennedy
APT	-	-73.77870	0 m		
HAYED	-	41.14390	35,000 ft	107	-
FIX	-	-76.05350	10,668 m		
MEGSS	J584	41.18700	35,000 ft	7	-
FIX	AWY-HI	-76.21140	10,668 m		
FQM	J584	41.33860	35,000 ft	27	WILLIAMSPORT
VOR	AWY-HI	-76.77490	10,668 m		
TRUER	V188	41.39380	35,000 ft	16	-
FIX	AWY-LO	-77.14430	10,668 m		
BLAZE	V188	41.45950	35,000 ft	20	-
FIX	AWY-LO	-77.59490	10,668 m		
SLT	V188	41.51280	35,000 ft	17	SLATE RUN
VOR	AWY-LO	-77.97010	10,668 m		
CLERO	V188	41.58090	35,000 ft	21	-
FIX	AWY-LO	-78.44680	10,668 m		
SCENT	V188	41.63310	35,000 ft	17	-
FIX	AWY-LO	-78.82250	10,668 m		
TDT	V188	41.71300	35,000 ft	27	TIDIOUTE
VOR	AWY-LO	-79.41730	10,668 m		
MUGOE	V184	41.88460	35,000 ft	24	-
FIX	AWY-LO	-79.90740	10,668 m		
ERI	V184	42.01740	35,000 ft	18	ERIE
VOR	AWY-LO	-80.29270	10,668 m		
TRACE	V116	42.12180	35,000 ft	33	-
FIX	AWY-LO	-81.04080	10,668 m		
CODDS	V116	42.14810	35,000 ft	15	-
FIX	AWY-LO	-81.37700	10,668 m		
ERRTH	V116	42.18940	35,000 ft	24	-
FIX	AWY-LO	-81.93580	10,668 m		
OCTAS	V116	42.22500	35,000 ft	22	-
FIX	AWY-LO	-82.44890	10,668 m		
YQG	V116	42.24980	35,000 ft	16	WINDSOR VOR-DME
DME	AWY-LO	-82.82880	10,668 m		
YQG12	V116	42.30430	35,000 ft	11	-
FIX	AWY-LO	-83.08810	10,668 m		
SVM	V116	42.40860	35,000 ft	23	SALEM
VOR	AWY-LO	-83.59390	10,668 m		
BAMBY	V2	42.54420	35,000 ft	22	-
FIX	AWY-LO	-84.07230	10,668 m		
LAN	V2	42.71740	35,000 ft	29	LANSING VORTAC
DME	AWY-LO	-84.69750	10,668 m		
VIO	V510	42.78670	35,000 ft	35	VICTORY
VOR	AWY-LO	-85.49710	10,668 m		
ADALE	J34	42.85300	35,000 ft	22	-
FIX	AWY-HI	-86.01100	10,668 m		
BAE	J34	43.11690	35,000 ft	101	BADGER (MILWAUKEE)
VOR	AWY-HI	-88.28430	10,668 m		
DUTYS	J16	43.13060	35,000 ft	46	-
FIX	AWY-HI	-89.33500	10,668 m		
SIBER	J16	43.13470	35,000 ft	46	-
FIX	AWY-HI	-90.39270	10,668 m		
SABBO	J16	43.13150	35,000 ft	34	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-91.16870	10,668 m		
MCW	J16	43.09480	35,000 ft	94	MASON CITY
VOR	AWY-HI	-93.32990	10,668 m		
ONTIJ	J16	43.29760	35,000 ft	53	-
FIX	AWY-HI	-94.51290	10,668 m		
HAYNS	J16	43.42900	35,000 ft	36	-
FIX	AWY-HI	-95.32290	10,668 m		
FSD	J16	43.64950	35,000 ft	64	SIOUX FALLS
VOR	AWY-HI	-96.78110	10,668 m		
VIVID	J82	43.86050	35,000 ft	139	-
FIX	AWY-HI	-99.98760	10,668 m		
RAP	J82	43.97600	35,000 ft	131	RAPID CITY
VOR	AWY-HI	-103.01200	10,668 m		
CZI	J82	43.99970	35,000 ft	147	CRAZY WOMAN
VOR	AWY-HI	-106.43600	10,668 m		
BOY	J32	43.46320	22,800 ft	87	BOYSEN RESERVOIR
VOR	AWY-HI	-108.30000	6,949 m		
KJAC	-	43.60740	0 ft	106	Jackson Hole
APT	-	-110.73800	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 160751Z 02014G25KT 5SM -RA BR BKN014 OVC020 16/14 A2959 RMK AO2 PK WND 02028/0720 RAE14B37 SLP018 P0001 T0156

TAF

TAF AMD KJFK 160725Z 1607/1712 02017G25KT 5SM -DZ BR SCT009 OVC012 FM161500 02017G25KT P6SM -RA OVC012 FM170000 03

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m

KJAC

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 1

Elevation: 6,451 ft / 1,966 m
Location: 43.607400 -110.738000
Magnetic Var: 10.678 E

METAR

KJAC 160756Z AUTO 04004KT 10SM FEW065 04/01 A3006 RMK AO2 SLP165 T00390006

TAF

KJAC 160521Z 1606/1706 01005KT P6SM FEW100 FM161800 27012G20KT P6SM SCT200 FM170200 20008KT P6SM FEW100

Frequencies

REC - 120.62 MHz - ATIS
COM - 118.07 MHz - CTAF
GND - 124.55 MHz -

REC - 135.17 MHz - AWOS 3
COM - 122.95 MHz - UNICOM
TWR - 118.07 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	6,285 ft	19.50	ASPHALT	0 ft	308 ft
	46 m	1,916 m	8.82		0 m	94 m
19	151 ft	6,285 ft	199.50	ASPHALT	0 ft	305 ft
	46 m	1,916 m	188.82		0 m	93 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IJAC	109.10 MHz	18 nm	-	-	6,415 ft
				33 km	-		6,415 m
19	LOC-ILS	IJAC	109.10 MHz	18 nm	199.36	-	6,408 ft
				33 km	188.68		6,408 m
19	GS	IJAC	109.10 MHz	10 nm	199.72	3.00	6,441 ft
				19 km	189.04		6,441 m