LFMP
Rivesaltes


-

LFBT
Tarbes Ossun Lourdes

2024/03/29 0116Z

LFMP ASPET LFBT

129.24 nm / 239.36 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 210ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMP APT	–	42.74020 2.87079	0 ft 0 m	–	Rivesaltes
ASPET FIX	–	43.00000 0.97972	200 ft 61 m	84	–
LFBT APT	–	43.17860 -0.00634	0 ft 0 m	44	Tarbes Ossun Lourdes

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.714 E

METAR

LFMP 290100Z AUTO 13010G23KT 070V180 CAVOK 17/09 Q0996

TAF

TAF TAF LFMP 282131Z 2821/2915 CNL

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP
TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft 45 m	8,296 ft 2,529 m	148.79 147.07	ASPHALT	0 ft 0 m	230 ft 70 m
33	148 ft 45 m	8,296 ft 2,529 m	328.80 327.09	ASPHALT	558 ft 170 m	230 ft 70 m
13	66 ft 20 m	3,635 ft 1,108 m	129.20 127.48	ASPHALT	0 ft 0 m	528 ft 161 m
31	66 ft 20 m	3,635 ft 1,108 m	309.21 307.49	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm 33 km	- -	-	183 ft 183 m
33	LOC-ILS	PL	111.75 MHz	18 nm 33 km	328.30 326.58	-	124 ft 124 m
33	GS	PL	111.75 MHz	10 nm 19 km	328.77 327.06	3.00	124 ft 124 m

LFBT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 1,260 ft / 384 m
Location: 43.178600 -0.006338
Magnetic Var: 0.974 E

METAR

LFBT 290100Z AUTO 19015KT 9999 BKN078 OVC092 15/08 Q0994 TEMPO 19018G28KT

TAF

TAF LFBT 282300Z 2900/2924 VRB03KT CAVOK TEMPO 2900/2912 19018G28KT PROB30 TEMPO 2902/2908 -RA BKN090 BECMG 2907/

Frequencies

REC - 125.95 MHz - ATIS
TWR - 119.05 MHz - LOURDES TOWER
APP - 121.17 MHz - PYRENEES APP

GND - 121.80 MHz - LOURDES GROUND
APP - 120.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft 45 m	9,851 ft 3,003 m	20.27 19.29	ASPHALT	2,192 ft 668 m	0 ft 0 m
20	148 ft 45 m	9,851 ft 3,003 m	200.28 199.30	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	OS	109.50 MHz	18 nm 33 km	- -	-	1,217 ft 1,217 m
20	LOC-ILS	OS	109.50 MHz	18 nm 33 km	200.27 199.29	-	1,265 ft 1,265 m
20	GS	OS	109.50 MHz	10 nm 19 km	200.54 199.56	3.00	1,265 ft 1,265 m