


2024/05/23 2142Z

KFBY KOPFY **V50** PWE **V216** OHGEE KOTM

231.09 nm / 427.98 km



Notes

Requested: KFBY KOPFY V50 PWE V216 OHGEE KOTM

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFBY APT	-	40.18172 -97.16756	0 ft 0 m	-	FAIRBURY MUNI
KOPFY FIX	-	40.35018 -97.00004	0 ft 0 m	12	-
PWE VOR	V50 AWY-LO	40.20036 -96.20628	0 ft 0 m	37	PAWNEE CITY VORTAC
COVUT FIX	V216 AWY-LO	40.28427 -95.75418	0 ft 0 m	21	-
TRAIG FIX	V216 AWY-LO	40.38345 -95.20584	0 ft 0 m	25	-
KARMA FIX	V216 AWY-LO	40.45408 -94.80523	0 ft 0 m	18	-
LMN VOR	V216 AWY-LO	40.59675 -93.96758	0 ft 0 m	39	LAMONI VORTAC
OHGEE FIX	V216 AWY-LO	40.81834 -93.14003	0 ft 0 m	39	-
KOTM APT	-	41.10669 -92.44792	0 ft 0 m	35	OTTUMWA INDUSTRIAL

KOTM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 845 ft / 258 m
Location: 41.107500 -92.447000
Magnetic Var: 0.599 W

METAR

KOTM 232053Z AUTO 16009G15KT 10SM CLR 26/10 A2983 RMK A02 SLP097 T02610100 56015

TAF

TAF AMD KOTM 231919Z 2319/2418 13010G18KT P6SM SKC FM241000 15012KT P6SM -SHRA BKN035 TEMPO 2412/2414 VRB25G35KT 2

Frequencies

REC - 124.17 MHz - ASOS

COM - 123.00 MHz - CTAF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	100 ft	6,000 ft	135.07	CONCRETE	0 ft	0 ft
	30 m	1,829 m	135.67		0 m	0 m
31	100 ft	6,000 ft	315.08	CONCRETE	0 ft	0 ft
	30 m	1,829 m	315.68		0 m	0 m
04	100 ft	4,599 ft	44.86	ASPHALT	0 ft	0 ft
	30 m	1,402 m	45.46		0 m	0 m
22	100 ft	4,599 ft	224.87	ASPHALT	0 ft	0 ft
	30 m	1,402 m	225.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	IOTM	109.50 MHz	18 nm	315.08	-	845 ft
				33 km	315.68		845 m
31	GS	IOTM	109.50 MHz	10 nm	315.08	3.00	845 ft
				19 km	315.68		845 m