

# ZSAM

Xiamen - Gaoqi Intl.


# RJOZ

Ozuki

2024/06/08 2206Z

ZSAM OBKEL 2500N12000E 2500N12100E APU A1 IGMON **Z40** ESBIS **OTR30** FUE **Y60** ISAKY RJOZ

926.98 nm / 1716.76 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZSAM	-	24.54420	0 ft	-	Xiamen - Gaoqi Intl.
APT	-	118.12800	0 m	-	
OBKEL	-	25.00000	35,000 ft	99	-
FIX	-	119.88300	10,668 m	-	-
2500N12000E	-	25.00000	35,000 ft	6	-
LATLON	-	120.00000	10,668 m	-	-
2500N12100E	-	25.00000	35,000 ft	54	-
LATLON	-	121.00000	10,668 m	-	-
APU	-	25.17690	35,000 ft	30	ANBU (TAIPEI)
VOR	-	121.52200	10,668 m	-	
ANNNA	A1	25.57180	35,000 ft	36	-
FIX	AWY-HI	122.02200	10,668 m	-	-
DRAKE	A1	25.61560	35,000 ft	4	-
FIX	AWY-HI	122.07800	10,668 m	-	-
AISAR	A1	25.94750	35,000 ft	30	-
FIX	AWY-HI	122.49300	10,668 m	-	-
OSTAR	A1	26.33170	35,000 ft	35	-
FIX	AWY-HI	123.00000	10,668 m	-	-
BULAN	A1	27.09170	35,000 ft	70	-
FIX	AWY-HI	124.00000	10,668 m	-	-
IGMON	A1	27.62210	35,000 ft	49	-
FIX	AWY-HI	124.72100	10,668 m	-	-
ESBIS	Z40	31.25350	35,000 ft	258	-
FIX	AWY-HI	127.38100	10,668 m	-	-
FUE	OTR30	32.66860	29,700 ft	112	FUKUE
VOR	AWY-HI	128.82700	9,053 m	-	
ISAKY	Y60	33.20620	18,400 ft	52	-
FIX	AWY-HI	129.65300	5,608 m	-	-
RJOZ	-	34.04720	0 ft	86	Ozuki
APT	-	131.05200	0 m	-	

## ZSAM

Region: CHINA  
Timezone: ASIA/SHANGHAI  
Runways: 1

Elevation: 59 ft / 18 m  
Location: 24.544200 118.128000  
Magnetic Var: 4.409 W

## METAR

ZSAM 082100Z 02001MPS 7000 BKN023 25/24 Q1008 NOSIG

## TAF

TAF ZSAM 081508Z 0818/0918 09003MPS 6000 BKN030 TX31/0906Z TN22/0821Z TEMPO 0904/0910 FEW023CB BKN026

## Frequencies

REC - 126.25 MHz - ATIS  
TWR - 118.25 MHz - XIAMEN TWR  
GND - 121.70 MHz - XIAMEN GND  
APP - 121.35 MHz - XIAMEN APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	11,163 ft	51.81	ASPHALT	495 ft	125 ft
	45 m	3,402 m	56.22		151 m	38 m
23	148 ft	11,163 ft	231.82	ASPHALT	653 ft	197 ft
	45 m	3,402 m	236.23		199 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IWF	110.30 MHz	18 nm	-	-	85 ft
				33 km	-		85 m
23	DME	IKK	109.70 MHz	18 nm	-	-	85 ft
				33 km	-		85 m
05	LOC-ILS	IWF	110.30 MHz	18 nm	51.44	-	85 ft
				33 km	55.85		85 m
23	LOC-ILS	IKK	109.70 MHz	18 nm	231.94	-	85 ft
				33 km	236.35		85 m
05	GS	IWF	110.30 MHz	10 nm	52.93	3.00	85 ft
				19 km	57.34		85 m
23	GS	IKK	109.70 MHz	10 nm	232.93	3.00	85 ft
				19 km	237.34		85 m