


2024/05/02 1114Z

RJTQ NALLY RJTO

43.88 nm / 81.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJTQ	-	34.07210	0 ft	-	MIYAKEJIMA
APT	-	139.56000	0 m		
NALLY	-	34.21690	3,300 ft	9	-
FIX	-	139.49400	1,006 m		
RJTO	-	34.78210	0 ft	34	Oshima
APT	-	139.36000	0 m		

RJTO

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 125 ft / 38 m
Location: 34.782100 139.360000
Magnetic Var: 7.632 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

COM - 118.60 MHz - OSHIMA MULT
APP - 123.70 MHz - TOKYO APP

COM - 126.20 MHz - OSHIMA MULT
APP - 134.15 MHz - TOKYO APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	5,915 ft	20.00	ASPHALT	0 ft	200 ft
	45 m	1,803 m	27.63		0 m	61 m
21	148 ft	5,915 ft	200.00	ASPHALT	0 ft	197 ft
	45 m	1,803 m	207.63		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IOS	109.35 MHz	18 nm	-	-	125 ft
				33 km	-		125 m
03	LOC-LOC	IOS	109.35 MHz	18 nm	19.74	-	125 ft
				33 km	27.37		125 m