


2024/05/23 2253Z

MDST KODIX **W24** LRN **W9** MELLA **G633** MAZ **RTE12** SJU TJSJ

284.18 nm / 526.31 km



Notes

Requested: MDST KODIX W24 LRN W9 MELLA G633 MAZ RTE12 SJU TJSJ

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MDST	-	19.40610	0 ft	-	Cibao Intl
APT	-	-70.60470	0 m		
KODIX	-	19.13640	0 ft	30	-
FIX	-	-70.14250	0 m		
ADRI	W24	18.62330	0 ft	61	-
FIX	AWY-LO	-69.21440	0 m		
LRN	W24	18.45400	0 ft	20	LA ROMANA
VOR	AWY-LO	-68.91180	0 m		
MELLA	W9	18.20000	0 ft	54	-
FIX	AWY-LO	-68.00000	0 m		
ZADAV	G633	18.23370	0 ft	28	-
FIX	AWY-HI	-67.50050	0 m		
MAZ	G633	18.25650	0 ft	19	MAYAGUEZ
VOR	AWY-HI	-67.15100	0 m		
JOSHE	RTE12	18.24240	0 ft	37	-
FIX	AWY-HI	-66.50100	0 m		
VARNA	RTE12	18.31730	0 ft	11	-
FIX	AWY-HI	-66.31360	0 m		
SJU	RTE12	18.44630	0 ft	20	SAN JUAN
VOR	AWY-HI	-65.98950	0 m		
TJSJ	-	18.43870	0 ft	0	Luis Munoz Marin Intl
APT	-	-66.00220	0 m		

MDST

Region: DOMINICAN REPUBLIC
Timezone: AMERICA/SANTO_DOMINGO
Runways: 1

Elevation: 567 ft / 173 m
Location: 19.406100 -70.604700
Magnetic Var: 11.636 W

METAR

MDST 232200Z 08008KT 050V130 9999 FEW020CB BKN022 SCT080 27/23 Q1012 CB/NE/E/SW/NW/N

TAF

TAF MDST 231600Z 2318/2418 13012KT 9999 FEW020CB BKN022 BKN070 PROB40 2318/2400 7000 -TSRA FEW015CB BKN016 OVC070

Frequencies

GND - 121.90 MHz - SANTIAGO GROUND
APP - 119.00 MHz - PUERTO PLATA APPROACH

TWR - 118.30 MHz - SANTIAGO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,610 ft	103.16	ASPHALT	0 ft	184 ft
	45 m	2,625 m	114.79		0 m	56 m
29	148 ft	8,610 ft	283.16	ASPHALT	108 ft	194 ft
	45 m	2,625 m	294.80		33 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	EXP	109.30 MHz	18 nm	-	-	563 ft
				33 km	-		563 m
11	LOC-ILS	EXP	109.30 MHz	18 nm	103.11	-	565 ft
				33 km	114.74		565 m
11	GS	EXP	109.30 MHz	10 nm	103.16	2.80	565 ft
				19 km	114.79		565 m

TJSJ

Region: USA (PUERTO RICO)
Timezone: AMERICA/PUERTO_RICO
Runways: 2

Elevation: 8 ft / 2 m
Location: 18.438700 -66.002200
Magnetic Var: 13.517 W

METAR

TJSJ 232156Z 14005KT 10SM SCT036 SCT120 32/23 A2994

TAF

TAF TJSJ 231750Z 2318/2418 15010G16KT P6SM VCSH FEW025 SCT050 FM232200 VRB05KT P6SM VCSH FEW022 SCT040 SCT070 FM240000

Frequencies

REC - 125.80 MHz - ATIS	COM - 123.00 MHz - UNICOM
CLD - 126.40 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SAN JUAN GROUND
TWR - 132.05 MHz - SAN JUAN TOWER	DEP - 120.90 MHz - SAN JUAN DEPARTURE
DEP - 119.40 MHz - SAN JUAN DEPARTURE	APP - 119.40 MHz - SAN JUAN APPROACH
APP - 120.90 MHz - SAN JUAN APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	200 ft	10,410 ft	66.85	ASPHALT	404 ft	394 ft
	61 m	3,173 m	80.37		123 m	120 m
26	200 ft	10,410 ft	246.86	ASPHALT	400 ft	397 ft
	61 m	3,173 m	260.38		122 m	121 m
10	151 ft	8,006 ft	90.14	CONCRETE	0 ft	203 ft
	46 m	2,440 m	103.66		0 m	62 m
28	151 ft	8,006 ft	270.15	CONCRETE	0 ft	200 ft
	46 m	2,440 m	283.67		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISJU	110.30 MHz	18 nm	66.86	-	2 ft
				33 km	80.38		2 m
10	LOC-ILS	ICLA	109.70 MHz	18 nm	90.15	-	2 ft
				33 km	103.67		2 m
08	GS	ISJU	110.30 MHz	10 nm	66.86	3.00	2 ft
				19 km	80.38		2 m
10	GS	ICLA	109.70 MHz	10 nm	90.15	3.00	2 ft
				19 km	103.67		2 m