

# LFPO

Paris Orly


# GMFF

Fes Saiss Intl

2024/05/20 2251Z

LFPO DEPOM **G54** CTX **G28** LMG **A34** AGN **UN860** GRAUS **A34** SEROX **UN860** VLC **G850** NARGO **UN860** BERUM **UG850**  
ALM GMFF

974.29 nm / 1804.39 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36698	0 m		
DEPOM	-	47.31780	30,300 ft	84	-
FIX	-	2.17917	9,235 m		
CTX	G54	46.93660	35,000 ft	27	CHATEAUROUX DEOLS
NDB	AWY-LO	1.80114	10,668 m		
GUSON	G28	46.47420	35,000 ft	30	-
FIX	AWY-LO	1.47778	10,668 m		
LMG	G28	45.81590	35,000 ft	43	LIMOGES
VOR	AWY-LO	1.02558	10,668 m		
MAVAC	A34	45.51640	35,000 ft	18	-
FIX	AWY-LO	1.00194	10,668 m		
PERIG	A34	45.11720	35,000 ft	24	-
FIX	AWY-LO	0.96944	10,668 m		
BUGUS	A34	45.00000	35,000 ft	7	-
FIX	AWY-LO	0.96056	10,668 m		
RUMEL	A34	44.50000	35,000 ft	30	-
FIX	AWY-LO	0.92050	10,668 m		
LACOU	A34	44.29680	35,000 ft	12	-
FIX	AWY-LO	0.90439	10,668 m		
AGN	A34	43.88800	35,000 ft	24	AGEN
VOR	AWY-LO	0.87286	10,668 m		
ANETO	UN860	42.69300	35,000 ft	73	-
FIX	AWY-HI	0.55844	10,668 m		
TURUV	UN860	42.36750	35,000 ft	19	-
FIX	AWY-HI	0.47497	10,668 m		
GRAUS	UN860	41.97900	35,000 ft	23	-
FIX	AWY-HI	0.37644	10,668 m		
SEROX	A34	41.34670	35,000 ft	38	-
FIX	AWY-LO	0.21869	10,668 m		
CASPE	UN860	41.26840	35,000 ft	4	-
FIX	AWY-HI	0.19939	10,668 m		
MLA	UN860	41.12960	35,000 ft	8	MAELLA
VOR	AWY-HI	0.16525	10,668 m		
CRETA	UN860	40.87230	35,000 ft	16	-
FIX	AWY-HI	0.06156	10,668 m		
RIMES	UN860	40.55790	35,000 ft	19	-
FIX	AWY-HI	-0.06394	10,668 m		
SAURA	UN860	40.25600	35,000 ft	18	-
FIX	AWY-HI	-0.18336	10,668 m		
TATOS	UN860	40.00000	35,000 ft	16	-
FIX	AWY-HI	-0.28375	10,668 m		
PLANA	UN860	39.89040	35,000 ft	6	-
FIX	AWY-HI	-0.32644	10,668 m		
VLC	UN860	39.48560	35,000 ft	25	VALENCIA
VOR	AWY-HI	-0.48306	10,668 m		
NARGO	G850	38.73830	35,000 ft	50	-
FIX	AWY-LO	-0.99867	10,668 m		
RESTU	UN860	37.90760	35,000 ft	56	-
FIX	AWY-HI	-1.55758	10,668 m		
DOSEK	UN860	37.24540	35,000 ft	44	-
FIX	AWY-HI	-1.98508	10,668 m		
AMR	UN860	36.83320	35,000 ft	28	ALMERIA

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-2.25942	10,668 m		
BOLKA	UN860	36.47920	35,000 ft	27	-
FIX	AWY-HI	-2.60883	10,668 m		
GONZA	UN860	36.20480	35,000 ft	20	-
FIX	AWY-HI	-2.87694	10,668 m		
BERUM	UN860	35.83330	30,600 ft	28	-
FIX	AWY-HI	-3.23583	9,327 m		
ALM	UG850	35.19110	20,200 ft	48	AL HOCEIMA
VOR	AWY-HI	-3.84172	6,157 m		
GMFF	-	33.92730	0 ft	94	Fes Saiss Intl
APT	-	-4.97795	0 m		

# LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.454 E

## METAR

LFPO 202230Z AUTO 36006KT 9000 SCT029/// BKN038/// BKN072/// ///CB 15/14 Q1008 TEMPO 3000 SHRA BECMG BKN008

## TAF

TAF AMD LFPO 202202Z 2022/2124 04006KT 9999 BKN050 TEMPO 2022/2102 -SHRA BKN040TCU PROB40 TEMPO 2022/2024 3000 SHRA

## Frequencies

REC - 126.50 MHz - ORLY ATIS  
CLD - 121.05 MHz - PREFLIGHT  
GND - 121.82 MHz - ORLY GROUND  
TWR - 120.50 MHz - ORLY TOWER  
APP - 123.87 MHz - PARIS APPROACH  
DEP - 124.35 MHz - PARIS DEPARTURE  
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS  
GND - 121.70 MHz - ORLY GROUND  
TWR - 118.70 MHz - ORLY TOWER  
APP - 118.85 MHz - PARIS APPROACH  
APP - 124.45 MHz - PARIS APPROACH  
DEP - 127.75 MHz - PARIS DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.36		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.92	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.86	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.35	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.91	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.35	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.91	3.00	291 ft 291 m