

# SAEZ

Ministro Pistarini Intl


# SBPA

Salgado Filho Intl

2024/05/23 0914Z

SAEZ PABOT OGRUN SBPA

475.68 nm / 880.96 km



## Notes

Requested: SAEZ PABOT OGRUN SBPA

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m	-	
PABOT	-	-34.26000	0 ft	89	-
FIX	-	-56.85940	0 m	-	
OGRUN	-	-32.06200	0 ft	201	-
FIX	-	-53.84280	0 m	-	
SBPA	-	-29.99460	0 ft	185	Salgado Filho Intl
APT	-	-51.17120	0 m	-	

## SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS\_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.816 W

## METAR

SAEZ 230900Z 19004KT 9999 FEW007 BKN031 10/09 Q1017 NOSIG

## TAF

TAF SAEZ 230500Z 2306/2406 20005KT 8000 SCT008 BKN020 TX15/2318Z TN09/2309Z TEMPO 2306/2310 4000 BR BKN008 OVC015

## Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.14		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.12		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.89		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.88		302 m	28 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.13		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.89		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.13		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.89		66 m

## SBPA

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 1

Elevation: 12 ft / 4 m  
Location: -29.994600 -51.171200  
Magnetic Var: 17.887 W

## METAR

UNKNOWN

## TAF

TAF SBPA 230300Z 2306/2406 08005KT 9999 SCT025 FEW030TCU TX22/2317Z TN19/2406Z BECMG 2307/2309 4000 TSRA BKN005 B

## Frequencies

REC - 132.35 MHz - ATIS	CLD - 122.15 MHz - SALGADO FILHO CLEARANCE
GND - 121.90 MHz - SALGADO FILHO GROUND	TWR - 118.10 MHz - SALGADO FILHO TOWER
APP - 119.00 MHz - PORTO ALEGRE APPROACH	APP - 120.10 MHz - PORTO ALEGRE APPROACH
APP - 120.55 MHz - PORTO ALEGRE APPROACH	APP - 128.90 MHz - PORTO ALEGRE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,478 ft	91.34	ASPHALT	0 ft	197 ft
	45 m	2,279 m	109.22		0 m	60 m
29	148 ft	7,478 ft	271.32	ASPHALT	0 ft	197 ft
	45 m	2,279 m	289.21		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPA	110.30 MHz	18 nm	90.92	-	11 ft
				33 km	108.81		11 m
11	GS	IPA	110.30 MHz	10 nm	92.19	3.00	11 ft
				19 km	110.08		11 m