


2024/05/05 2018Z

KSAN LAX **J1** REYES **V107** AVE **J1** OAK KOAK

388.91 nm / 720.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 400kts
- Descent Rate: 1800ft/min
- Descent Speed: 270kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSAN	-	32.73356	0 ft	-	San Diego Intl
APT	-	-117.18966	0 m		
LAX	-	33.93314	34,000 ft	95	LOS ANGELES VORTAC
VOR	-	-118.43200	10,363 m		
FIM	J1	34.35669	34,000 ft	33	FILLMORE VORTAC
VOR	AWY-HI	-118.88128	10,363 m		
REYES	J1	34.65873	34,000 ft	22	-
FIX	AWY-HI	-119.13432	10,363 m		
DERBB	V107	35.25590	34,000 ft	43	-
FIX	AWY-LO	-119.64145	10,363 m		
AVE	V107	35.64697	34,000 ft	28	AVENAL VORTAC
VOR	AWY-LO	-119.97861	10,363 m		
OAK	J1	37.72592	0 ft	165	OAKLAND VORTAC
VOR	AWY-HI	-122.22358	0 m		
KOAK	-	37.72482	0 ft	0	Metro Oakland Intl
APT	-	-122.21952	0 m		

KSAN

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 17 ft / 5 m
Location: 32.733600 -117.190000
Magnetic Var: 10.971 E

METAR

KSAN 051951Z 29014G20KT 10SM FEW015 BKN040 BKN200 18/07 A3000 RMK AO2 SLP158 T01780067 \$

TAF

TAF AMD KSAN 051902Z 0519/0624 30020G30KT P6SM FEW010 SCT050 FM052200 29012G22KT P6SM FEW050 FM060100 29010KT P6S

Frequencies

REC - 134.80 MHz - LINDBERGH ATIS	CLD - 125.90 MHz - LINDBERGH CLEARANCE
GND - 123.90 MHz - LINDBERGH GROUND	TWR - 118.30 MHz - LINDBERGH TOWER
DEP - 119.60 MHz - SOCAL WEST DEPARTURE	DEP - 124.35 MHz - SOCAL EAST DEPARTURE
APP - 119.60 MHz - SOCAL WEST APPROACH	APP - 124.35 MHz - SOCAL EAST APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft	9,388 ft	106.13	ASPHALT	1,004 ft	390 ft
	61 m	2,861 m	95.16		306 m	119 m
27	200 ft	9,388 ft	286.15	ASPHALT	1,811 ft	0 ft
	61 m	2,861 m	275.18		552 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISAN	111.55 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
27	DME	IUBR	110.90 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
09	LOC-ILS	ISAN	111.55 MHz	18 nm	106.14	-	17 ft
				33 km	95.17		17 m
27	LOC-LOC	IUBR	110.90 MHz	18 nm	286.14	-	17 ft
				33 km	275.17		17 m
09	GS	ISAN	111.55 MHz	10 nm	106.14	3.10	17 ft
				19 km	95.17		17 m

KOAK

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 8 ft / 2 m
Location: 37.725000 -122.220000
Magnetic Var: 12.842 E

METAR

KOAK 051953Z 28011KT 10SM FEW035 16/05 A3008 RMK AO2 PK WND 29026/1918 SLP187 T01560050

TAF

KOAK 051729Z 0518/0624 29012KT P6SM SKC FM052200 28014G24KT P6SM FEW250 FM060400 28013KT P6SM FEW250 FM060800 280

Frequencies

REC - 133.77 MHz - OAKLAND ATIS	COM - 122.95 MHz - OAKLAND UNICOM
CLD - 121.10 MHz - OAKLAND CLEARANCE DELIVERY	GND - 121.90 MHz - OAKLAND GROUND NORTH
GND - 121.75 MHz - OAKLAND GROUND SOUTH	TWR - 118.30 MHz - OAKLAND TOWER NORTH
TWR - 127.20 MHz - OAKLAND TOWER SOUTH	TWR - 124.90 MHz - OAKLAND TOWER SOUTH
APP - 125.35 MHz - NORCAL APPROACH	APP - 128.32 MHz - NORCAL APPROACH EAST
APP - 135.10 MHz - NORCAL APPROACH EAST	APP - 133.95 MHz - NORCAL APPROACH WEST
APP - 134.50 MHz - NORCAL APPROACH WEST	DEP - 120.90 MHz - NORCAL DEPARTURE NORTH WEST
DEP - 135.10 MHz - NORCAL DEPARTURE WEST	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	10,530 ft	130.11	ASPHALT	0 ft	397 ft
	46 m	3,210 m	117.27		0 m	121 m
30	150 ft	10,530 ft	310.13	ASPHALT	128 ft	397 ft
	46 m	3,210 m	297.28		39 m	121 m
10R	150 ft	6,219 ft	112.25	ASPHALT	0 ft	774 ft
	46 m	1,896 m	99.41		0 m	236 m
28L	150 ft	6,219 ft	292.27	ASPHALT	0 ft	390 ft
	46 m	1,896 m	279.42		0 m	119 m
10L	150 ft	5,463 ft	112.24	ASPHALT	0 ft	390 ft
	46 m	1,665 m	99.40		0 m	119 m
28R	150 ft	5,463 ft	292.25	ASPHALT	0 ft	259 ft
	46 m	1,665 m	279.41		0 m	79 m
15	75 ft	3,379 ft	164.48	ASPHALT	0 ft	0 ft
	23 m	1,030 m	151.64		0 m	0 m
33	75 ft	3,379 ft	344.48	ASPHALT	0 ft	0 ft
	23 m	1,030 m	331.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAAZ	111.90 MHz	18 nm	130.11	-	8 ft
				33 km	117.27		8 m
28R	LOC-ILS	IOAK	109.90 MHz	18 nm	292.25	-	8 ft
				33 km	279.41		8 m
30	LOC-ILS	IINB	108.70 MHz	18 nm	310.11	-	8 ft
				33 km	297.27		8 m
12	GS	IAAZ	111.90 MHz	10 nm	130.11	2.75	8 ft
				19 km	117.27		8 m
28R	GS	IOAK	109.90 MHz	10 nm	292.25	3.00	8 ft
				19 km	279.41		8 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	GS	IINB	108.70 MHz	10 nm	310.11	3.00	8 ft
				19 km	297.27		8 m