

LECO

A Coruna


LEBL

Josep Tarradellas Barcelona-El Prat

2024/05/15 0749Z

LECO LARVO **G255** RATAS **UN725** DIRMU LEBL

481.45 nm / 891.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LECO	-	43.30190	0 ft	-	A Coruna
APT	-	-8.37722	0 m		
LARVO	-	42.76720	35,000 ft	102	-
FIX	-	-6.16450	10,668 m		
ROVAK	G255	42.74190	35,000 ft	13	-
FIX	AWY-LO	-5.85642	10,668 m		
NEDUS	G255	42.65330	35,000 ft	44	-
FIX	AWY-LO	-4.84964	10,668 m		
RATAS	G255	42.57440	35,000 ft	36	-
FIX	AWY-LO	-4.03078	10,668 m		
DGO	UN725	42.45330	35,000 ft	51	DOMINGO
VOR	AWY-HI	-2.88069	10,668 m		
VASUM	UN725	42.27190	35,000 ft	40	-
FIX	AWY-HI	-2.01100	10,668 m		
LARDA	UN725	42.13160	34,800 ft	30	-
FIX	AWY-HI	-1.36208	10,607 m		
ZARKO	UN725	42.00490	29,100 ft	26	-
FIX	AWY-HI	-0.79281	8,870 m		
VAKIN	UN725	41.90480	24,700 ft	20	-
FIX	AWY-HI	-0.35331	7,529 m		
DIRMU	UN725	41.78550	19,600 ft	24	-
FIX	AWY-HI	0.15958	5,974 m		
LEBL	-	41.29510	0 ft	91	Josep Tarradellas Barcelona-El Prat
APT	-	2.08804	0 m		

LECO

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 330 ft / 101 m
Location: 43.300700 -8.378350
Magnetic Var: 1.534 W

METAR

LECO 150730Z 25007KT 210V280 9999 SCT028 FEW030TCU 10/07 Q1009 TEMPO 3000 SHRA

TAF

TAF LECO 150200Z 1503/1603 28009KT 9999 FEW020 SCT030 TX15/1514Z TN09/1504Z PROB40 TEMPO 1503/1603 3000 SHRA FEW0

Frequencies

GND - 121.70 MHz - A CORUNA GROUND
APP - 120.20 MHz - SANTIAGO APPROACH

TWR - 118.30 MHz - A CORUNA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	7,671 ft	30.83	ASPHALT	0 ft	95 ft
	45 m	2,338 m	32.36		0 m	29 m
21	148 ft	7,671 ft	210.84	ASPHALT	482 ft	203 ft
	45 m	2,338 m	212.37		147 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	LCO	109.90 MHz	18 nm	-	-	293 ft
				33 km	-		293 m
21	LOC-ILS	LCO	109.90 MHz	18 nm	210.84	-	330 ft
				33 km	212.37		330 m
21	GS	LCO	109.90 MHz	10 nm	210.84	3.00	330 ft
				19 km	212.37		330 m

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.543 E

METAR

LEBL 150730Z 31006KT 270V350 9999 FEW015 15/11 Q1007 NOSIG

TAF

TAF LEBL 150500Z 1506/1606 VRB04KT 9999 SCT020 TX20/1512Z TN15/1506Z PROB40 TEMPO 1506/1512 3000 SHRA FEW020TCU P

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.38		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m