

EBLG

Liege


EDDP

Leipzig-Halle

2024/05/11 0948Z

EBLG PODIP **Y867** PELUN **Y870** ABSUL **Z858** MIPDU EDDP

264.79 nm / 490.39 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 310ft
- Cruise Speed: 420kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|--------|------------|--------|--------------|---------------|
| EBLG | - | 50.63640 | 0 ft | - | Liege |
| APT | - | 5.44278 | 0 m | - | |
| PODIP | - | 50.94270 | 300 ft | 92 | - |
| FIX | - | 7.81946 | 91 m | - | |
| BADGO | Y867 | 51.09610 | 300 ft | 18 | - |
| FIX | AWY-HI | 8.23556 | 91 m | - | |
| PELUN | Y867 | 51.20140 | 300 ft | 12 | - |
| FIX | AWY-HI | 8.52667 | 91 m | - | |
| ABSUL | Y870 | 51.38500 | 300 ft | 23 | - |
| FIX | AWY-LO | 9.06972 | 91 m | - | |
| MIPDU | Z858 | 51.40310 | 300 ft | 24 | - |
| FIX | AWY-LO | 9.72333 | 91 m | - | |
| EDDP | - | 51.42260 | 0 ft | 94 | Leipzig-Halle |
| APT | - | 12.23600 | 0 m | - | |

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.294 E

METAR

EBLG 110920Z 03008KT CAVOK 20/12 Q1021 NOSIG

TAF

TAF EBLG 110520Z 1106/1212 05005KT CAVOK

Frequencies

APP - 119.27 MHz - APPROACH
APP - 243.00 MHz - APPROACH
TWR - 130.62 MHz - TOWER
REC - 126.25 MHz - INFO

APP - 121.00 MHz - APPROACH
TWR - 129.25 MHz - TOWER
GND - 121.92 MHz - GROUND
CLD - 128.20 MHz - HOMER

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|-----------|-------------------------|---------|---------------------|-------------------|
| 04R | 148 ft | 12,068 ft | 45.17 | ASPHALT | 761 ft | 226 ft |
| | 45 m | 3,678 m | 42.88 | | 232 m | 69 m |
| 22L | 148 ft | 12,068 ft | 225.20 | ASPHALT | 1,306 ft | 0 ft |
| | 45 m | 3,678 m | 222.90 | | 398 m | 0 m |
| 04L | 148 ft | 7,664 ft | 45.15 | ASPHALT | 0 ft | 0 ft |
| | 45 m | 2,336 m | 42.85 | | 0 m | 0 m |
| 22R | 148 ft | 7,664 ft | 225.16 | ASPHALT | 0 ft | 0 ft |
| | 45 m | 2,336 m | 222.87 | | 0 m | 0 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 04R | LOC-ILS | IHH | 108.75 MHz | 18 nm | 45.19 | - | 645 ft |
| | | | | 33 km | 42.90 | | 645 m |
| 22L | LOC-ILS | ILG | 109.35 MHz | 18 nm | 225.19 | - | 645 ft |
| | | | | 33 km | 222.90 | | 645 m |
| 22R | LOC-ILS | IBI | 109.35 MHz | 18 nm | 225.16 | - | 645 ft |
| | | | | 33 km | 222.87 | | 645 m |
| 04R | GS | IHH | 108.75 MHz | 10 nm | 45.19 | 3.00 | 645 ft |
| | | | | 19 km | 42.90 | | 645 m |
| 22L | GS | ILG | 109.35 MHz | 10 nm | 225.19 | 3.00 | 645 ft |
| | | | | 19 km | 222.90 | | 645 m |
| 22R | GS | IBI | 109.35 MHz | 10 nm | 225.16 | 3.00 | 645 ft |
| | | | | 19 km | 222.87 | | 645 m |

EDDP

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 470 ft / 143 m
Location: 51.422600 12.236000
Magnetic Var: 4.236 E

METAR

EDDP 110920Z AUTO 35006KT 290V030 CAVOK 18/12 Q1023 NOSIG

TAF

TAF EDDP 110500Z 1106/1206 29004KT CAVOK BECMG 1109/1111 35005KT BECMG 1116/1118 05005KT PROB30 TEMPO 1204/1206 S

Frequencies

| | |
|-----------------------------------|-------------------------------------|
| REC - 123.95 MHz - LEIPZIG ATIS | GND - 121.67 MHz - LEIPZIG GROUND |
| TWR - 125.95 MHz - LEIPZIG TOWER | TWR - 121.10 MHz - LEIPZIG TOWER |
| COM - 121.10 MHz - LEIPZIG UNICOM | APP - 126.17 MHz - MUNCHEN RADAR |
| APP - 379.92 MHz - MUNCHEN RADAR | APP - 128.47 MHz - LEIPZIG DIRECTOR |

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|-----------|-------------------------|----------|---------------------|-------------------|
| 08L | 148 ft | 11,769 ft | 85.69 | CONCRETE | 0 ft | 331 ft |
| | 45 m | 3,587 m | 81.46 | | 0 m | 101 m |
| 26R | 148 ft | 11,769 ft | 265.73 | CONCRETE | 0 ft | 335 ft |
| | 45 m | 3,587 m | 261.50 | | 0 m | 102 m |
| 08R | 197 ft | 11,778 ft | 85.69 | CONCRETE | 0 ft | 325 ft |
| | 60 m | 3,590 m | 81.46 | | 0 m | 99 m |
| 26L | 197 ft | 11,778 ft | 265.73 | CONCRETE | 0 ft | 341 ft |
| | 60 m | 3,590 m | 261.50 | | 0 m | 104 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 08L | LOC-ILS | ILNE | 108.55 MHz | 18 nm | 85.71 | - | 470 ft |
| | | | | 33 km | 81.47 | | 470 m |
| 08R | LOC-ILS | ILSR | 111.75 MHz | 18 nm | 85.71 | - | 470 ft |
| | | | | 33 km | 81.47 | | 470 m |
| 26L | LOC-ILS | ILSL | 110.30 MHz | 18 nm | 265.71 | - | 470 ft |
| | | | | 33 km | 261.47 | | 470 m |
| 26R | LOC-ILS | ILNW | 108.35 MHz | 18 nm | 265.71 | - | 470 ft |
| | | | | 33 km | 261.47 | | 470 m |
| 08L | GS | ILNE | 108.55 MHz | 10 nm | 85.71 | 3.00 | 470 ft |
| | | | | 19 km | 81.47 | | 470 m |
| 08R | GS | ILSR | 111.75 MHz | 10 nm | 85.71 | 3.00 | 470 ft |
| | | | | 19 km | 81.47 | | 470 m |
| 26L | GS | ILSL | 110.30 MHz | 10 nm | 265.71 | 3.00 | 470 ft |
| | | | | 19 km | 261.47 | | 470 m |
| 26R | GS | ILNW | 108.35 MHz | 10 nm | 265.71 | 3.00 | 470 ft |
| | | | | 19 km | 261.47 | | 470 m |