

OLBA

Beyrouth Rafic Hariri Intl


OKBK

KUWAIT INTL

2024/05/23 1144Z

OLBA DAM G202 PUSTO M203 LOVEK UL602 TASMI OKBK

751.07 nm / 1390.99 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OLBA APT	-	33.82053 35.48779	0 ft 0 m	-	Beyrouth Rafic Hariri Intl
DAM VOR	-	33.36488 36.46862	19,000 ft 5,791 m	56	DAMASCUS VOR-DME
ABBAS FIX	G202 AWY-HI	33.43333 37.72626	35,000 ft 10,668 m	63	-
TAN VOR	G202 AWY-HI	33.48238 38.65406	35,000 ft 10,668 m	46	TANF VOR-DME
MODIK FIX	G202 AWY-HI	33.46833 39.01667	35,000 ft 10,668 m	18	-
RAPLU FIX	G202 AWY-HI	33.38333 41.75833	35,000 ft 10,668 m	137	-
PUSTO FIX	G202 AWY-HI	33.35000 42.75000	35,000 ft 10,668 m	49	-
LOVEK FIX	M203 AWY-HI	32.36900 44.66700	35,000 ft 10,668 m	113	-
MUTLO FIX	UL602 AWY-HI	32.17194 44.95079	35,000 ft 10,668 m	18	-
ALPET FIX	UL602 AWY-HI	31.20528 46.31222	33,600 ft 10,241 m	90	-
TASMI FIX	UL602 AWY-HI	30.02222 47.91806	9,200 ft 2,804 m	109	-
OKBK APT	-	29.22672 47.97997	0 ft 0 m	47	KUWAIT INTL

OLBA

Region: LEBANON
Timezone: UNKNOWN
Runways: 3

Elevation: 84 ft / 26 m
Location: 33.820500 35.487600
Magnetic Var: 5.445 E

METAR

OLBA 231100Z 22011KT 7000 NSC 28/22 Q1012 NOSIG

TAF

TAF OLBA 230400Z 2306/2412 22010KT 7000 NSC TEMPO 2306/2318 5000 BR BECMG 2320/2322 16004KT SCT026 BECMG 2406/2408 16004KT

Frequencies

REC - 120.60 MHz - ATIS
GND - 121.90 MHz - BEIRUT HARIRI GROUND
APP - 120.30 MHz - BEIRUT APPROACH
TWR - 118.90 MHz - BEIRUT HARIRI TOWER
APP - 119.30 MHz - BEIRUT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,484 ft	32.77	CONCRETE	1,821 ft	390 ft
	45 m	3,805 m	27.32		555 m	119 m
21	148 ft	12,484 ft	212.78	CONCRETE	3,268 ft	390 ft
	45 m	3,805 m	207.33		996 m	119 m
16	148 ft	11,168 ft	166.99	CONCRETE	591 ft	394 ft
	45 m	3,404 m	161.54		180 m	120 m
34	148 ft	11,168 ft	346.99	CONCRETE	0 ft	341 ft
	45 m	3,404 m	341.55		0 m	104 m
17	148 ft	10,623 ft	176.90	ASPHALT	0 ft	154 ft
	45 m	3,238 m	171.46		0 m	47 m
35	148 ft	10,623 ft	356.90	ASPHALT	2,697 ft	0 ft
	45 m	3,238 m	351.46		822 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IKK	110.70 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
16	DME	IBB	110.10 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
03	LOC-ILS	IKK	110.70 MHz	18 nm	32.78	-	84 ft
				33 km	27.33		84 m
16	LOC-ILS	IBB	110.10 MHz	18 nm	166.99	-	84 ft
				33 km	161.54		84 m
17	LOC-ILS	BIL	109.50 MHz	18 nm	176.90	-	84 ft
				33 km	171.45		84 m
03	GS	IKK	110.70 MHz	10 nm	32.78	3.00	84 ft
				19 km	27.33		84 m
16	GS	IBB	110.10 MHz	10 nm	166.99	3.00	84 ft
				19 km	161.54		84 m
17	GS	BIL	109.50 MHz	10 nm	176.90	3.00	84 ft
				19 km	171.45		84 m

OKBK

Region: KUWAIT
Timezone: ASIA/KUWAIT
Runways: 2

Elevation: 204 ft / 62 m
Location: 29.226800 47.979900
Magnetic Var: 3.914 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.30 MHz - KUWAIT TOWER
REC - 126.22 MHz - KUWAIT ATIS
APP - 124.80 MHz - KUWAIT APPROACH

GND - 121.70 MHz - KUWAIT GROUND
APP - 121.30 MHz - KUWAIT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	11,205 ft	155.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	151.20		0 m	0 m
33L	148 ft	11,205 ft	335.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	331.21		0 m	0 m
15L	148 ft	11,515 ft	155.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	151.21		0 m	120 m
33R	148 ft	11,515 ft	335.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	331.22		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IKIC	110.10 MHz	18 nm	-	-	208 ft
				33 km	-		208 m
15R	DME	IKIB	111.30 MHz	18 nm	-	-	196 ft
				33 km	-		196 m
33L	DME	IKIA	109.50 MHz	18 nm	-	-	201 ft
				33 km	-		201 m
33R	DME	IKID	110.50 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
15L	LOC-ILS	IKIC	110.10 MHz	18 nm	155.13	-	204 ft
				33 km	151.22		204 m
15R	LOC-ILS	IKIB	111.30 MHz	18 nm	155.12	-	204 ft
				33 km	151.21		204 m
33L	LOC-ILS	IKIA	109.50 MHz	18 nm	335.12	-	204 ft
				33 km	331.21		204 m
33R	LOC-ILS	IKID	110.50 MHz	18 nm	335.13	-	204 ft
				33 km	331.22		204 m
15L	GS	IKIC	110.10 MHz	10 nm	155.13	3.00	204 ft
				19 km	151.22		204 m
15R	GS	IKIB	111.30 MHz	10 nm	155.12	3.00	204 ft
				19 km	151.21		204 m
33L	GS	IKIA	109.50 MHz	10 nm	335.12	3.00	204 ft
				19 km	331.21		204 m
33R	GS	IKID	110.50 MHz	10 nm	335.13	3.00	204 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	331.22		204 m