

LFKB

Bastia Poretta


LFST

Entzheim

2024/06/07 0956Z

LFKB LUKIM N851 DESIP Z651 CANNE A9 URNAS LFST

371.36 nm / 687.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFKB	-	42.55251	0 ft	-	Bastia Poretta
APT	-	9.48371	0 m		
LUKIM	-	44.14000	34,100 ft	95	-
FIX	-	9.30861	10,394 m		
MONEB	N851	44.62639	34,000 ft	29	-
FIX	AWY-LO	9.25056	10,363 m		
DESIP	N851	45.64583	34,000 ft	61	-
FIX	AWY-LO	9.12583	10,363 m		
CANNE	Z651	46.16667	32,500 ft	32	-
FIX	AWY-LO	8.88111	9,906 m		
LUKOM	A9	46.58500	26,000 ft	25	-
FIX	AWY-LO	8.75861	7,925 m		
URNAS	A9	47.00222	20,600 ft	25	-
FIX	AWY-LO	8.63833	6,279 m		
LFST	-	48.53833	0 ft	100	Entzheim
APT	-	7.62826	0 m		

LFKB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 24 ft / 7 m
Location: 42.552600 9.483750
Magnetic Var: 3.184 E

METAR

LFKB 070930Z AUTO 11007KT 080V160 CAVOK 25/18 Q1019 NOSIG

TAF

TAF TAF LFKB 070800Z 0709/0809 12008KT CAVOK TX27/0712Z TN15/0804Z

Frequencies

REC - 125.92 MHz - LFKB ATIS
TWR - 118.00 MHz - BASTIA TWR
APP - 127.25 MHz - BASTIA APP

GND - 121.82 MHz - BASTIA GND
APP - 123.82 MHz - BASTIA APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	8,273 ft	162.83	ASPHALT	0 ft	102 ft
	45 m	2,522 m	159.65		0 m	31 m
34	148 ft	8,273 ft	342.84	ASPHALT	0 ft	0 ft
	45 m	2,522 m	339.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	BP	111.35 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
34	LOC-ILS	BP	111.35 MHz	18 nm	342.81	-	25 ft
				33 km	339.63		25 m
34	GS	BP	111.35 MHz	10 nm	343.62	3.00	25 ft
				19 km	340.44		25 m

LFST

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 504 ft / 154 m
Location: 48.538300 7.628260
Magnetic Var: 2.919 E

METAR

LFST 070930Z AUTO 03004KT 340V150 CAVOK 23/11 Q1019 NOSIG

TAF

TAF LFST 070500Z 0706/0806 18005KT CAVOK

Frequencies

REC - 126.92 MHz - LFST ATIS
TWR - 126.87 MHz - STRASBOURG TWR
APP - 119.57 MHz - STRASBOURG APP
GND - 121.80 MHz - STRASBOURG GND
APP - 119.45 MHz - STRASBOURG APP
APP - 120.70 MHz - STRASBOURG APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	7,899 ft	48.60	ASPHALT	0 ft	860 ft
	45 m	2,408 m	45.68		0 m	262 m
23	148 ft	7,899 ft	228.62	ASPHALT	0 ft	902 ft
	45 m	2,408 m	225.70		0 m	275 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ENT	108.55 MHz	18 nm	-	-	504 ft
				33 km	-		504 m
23	DME	STZ	109.55 MHz	18 nm	-	-	504 ft
				33 km	-		504 m
05	LOC-ILS	ENT	108.55 MHz	18 nm	48.63	-	499 ft
				33 km	45.71		499 m
23	LOC-ILS	STZ	109.55 MHz	18 nm	228.59	-	515 ft
				33 km	225.67		515 m
05	GS	ENT	108.55 MHz	10 nm	49.22	3.50	561 ft
				19 km	46.30		561 m
23	GS	STZ	109.55 MHz	10 nm	229.22	3.00	542 ft
				19 km	226.30		542 m