

OKBK

Kuwait Intl


KJDN

Jordan

2024/05/07 1757Z

OKBK GABSU **G667** RABIM NAGRO ALTAX **L570** NOTSA **L319** ROVON LAKLI **UT430** VUVAG DULAV **L125** NAX **N996**  
ADILA **N82** LAPTO **A234** USEMA **R11** BUTRI **R120** IWV **R808** TS **A829** IN **R11** SUGIR **R369** AJ **R900** OKUDI **B160**  
SPB **B171** RATLA **Y366** LAMPI **P854** NORVA 7000N0700E 7100N0400E 7200N0100E 7200N0000E 7200N0-100W  
7200N0-200W 7200N0-300W 7200N0-400W 7300N0-800W 7300N0-900W 7300N0-1000W 7400N0-1400W  
7400N0-1500W 7400N0-1600W 7400N0-1700W 7400N0-1800W 7400N0-1900W 7400N0-2000W 7400N0-2100W  
7400N0-2200W 7400N0-2300W 7400N0-2400W 7400N0-2500W 7400N0-2600W 7400N0-2700W 7400N0-2800W  
7400N0-2900W 7400N0-3000W 7400N0-3100W 7400N0-3200W 7400N0-3300W 7400N0-3400W 7400N0-3500W  
7400N0-3600W 7400N0-3700W 7400N0-3800W 7400N0-3900W 7400N0-4000W 7400N0-4100W 7400N0-4200W  
7400N0-4300W 7400N0-4400W 7400N0-4500W 7400N0-4600W 7400N0-4700W 7400N0-4800W 7300N0-5200W  
7300N0-5300W 7300N0-5400W 7300N0-5500W UP 7200N0-5900W 7100N0-6100W ADSAM **NCAA** 070A **LAT4** YEK **J540**  
YYL **J539** YXE **V303** YYN **J539** GGW KJDN

6258.91 nm / 11591.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 11000ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 35000ft

- Cruise Speed: 416kts
- Descent Rate: 2000ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OKBK	-	29.22680	0 ft	-	Kuwait Intl
APT	-	47.98000	0 m		
GABSU	-	30.88860	35,000 ft	103	-
FIX	-	48.50970	10,668 m		
AWZ	G667	31.33760	35,000 ft	29	AHWAZ
VOR	AWY-HI	48.76460	10,668 m		
EGVAX	G667	31.72690	35,000 ft	30	-
FIX	AWY-HI	49.13390	10,668 m		
RABIM	G667	31.97750	35,000 ft	15	-
FIX	AWY-HI	49.20690	10,668 m		
NAGRO	-	32.17080	35,000 ft	11	-
FIX	-	49.26330	10,668 m		
ALTAX	-	32.50390	35,000 ft	20	-
FIX	-	49.36170	10,668 m		
NOTSA	L570	33.29580	35,000 ft	50	-
FIX	AWY-HI	49.05420	10,668 m		
KEBEP	L319	35.08170	35,000 ft	127	-
FIX	AWY-HI	47.67060	10,668 m		
PAREX	L319	36.09080	35,000 ft	72	-
FIX	AWY-HI	46.86500	10,668 m		
ROVON	L319	37.26690	35,000 ft	84	-
FIX	AWY-HI	45.88940	10,668 m		
LAKLI	-	37.62500	35,000 ft	21	-
FIX	-	45.92190	10,668 m		
VUVAG	UT430	38.42470	35,000 ft	52	-
FIX	AWY-HI	45.49060	10,668 m		
DULAV	-	38.95000	35,000 ft	32	-
FIX	-	45.63330	10,668 m		
NAX	L125	39.20160	35,000 ft	17	NAKHCHIVAN
VOR	AWY-HI	45.44090	10,668 m		
IRLAN	N996	39.51140	35,000 ft	18	-
FIX	AWY-HI	45.44390	10,668 m		
ADILA	N996	39.99670	35,000 ft	29	-
FIX	AWY-HI	45.49500	10,668 m		
TISOT	N82	41.26810	35,000 ft	81	-
FIX	AWY-HI	44.88580	10,668 m		
DF	N82	41.91670	35,000 ft	41	MUKHRANI
NDB	AWY-HI	44.56560	10,668 m		
TAVSA	N82	42.50000	35,000 ft	37	-
FIX	AWY-HI	44.24890	10,668 m		
LAPTO	N82	42.63140	35,000 ft	8	-
FIX	AWY-HI	44.18860	10,668 m		
AGDOR	A234	43.35470	35,000 ft	45	-
FIX	AWY-HI	43.85420	10,668 m		
BAMDA	A234	43.47140	35,000 ft	7	-
FIX	AWY-HI	43.79890	10,668 m		
MARAT	A234	43.84640	35,000 ft	23	-
FIX	AWY-HI	43.62030	10,668 m		
NIPAM	A234	44.54310	35,000 ft	43	-
FIX	AWY-HI	43.33250	10,668 m		
NUNRA	A234	44.67780	35,000 ft	8	-
FIX	AWY-HI	43.27640	10,668 m		
SOPKU	A234	45.46440	35,000 ft	49	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	42.94060	10,668 m		
ROBUT	A234	46.00640	35,000 ft	34	-
FIX	AWY-HI	42.70330	10,668 m		
USEMA	A234	46.69970	35,000 ft	44	-
FIX	AWY-HI	42.34170	10,668 m		
TUBNA	R11	47.33470	35,000 ft	39	-
FIX	AWY-HI	42.13640	10,668 m		
MOR	R11	48.34170	35,000 ft	61	MOROZOVSK
VOR	AWY-HI	41.80030	10,668 m		
LANIT	R11	49.82970	35,000 ft	93	-
FIX	AWY-HI	41.08330	10,668 m		
BUTRI	R11	50.78330	35,000 ft	60	-
FIX	AWY-HI	40.59830	10,668 m		
IDOKA	R120	51.35330	35,000 ft	44	-
FIX	AWY-HI	39.85170	10,668 m		
TULDU	R120	51.50560	35,000 ft	11	-
FIX	AWY-HI	39.64940	10,668 m		
IWV	R120	51.82140	35,000 ft	24	CHERTOVITSKOYE (VORONEZH)
VOR	AWY-HI	39.22400	10,668 m		
TS	R808	52.38920	35,000 ft	35	ZADONSK
NDB	AWY-HI	38.93110	10,668 m		
UPIRA	A829	53.69060	35,000 ft	84	-
FIX	AWY-HI	38.01030	10,668 m		
LUKAP	A829	54.11580	35,000 ft	27	-
FIX	AWY-HI	37.69640	10,668 m		
IN	A829	54.60890	35,000 ft	32	SUKHOTINO
NDB	AWY-HI	37.32360	10,668 m		
SUGIR	R11	54.73360	35,000 ft	24	-
FIX	AWY-HI	36.64250	10,668 m		
KULEG	R369	55.33000	35,000 ft	40	-
FIX	AWY-HI	36.09310	10,668 m		
MOLOT	R369	55.37170	35,000 ft	2	-
FIX	AWY-HI	36.05310	10,668 m		
ATRUN	R369	55.67670	35,000 ft	20	-
FIX	AWY-HI	35.76140	10,668 m		
MAKSI	R369	55.89000	35,000 ft	14	-
FIX	AWY-HI	35.55470	10,668 m		
BELAG	R369	56.16170	35,000 ft	18	-
FIX	AWY-HI	35.28780	10,668 m		
AJ	R369	56.51750	35,000 ft	24	STARITSA
NDB	AWY-HI	34.93640	10,668 m		
LANSO	R900	57.74940	35,000 ft	87	-
FIX	AWY-HI	33.47690	10,668 m		
SIFON	R900	58.08110	35,000 ft	24	-
FIX	AWY-HI	33.04920	10,668 m		
OKUDI	R900	59.11640	35,000 ft	76	-
FIX	AWY-HI	31.64780	10,668 m		
SPB	B160	59.80690	35,000 ft	58	ST PETERSBURG
VOR	AWY-HI	30.27460	10,668 m		
PETAP	B171	60.33890	35,000 ft	34	-
FIX	AWY-HI	29.80220	10,668 m		
VEKIL	B171	60.65640	35,000 ft	26	-
FIX	AWY-HI	29.18420	10,668 m		
RATLA	B171	60.85830	35,000 ft	27	-
FIX	AWY-HI	28.33830	10,668 m		
LAMPI	Y366	63.53860	35,000 ft	260	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	21.03670	10,668 m		
ROSMO	P854	63.69960	35,000 ft	11	-
FIX	AWY-HI	20.79420	10,668 m		
LAPIX	P854	63.90580	35,000 ft	14	-
FIX	AWY-HI	20.47880	10,668 m		
AMPAD	P854	64.31560	35,000 ft	29	-
FIX	AWY-HI	19.83440	10,668 m		
OSTAX	P854	66.05190	35,000 ft	129	-
FIX	AWY-HI	16.81470	10,668 m		
PENAX	P854	66.63610	35,000 ft	44	-
FIX	AWY-HI	15.67610	10,668 m		
BDO	P854	67.26660	35,000 ft	48	BODO
VOR	AWY-HI	14.36490	10,668 m		
NORVA	P854	68.09720	35,000 ft	92	-
FIX	AWY-HI	10.96130	10,668 m		
7000N0700E	-	70.00000	35,000 ft	142	-
LATLON	-	7.00000	10,668 m		
7100N0400E	-	71.00000	35,000 ft	84	-
LATLON	-	4.00000	10,668 m		
7200N0100E	-	72.00000	35,000 ft	82	-
LATLON	-	1.00000	10,668 m		
7200N0000E	-	72.00000	35,000 ft	18	-
LATLON	-	0.00000	10,668 m		
7200N0-100W	-	72.00000	35,000 ft	18	-
LATLON	-	-1.00000	10,668 m		
7200N0-200W	-	72.00000	35,000 ft	18	-
LATLON	-	-2.00000	10,668 m		
7200N0-300W	-	72.00000	35,000 ft	18	-
LATLON	-	-3.00000	10,668 m		
7200N0-400W	-	72.00000	35,000 ft	18	-
LATLON	-	-4.00000	10,668 m		
7300N0-800W	-	73.00000	35,000 ft	93	-
LATLON	-	-8.00000	10,668 m		
7300N0-900W	-	73.00000	35,000 ft	17	-
LATLON	-	-9.00000	10,668 m		
7300N0-1000W	-	73.00000	35,000 ft	17	-
LATLON	-	-10.00000	10,668 m		
7400N0-1400W	-	74.00000	35,000 ft	90	-
LATLON	-	-14.00000	10,668 m		
7400N0-1500W	-	74.00000	35,000 ft	16	-
LATLON	-	-15.00000	10,668 m		
7400N0-1600W	-	74.00000	35,000 ft	16	-
LATLON	-	-16.00000	10,668 m		
7400N0-1700W	-	74.00000	35,000 ft	16	-
LATLON	-	-17.00000	10,668 m		
7400N0-1800W	-	74.00000	35,000 ft	16	-
LATLON	-	-18.00000	10,668 m		
7400N0-1900W	-	74.00000	35,000 ft	16	-
LATLON	-	-19.00000	10,668 m		
7400N0-2000W	-	74.00000	35,000 ft	16	-
LATLON	-	-20.00000	10,668 m		
7400N0-2100W	-	74.00000	35,000 ft	16	-
LATLON	-	-21.00000	10,668 m		
7400N0-2200W	-	74.00000	35,000 ft	16	-
LATLON	-	-22.00000	10,668 m		
7400N0-2300W	-	74.00000	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-23.00000	10,668 m		
7400N0-2400W	-	74.00000	35,000 ft	16	-
LATLON	-	-24.00000	10,668 m		
7400N0-2500W	-	74.00000	35,000 ft	16	-
LATLON	-	-25.00000	10,668 m		
7400N0-2600W	-	74.00000	35,000 ft	16	-
LATLON	-	-26.00000	10,668 m		
7400N0-2700W	-	74.00000	35,000 ft	16	-
LATLON	-	-27.00000	10,668 m		
7400N0-2800W	-	74.00000	35,000 ft	16	-
LATLON	-	-28.00000	10,668 m		
7400N0-2900W	-	74.00000	35,000 ft	16	-
LATLON	-	-29.00000	10,668 m		
7400N0-3000W	-	74.00000	35,000 ft	16	-
LATLON	-	-30.00000	10,668 m		
7400N0-3100W	-	74.00000	35,000 ft	16	-
LATLON	-	-31.00000	10,668 m		
7400N0-3200W	-	74.00000	35,000 ft	16	-
LATLON	-	-32.00000	10,668 m		
7400N0-3300W	-	74.00000	35,000 ft	16	-
LATLON	-	-33.00000	10,668 m		
7400N0-3400W	-	74.00000	35,000 ft	16	-
LATLON	-	-34.00000	10,668 m		
7400N0-3500W	-	74.00000	35,000 ft	16	-
LATLON	-	-35.00000	10,668 m		
7400N0-3600W	-	74.00000	35,000 ft	16	-
LATLON	-	-36.00000	10,668 m		
7400N0-3700W	-	74.00000	35,000 ft	16	-
LATLON	-	-37.00000	10,668 m		
7400N0-3800W	-	74.00000	35,000 ft	16	-
LATLON	-	-38.00000	10,668 m		
7400N0-3900W	-	74.00000	35,000 ft	16	-
LATLON	-	-39.00000	10,668 m		
7400N0-4000W	-	74.00000	35,000 ft	16	-
LATLON	-	-40.00000	10,668 m		
7400N0-4100W	-	74.00000	35,000 ft	16	-
LATLON	-	-41.00000	10,668 m		
7400N0-4200W	-	74.00000	35,000 ft	16	-
LATLON	-	-42.00000	10,668 m		
7400N0-4300W	-	74.00000	35,000 ft	16	-
LATLON	-	-43.00000	10,668 m		
7400N0-4400W	-	74.00000	35,000 ft	16	-
LATLON	-	-44.00000	10,668 m		
7400N0-4500W	-	74.00000	35,000 ft	16	-
LATLON	-	-45.00000	10,668 m		
7400N0-4600W	-	74.00000	35,000 ft	16	-
LATLON	-	-46.00000	10,668 m		
7400N0-4700W	-	74.00000	35,000 ft	16	-
LATLON	-	-47.00000	10,668 m		
7400N0-4800W	-	74.00000	35,000 ft	16	-
LATLON	-	-48.00000	10,668 m		
7300N0-5200W	-	73.00000	35,000 ft	90	-
LATLON	-	-52.00000	10,668 m		
7300N0-5300W	-	73.00000	35,000 ft	17	-
LATLON	-	-53.00000	10,668 m		
7300N0-5400W	-	73.00000	35,000 ft	17	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-54.00000	10,668 m		
7300N0-5500W	-	73.00000	35,000 ft	17	-
LATLON	-	-55.00000	10,668 m		
UP	-	72.79260	35,000 ft	23	UPERNAVIK
NDB	-	-56.14600	10,668 m		
7200N0-5900W	-	72.00000	35,000 ft	70	-
LATLON	-	-59.00000	10,668 m		
7100N0-6100W	-	71.00000	35,000 ft	71	-
LATLON	-	-61.00000	10,668 m		
ADSAM	-	69.92120	35,000 ft	78	-
FIX	-	-63.21990	10,668 m		
070A	NCAA	69.50000	35,000 ft	143	-
FIX	AWY-HI	-70.00000	10,668 m		
080B	LAT4	67.50000	35,000 ft	250	-
FIX	AWY-HI	-80.00000	10,668 m		
090C	LAT4	64.50000	35,000 ft	302	-
FIX	AWY-HI	-90.00000	10,668 m		
YEK	LAT4	61.09910	35,000 ft	232	ARVIAT
NDB	AWY-HI	-94.06890	10,668 m		
YYL	J540	56.86390	35,000 ft	333	LYNN LAKE
VOR	AWY-HI	-101.07500	10,668 m		
POLLE	J539	54.77440	35,000 ft	156	-
FIX	AWY-HI	-103.83300	10,668 m		
YPA	J539	53.21640	35,000 ft	113	PRINCE ALBERT
VOR	AWY-HI	-105.66600	10,668 m		
YXE	J539	52.18110	35,000 ft	73	SASKATOON
VOR	AWY-HI	-106.72000	10,668 m		
YYN	V303	50.29700	35,000 ft	118	SWIFT CURRENT
VOR	AWY-LO	-107.69100	10,668 m		
GGW	J539	48.21530	15,800 ft	131	GLASGOW
VOR	AWY-HI	-106.62500	4,816 m		
KJDN	-	47.32870	0 ft	54	Jordan
APT	-	-106.95300	0 m		

## OKBK

Region: KUWAIT  
Timezone: ASIA/KUWAIT  
Runways: 2

Elevation: 204 ft / 62 m  
Location: 29.226800 47.979900  
Magnetic Var: 3.912 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

TWR - 118.30 MHz - KUWAIT TOWER  
REC - 126.22 MHz - KUWAIT ATIS  
APP - 124.80 MHz - KUWAIT APPROACH

GND - 121.70 MHz - KUWAIT GROUND  
APP - 121.30 MHz - KUWAIT APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	11,205 ft	155.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	151.20		0 m	0 m
33L	148 ft	11,205 ft	335.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	331.21		0 m	0 m
15L	148 ft	11,515 ft	155.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	151.21		0 m	120 m
33R	148 ft	11,515 ft	335.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	331.22		0 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IKIC	110.10 MHz	18 nm	-	-	208 ft
				33 km	-		208 m
15R	DME	IKIB	111.30 MHz	18 nm	-	-	196 ft
				33 km	-		196 m
33L	DME	IKIA	109.50 MHz	18 nm	-	-	201 ft
				33 km	-		201 m
33R	DME	IKID	110.50 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
15L	LOC-ILS	IKIC	110.10 MHz	18 nm	155.13	-	204 ft
				33 km	151.22		204 m
15R	LOC-ILS	IKIB	111.30 MHz	18 nm	155.12	-	204 ft
				33 km	151.21		204 m
33L	LOC-ILS	IKIA	109.50 MHz	18 nm	335.12	-	204 ft
				33 km	331.21		204 m
33R	LOC-ILS	IKID	110.50 MHz	18 nm	335.13	-	204 ft
				33 km	331.22		204 m
15L	GS	IKIC	110.10 MHz	10 nm	155.13	3.00	204 ft
				19 km	151.22		204 m
15R	GS	IKIB	111.30 MHz	10 nm	155.12	3.00	204 ft
				19 km	151.21		204 m
33L	GS	IKIA	109.50 MHz	10 nm	335.12	3.00	204 ft
				19 km	331.21		204 m
33R	GS	IKID	110.50 MHz	10 nm	335.13	3.00	204 ft



Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	331.22		204 m