

VIDP

Indira Gandhi Intl


OAKB

Kabul Intl

2024/05/07 2243Z

VIDP BUTOP M875 JHANG A466 DI M875 SAJAN A466 SITAX OAKB

561.47 nm / 1039.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.55850	0 ft	-	Indira Gandhi Intl
APT	-	77.09790	0 m	-	
BUTOP	-	29.32920	35,000 ft	100	-
FIX	-	75.39890	10,668 m	-	
GUGAL	M875	30.24170	35,000 ft	92	-
FIX	AWY-HI	73.96580	10,668 m	-	
NIKET	M875	30.68190	35,000 ft	45	-
FIX	AWY-HI	73.25830	10,668 m	-	
JHANG	M875	31.26670	35,000 ft	60	-
FIX	AWY-HI	72.29940	10,668 m	-	
DI	A466	31.91260	35,000 ft	82	DERA ISMAIL KHAN
VOR	AWY-HI	70.88570	10,668 m	-	
SAJAN	M875	32.63830	27,700 ft	50	-
FIX	AWY-HI	70.36970	8,443 m	-	
SITAX	A466	33.08330	21,000 ft	31	-
FIX	AWY-HI	70.04970	6,401 m	-	
OAKB	-	34.56580	0 ft	98	Kabul Intl
APT	-	69.21250	0 m	-	

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.600 E

METAR

VIDP 072230Z 10008KT 2800 HZ SCT100 30/21 Q1006 NOSIG

TAF

VIDP 071700Z 0718/0824 07005KT 3000 HZ SCT100 BECMG 0800/0802 1300 HZ BECMG 0805/0807 32010KT 4000 HZ BECMG 0812/0814 1300 HZ BECMG 0815/0817 1300 HZ

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH
GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.12		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.11		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.86		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m

OAKB

Region: AFGHANISTAN
Timezone: ASIA/KABUL
Runways: 1

Elevation: 5,876 ft / 1,791 m
Location: 34.565800 69.212500
Magnetic Var: 3.531 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 130.15 MHz - ATIS	CLD - 128.10 MHz - KABUL CLEARANCE DELIVERY
GND - 120.27 MHz - KABUL GROUND	TWR - 120.60 MHz - KABUL TOWER
APP - 131.60 MHz - KABUL APPROACH	APP - 118.30 MHz - KABUL CENTER
DEP - 132.50 MHz - KABUL DEPARTURE	TWR - 123.40 MHz - AIROPS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	11,501 ft	107.33	ASPHALT	0 ft	148 ft
	45 m	3,505 m	103.80		0 m	45 m
29	148 ft	11,501 ft	287.35	ASPHALT	0 ft	144 ft
	45 m	3,505 m	283.82		0 m	44 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	LOC-ILS	IAKW	110.50 MHz	18 nm	287.34	-	5,876 ft
				33 km	283.81		5,876 m
29	GS	IAKW	110.50 MHz	10 nm	287.34	3.50	5,876 ft
				19 km	283.81		5,876 m