

KFNT

Bishop Intl


KATL

Hartsfield Jackson Atlanta Intl

2024/05/12 2239Z

KFNT +43.12_-083.75 +43.12_-083.93 10739 10613 +33.63_-083.89 KATL

612.74 nm / 1134.80 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFNT	-	42.97273	0 ft	-	Bishop Intl
APT	-	-83.74346	0 m	-	
+43.12_-083.75	-	43.11745	0 ft	8	-
DME	-	-83.74647	0 m	-	-
+43.12_-083.93	-	43.11508	0 ft	8	-
DME	-	-83.93466	0 m	-	-
10739	-	39.92953	0 ft	191	-
FIX	-	-84.10274	0 m	-	-
10613	-	36.54591	0 ft	203	-
FIX	-	-83.98917	0 m	-	-
+33.63_-083.89	-	33.63361	0 ft	174	-
DME	-	-83.88743	0 m	-	-
KATL	-	33.63470	0 ft	26	-
APT	-	-84.40893	0 m	-	-

KFNT

Region: UNITED STATES
Timezone: AMERICA/DETROIT
Runways: 2

Elevation: 782 ft / 238 m
Location: 42.965600 -83.744800
Magnetic Var: 7.339 W

METAR

KFNT 122153Z 21010KT 10SM CLR 21/07 A2983 RMK A02 SLP101 T02060067

TAF

TAF KFNT 121720Z 1218/1318 26007KT P6SM FEW120 SCT150 FM122000 20009KT P6SM SCT100 SCT250 FM130600 22010KT 6SM -SH

Frequencies

COM - 126.30 MHz - CTAF	COM - 122.95 MHz - UNICOM
COM - 122.95 MHz - UNICOM	CLD - 121.75 MHz - CLNC DEL
GND - 121.90 MHz - FLINT GND	TWR - 126.30 MHz - FLINT TWR
APP - 118.80 MHz - FLINT APP/DEP	APP - 128.55 MHz - FLINT APP/DEP
APP - 133.80 MHz - FLINT APP/DEP	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	7,858 ft	179.13	ASPHALT	200 ft	200 ft
	46 m	2,395 m	186.47		61 m	61 m
36	150 ft	7,858 ft	359.13	ASPHALT	0 ft	200 ft
	46 m	2,395 m	6.47		0 m	61 m
09	150 ft	7,183 ft	88.24	ASPHALT	0 ft	200 ft
	46 m	2,189 m	95.57		0 m	61 m
27	150 ft	7,183 ft	268.25	ASPHALT	0 ft	200 ft
	46 m	2,189 m	275.59		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IFNT	109.90 MHz	18 nm	88.24	-	782 ft
				33 km	95.58		782 m
27	LOC-ILS	ITUN	109.90 MHz	18 nm	268.24	-	782 ft
				33 km	275.58		782 m
09	GS	IFNT	109.90 MHz	10 nm	88.24	2.83	782 ft
				19 km	95.58		782 m
27	GS	ITUN	109.90 MHz	10 nm	268.24	3.00	782 ft
				19 km	275.58		782 m

KATL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 5

Elevation: 1,026 ft / 313 m
Location: 33.636600 -84.428000
Magnetic Var: 5.631 W

METAR

KATL 122152Z 27009KT 10SM FEW150 SCT200 BKN250 26/06 A2993 RMK A02 SLP128 T02610061

TAF

TAF AMD KATL 122151Z 1222/1324 27008KT P6SM SCT180 BKN250 FM130600 VRB03KT P6SM SCT120 BKN250 FM131200 16006KT P6SM

Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.64		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m