


2024/05/08 1023Z

OKBK SIBSA **UL550** NWB **N697** SISIK HEAZ

889.04 nm / 1646.51 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OKBK	-	29.22680	0 ft	-	Kuwait Intl
APT	-	47.98000	0 m	-	
SIBSA	-	28.75170	32,500 ft	91	-
FIX	-	46.33500	9,906 m	-	-
LAKSO	UL550	28.79750	35,000 ft	33	-
FIX	AWY-HI	45.69140	10,668 m	-	-
VATIM	UL550	28.86000	35,000 ft	49	-
FIX	AWY-HI	44.74530	10,668 m	-	-
RASMO	UL550	28.95360	35,000 ft	64	-
FIX	AWY-HI	43.52190	10,668 m	-	-
ORSAL	UL550	29.04310	35,000 ft	70	-
FIX	AWY-HI	42.18530	10,668 m	-	-
TOLDI	UL550	29.05810	35,000 ft	12	-
FIX	AWY-HI	41.93920	10,668 m	-	-
NORGI	UL550	29.08750	35,000 ft	26	-
FIX	AWY-HI	41.42940	10,668 m	-	-
ULAKO	UL550	29.13280	35,000 ft	44	-
FIX	AWY-HI	40.57780	10,668 m	-	-
NIMAR	UL550	29.10970	35,000 ft	35	-
FIX	AWY-HI	39.90690	10,668 m	-	-
ENABI	UL550	29.11080	35,000 ft	51	-
FIX	AWY-HI	38.93060	10,668 m	-	-
ASTUM	UL550	29.10780	35,000 ft	29	-
FIX	AWY-HI	38.37690	10,668 m	-	-
OBNAK	UL550	29.09830	35,000 ft	45	-
FIX	AWY-HI	37.50890	10,668 m	-	-
EGSIS	UL550	29.08750	35,000 ft	53	-
FIX	AWY-HI	36.48060	10,668 m	-	-
KITOT	UL550	29.03470	35,000 ft	85	-
FIX	AWY-HI	34.84720	10,668 m	-	-
NWB	UL550	29.03220	35,000 ft	9	NUWEIBAA
NDB	AWY-HI	34.67110	10,668 m	-	
SISIK	N697	29.60000	16,000 ft	109	-
FIX	AWY-HI	32.68500	4,877 m	-	-
HEAZ	-	30.09240	0 ft	75	ALMAZA AFB
APT	-	31.36020	0 m	-	

OKBK

Region: KUWAIT
Timezone: ASIA/KUWAIT
Runways: 2

Elevation: 204 ft / 62 m
Location: 29.226800 47.979900
Magnetic Var: 3.912 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.30 MHz - KUWAIT TOWER
REC - 126.22 MHz - KUWAIT ATIS
APP - 124.80 MHz - KUWAIT APPROACH

GND - 121.70 MHz - KUWAIT GROUND
APP - 121.30 MHz - KUWAIT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	11,205 ft	155.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	151.20		0 m	0 m
33L	148 ft	11,205 ft	335.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	331.21		0 m	0 m
15L	148 ft	11,515 ft	155.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	151.21		0 m	120 m
33R	148 ft	11,515 ft	335.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	331.22		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IKIC	110.10 MHz	18 nm	-	-	208 ft
				33 km	-		208 m
15R	DME	IKIB	111.30 MHz	18 nm	-	-	196 ft
				33 km	-		196 m
33L	DME	IKIA	109.50 MHz	18 nm	-	-	201 ft
				33 km	-		201 m
33R	DME	IKID	110.50 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
15L	LOC-ILS	IKIC	110.10 MHz	18 nm	155.13	-	204 ft
				33 km	151.22		204 m
15R	LOC-ILS	IKIB	111.30 MHz	18 nm	155.12	-	204 ft
				33 km	151.21		204 m
33L	LOC-ILS	IKIA	109.50 MHz	18 nm	335.12	-	204 ft
				33 km	331.21		204 m
33R	LOC-ILS	IKID	110.50 MHz	18 nm	335.13	-	204 ft
				33 km	331.22		204 m
15L	GS	IKIC	110.10 MHz	10 nm	155.13	3.00	204 ft
				19 km	151.22		204 m
15R	GS	IKIB	111.30 MHz	10 nm	155.12	3.00	204 ft
				19 km	151.21		204 m
33L	GS	IKIA	109.50 MHz	10 nm	335.12	3.00	204 ft
				19 km	331.21		204 m
33R	GS	IKID	110.50 MHz	10 nm	335.13	3.00	204 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	331.22		204 m

HEAZ

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 2

Elevation: 300 ft / 91 m
Location: 30.092400 31.360200
Magnetic Var: 4.947 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.10 MHz - CAIRO TWR
TWR - 132.90 MHz -
APP - 119.55 MHz - CAIRO APP

TWR - 119.55 MHz - CAIRO TWR
APP - 119.05 MHz - CAIRO APP
APP - 120.70 MHz - CAIRO APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	6,722 ft	179.90	ASPHALT	0 ft	310 ft
	45 m	2,049 m	174.95		0 m	94 m
36	148 ft	6,722 ft	359.89	ASPHALT	574 ft	625 ft
	45 m	2,049 m	354.95		175 m	191 m
05	164 ft	3,920 ft	45.72	ASPHALT	0 ft	0 ft
	50 m	1,195 m	40.77		0 m	0 m
23	164 ft	3,920 ft	225.72	ASPHALT	0 ft	0 ft
	50 m	1,195 m	220.78		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	LOC-ILS	IALZ	109.30 MHz	18 nm	2.12	-	262 ft
				33 km	357.17		262 m
36	GS	IALZ	109.30 MHz	10 nm	0.79	3.90	336 ft
				19 km	355.84		336 m