


2024/05/14 1029Z

OMDB RANBI BALUS PIMAL ALPET KABAN SRT TAMER EZS BULUT GEM ANK DEREL AKCAK MAKOL WRN BALIK ARGES
NILET RILEX NILOV ENIMA NEPOT HMM GORLO REFSO XAMAN LOGAN TRIPO SABER BRASO LAM EGLL

3095.15 nm / 5732.21 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25280	34 ft	-	DUBAI INTL
APT	-	55.36440	10 m		
RANBI	-	25.31889	0 ft	33	-
FIX	-	54.75000	0 m		
BALUS	-	25.76500	0 ft	94	-
FIX	-	53.07333	0 m		
PIMAL	-	26.44139	0 ft	100	-
FIX	-	51.36833	0 m		
ALPET	-	31.20528	0 ft	390	-
FIX	-	46.31222	0 m		
KABAN	-	37.24889	0 ft	405	-
FIX	-	42.64972	0 m		
SRT	-	37.97690	0 ft	58	SIIRT NDB
NDB	-	41.84360	0 m		
TAMER	-	38.24056	0 ft	51	-
FIX	-	40.81639	0 m		
EZS	-	38.60650	0 ft	74	ELAZIG NDB
NDB	-	39.29880	0 m		
BULUT	-	38.75972	0 ft	20	-
FIX	-	38.90055	0 m		
GEM	-	39.15530	0 ft	136	GEMEREK VOR-DME
VOR	-	36.02920	0 m		
ANK	-	39.95310	0 ft	155	ANKARA NDB-DME
NDB	-	32.82810	0 m		
DEREL	-	40.71389	0 ft	54	-
FIX	-	32.19333	0 m		
AKCAK	-	41.42889	0 ft	79	-
FIX	-	30.72472	0 m		
MAKOL	-	42.17056	0 ft	83	-
FIX	-	29.14278	0 m		
WRN	-	43.23140	0 ft	86	VARNA VOR-DME
VOR	-	27.81720	0 m		
BALIK	-	43.67667	0 ft	34	-
FIX	-	27.30000	0 m		
ARGES	-	44.08222	0 ft	31	-
FIX	-	26.82667	0 m		
NILET	-	44.43894	0 ft	36	-
FIX	-	26.15309	0 m		
RILEX	-	44.59799	0 ft	16	-
FIX	-	25.84763	0 m		
NILOV	-	44.95383	0 ft	35	-
FIX	-	25.17030	0 m		
ENIMA	-	45.07951	0 ft	13	-
FIX	-	24.90251	0 m		
NEPOT	-	45.96030	0 ft	92	-
FIX	-	23.08808	0 m		
HMM	-	51.85690	0 ft	700	HAMM VOR-DME
VOR	-	7.70829	0 m		
GORLO	-	51.92417	0 ft	168	-
FIX	-	3.17194	0 m		
REFSO	-	51.80944	0 ft	19	-
FIX	-	2.66695	0 m		
XAMAN	-	51.78472	0 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	2.22417	0 m		
LOGAN	-	51.74750	0 ft	22	-
FIX	-	1.61194	0 m		
TRIPO	-	51.71305	0 ft	19	-
FIX	-	1.08278	0 m		
SABER	-	51.70389	0 ft	4	-
FIX	-	0.94944	0 m		
BRASO	-	51.68528	0 ft	9	-
FIX	-	0.68333	0 m		
LAM	-	51.64610	0 ft	19	LAMBOURNE VOR-DME
VOR	-	0.15167	0 m		
EGLL	-	51.47060	83 ft	25	London Heathrow
APT	-	-0.46194	25 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 141000Z 19012KT 160V220 CAVOK 42/10 Q1006 BECMG 34014KT

TAF

TAF OMDB 140500Z 1406/1512 18013KT 8000 NSC PROB30 TEMPO 1406/1410 4000 DU BECMG 1407/1409 24008KT BECMG 1409/1412 18013KT 8000 NSC

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.379 E

METAR

EGLL 141020Z AUTO 17008KT 9999 SCT018 BKN023 BKN031 15/11 Q1001

TAF

TAF EGLL 140454Z 1406/1512 15009KT 9999 SCT020 PROB40 TEMPO 1406/1411 7000 RA BKN008 PROB30 TEMPO 1422/1506 BKN008

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m