

KSAT

San Antonio Intl


KDRT

Del Rio Intl

2024/05/16 0027Z

KSAT KICED KDRT

130.50 nm / 241.68 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSAT	-	29.53410	0 ft	-	San Antonio Intl
APT	-	-98.46930	0 m		
KICED	-	29.64390	10,200 ft	28	-
FIX	-	-99.00270	3,109 m		
KDRT	-	29.37420	0 ft	101	Del Rio Intl
APT	-	-100.92700	0 m		

KSAT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 809 ft / 247 m
Location: 29.534100 -98.469300
Magnetic Var: 3.528 E

METAR

KSAT 152351Z 13012G23KT 10SM SCT110 BKN250 31/16 A2972 RMK A02 SLP046 T03110156 10333 20294 56013 \$

TAF

KSAT 152354Z 1600/1706 13013G23KT P6SM SCT120 BKN250 FM160700 13011KT P6SM OVC030 FM160800 13007KT P6SM OVC015 FM

Frequencies

REC - 118.90 MHz - SAN ANTONIO ATIS	COM - 122.95 MHz - SAN ANTONIO UNICOM
GND - 121.90 MHz - SAN ANTONIO GROUND	TWR - 119.80 MHz - SAN ANTONIO TOWER
APP - 124.45 MHz - SAN ANTONIO APPROACH	APP - 128.05 MHz - SAN ANTONIO APPROACH
APP - 118.05 MHz - SAN ANTONIO APPROACH	APP - 125.10 MHz - SAN ANTONIO APPROACH
DEP - 124.45 MHz - SAN ANTONIO DEPARTURE	DEP - 128.05 MHz - SAN ANTONIO DEPARTURE
DEP - 118.05 MHz - SAN ANTONIO DEPARTURE	DEP - 125.10 MHz - SAN ANTONIO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	8,516 ft	40.63	CONCRETE	0 ft	200 ft
	46 m	2,596 m	37.10		0 m	61 m
22	150 ft	8,516 ft	220.63	CONCRETE	0 ft	400 ft
	46 m	2,596 m	217.11		0 m	122 m
13R	150 ft	8,507 ft	131.75	CONCRETE	0 ft	210 ft
	46 m	2,593 m	128.22		0 m	64 m
31L	150 ft	8,507 ft	311.76	CONCRETE	0 ft	197 ft
	46 m	2,593 m	308.23		0 m	60 m
13L	100 ft	5,519 ft	131.78	ASPHALT	0 ft	154 ft
	30 m	1,682 m	128.25		0 m	47 m
31R	100 ft	5,519 ft	311.79	ASPHALT	0 ft	0 ft
	30 m	1,682 m	308.26		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	IANT	110.90 MHz	18 nm	-	-	791 ft
				33 km	-		791 m
31L	DME	IIZR	110.90 MHz	18 nm	-	-	809 ft
				33 km	-		809 m
04	LOC-ILS	ISAT	109.70 MHz	18 nm	40.63	-	809 ft
				33 km	37.10		809 m
13R	LOC-ILS	IANT	110.90 MHz	18 nm	131.76	-	809 ft
				33 km	128.23		809 m
31L	LOC-ILS	IIZR	110.90 MHz	18 nm	311.76	-	809 ft
				33 km	308.23		809 m
04	GS	ISAT	109.70 MHz	10 nm	40.63	3.00	809 ft
				19 km	37.10		809 m
13R	GS	IANT	110.90 MHz	10 nm	131.76	3.00	809 ft
				19 km	128.23		809 m
31L	GS	IIZR	110.90 MHz	10 nm	311.76	3.00	809 ft
				19 km	308.23		809 m

KDRT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 999 ft / 304 m
Location: 29.374200 -100.927000
Magnetic Var: 4.813 E

METAR

KDRT 152353Z AUTO 11016G27KT 10SM CLR 35/14 A2962 RMK A02 PK WND 11029/2342 SLP019 T03500144 10372 20344 55013

TAF

KDRT 152329Z 1600/1624 13013G24KT P6SM FEW080 SCT250 FM160300 10015KT P6SM BKN100 FM160700 13012KT P6SM OVC012 FM

Frequencies

REC - 118.52 MHz - ASOS
CLD - 120.50 MHz - CLNC DEL
DEP - 119.60 MHz -
COM - 122.80 MHz - CTAF/UNICOM
APP - 119.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	100 ft	6,308 ft	140.37	ASPHALT	299 ft	0 ft
	30 m	1,923 m	135.56		91 m	0 m
31	100 ft	6,308 ft	320.38	ASPHALT	0 ft	0 ft
	30 m	1,923 m	315.56		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IDRT	111.90 MHz	18 nm	-	-	994 ft
				33 km	-		994 m
13	LOC-LOC	IDRT	111.90 MHz	18 nm	140.37	-	985 ft
				33 km	135.56		985 m