# LICC
Catania Fontanarossa


-

# LIRN
Naples Capodichino

2024/03/19 1318Z

LICC LIRN

208.19 nm / 385.58 km




## Notes

Generated

## Route

| Ident<br>Type | Via | Lat<br>Lon | Alt | Dist<br>(nm) | Name |
|---|---|---|---|---|---|
| LICC | – | 37.46563 | 0 ft | – | – |
| APT | – | 15.05269 | 0 m | | |
| LIRN | – | 40.87979 | 0 ft | 208 | – |
| APT | – | 14.27754 | 0 m | | |

# LICC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 37.466800 15.066400
Magnetic Var: 3.818 E

## METAR

LICC 191250Z 11011KT CAVOK 19/12 Q1012

## TAF

TAF LICC 191100Z 1912/2012 08013KT 9999 SCT035 BECMG 1920/1922 VRB05KT TEMPO 2000/2006 3000 BR BECMG 2010/2012 10

## Frequencies

GND - 129.72 MHz - CATANIA GROUND
APP - 120.80 MHz - CATANIA APPROACH
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER
APP - 119.25 MHz - CATANIA APPROACH

## Runways

| Ident | Width | Length | Bearing (true)<br>(mag) | Surface | Threshold<br>Offset | Overrun<br>Length |
|---|---|---|---|---|---|---|
| 08 | 148 ft<br>45 m | 8,000 ft<br>2,438 m | 83.93<br>80.11 | ASPHALT | 308 ft<br>94 m | 0 ft<br>0 m |
| 26 | 148 ft<br>45 m | 8,000 ft<br>2,438 m | 263.95<br>260.13 | ASPHALT | 285 ft<br>87 m | 0 ft<br>0 m |

## Approach Navaids

| Runway | Type | Ident | Frequency | Range | Bearing (true)<br>(mag) | Slope | Elevation |
|---|---|---|---|---|---|---|---|
| 08 | DME | CTN | 109.90 MHz | 18 nm<br>33 km | -<br>- | - | 45 ft<br>45 m |
| 08 | LOC-ILS | CTN | 109.90 MHz | 18 nm<br>33 km | 83.95<br>80.13 | - | 39 ft<br>39 m |
| 08 | GS | CTN | 109.90 MHz | 10 nm<br>19 km | 83.95<br>80.13 | 3.00 | 39 ft<br>39 m |

# LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.947 E

## METAR

LIRN 191250Z 06012KT 9999 FEW020 18/08 Q1014 NOSIG

## TAF

TAF LIRN 191100Z 1912/2012 05012KT 9999 FEW050

## Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

## Runways

| Ident | Width | Length | Bearing (true)<br>(mag) | Surface | Threshold<br>Offset | Overrun<br>Length |
|---|---|---|---|---|---|---|
| 06 | 148 ft<br>45 m | 8,630 ft<br>2,630 m | 58.04<br>54.09 | ASPHALT | 1,312 ft<br>400 m | 217 ft<br>66 m |
| 24 | 148 ft<br>45 m | 8,630 ft<br>2,630 m | 238.05<br>234.11 | ASPHALT | 607 ft<br>185 m | 230 ft<br>70 m |

## Approach Navaids

| Runway | Type | Ident | Frequency | Range | Bearing (true)<br>(mag) | Slope | Elevation |
|---|---|---|---|---|---|---|---|
| 06 | DME | NPC | 110.15 MHz | 25 nm<br>46 km | -<br>- | - | 294 ft<br>294 m |
| 24 | DME | INPL | 109.50 MHz | 25 nm<br>46 km | -<br>- | - | 250 ft<br>250 m |
| 06 | LOC-ILS | NPC | 110.15 MHz | 18 nm<br>33 km | 58.08<br>54.13 | - | 292 ft<br>292 m |
| 24 | LOC-ILS | INPL | 109.50 MHz | 18 nm<br>33 km | 238.03<br>234.08 | - | 288 ft<br>288 m |
| 24 | LOC-ILS | INP | 109.50 MHz | 18 nm<br>33 km | 238.08<br>234.13 | - | 292 ft<br>292 m |
| 24 | GS | INPL | 109.50 MHz | 10 nm<br>19 km | 238.06<br>234.11 | 3.33 | 250 ft<br>250 m |
| 24 | GS | INP | 109.50 MHz | 10 nm<br>19 km | 238.08<br>234.13 | 3.33 | 292 ft<br>292 m |