

SBCC

Cachimbo Air Base


LEIB

Ibiza

2024/06/06 2129Z

SBCC USAGU **UL540** ATOGU CJS **W9** BEL **UZ55** MAVKO 600N0-3900W 700N0-3800W 800N0-3700W 1000N0-3500W
1100N0-3400W 1200N0-3300W 1300N0-3200W 1500N0-3000W 1600N0-2900W 1700N0-2800W 1800N0-2700W GAMBA
2000N0-2500W 2100N0-2400W 2100N0-2300W TENPA **UN866** APASO **UN871** KORAL **UG5** SONSO **UN871** OSDAM **UB28**
BARPA **UM985** PIMOS **UM445** RIXUR **UN851** ALT LEIB

4409.71 nm / 8166.79 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCC	-	-9.33374	0 ft	-	Cachimbo Air Base
APT	-	-54.96530	0 m		
USAGU	-	-9.54267	31,900 ft	89	-
FIX	-	-53.47080	9,723 m		
REPAV	UL540	-9.07950	35,000 ft	41	-
FIX	AWY-HI	-52.94070	10,668 m		
VALAS	UL540	-8.57133	35,000 ft	45	-
FIX	AWY-HI	-52.36200	10,668 m		
IBDAN	UL540	-8.12500	35,000 ft	40	-
FIX	AWY-HI	-51.85570	10,668 m		
ITALA	UL540	-7.62433	35,000 ft	45	-
FIX	AWY-HI	-51.28980	10,668 m		
DAMSI	UL540	-7.37167	35,000 ft	22	-
FIX	AWY-HI	-51.00520	10,668 m		
OSOVA	UL540	-7.01283	35,000 ft	32	-
FIX	AWY-HI	-50.60180	10,668 m		
ATOGU	UL540	-6.64983	35,000 ft	32	-
FIX	AWY-HI	-50.19470	10,668 m		
CJS	-	-6.11964	35,000 ft	33	CARAJAS (PARAUPEBAS)
VOR	-	-50.00200	10,668 m		
ESMUT	W9	-4.22550	35,000 ft	114	-
FIX	AWY-LO	-49.77050	10,668 m		
TUI	W9	-3.80134	35,000 ft	25	TUCURUI
VOR	AWY-LO	-49.72130	10,668 m		
LUIZA	W9	-1.97998	35,000 ft	122	-
FIX	AWY-LO	-48.78420	10,668 m		
BEL	W9	-1.38436	35,000 ft	40	BELEM
VOR	AWY-LO	-48.47860	10,668 m		
MORDU	UZ55	-0.98267	35,000 ft	40	-
FIX	AWY-HI	-47.94600	10,668 m		
MOSRI	UZ55	0.24267	35,000 ft	122	-
FIX	AWY-HI	-46.32470	10,668 m		
NIMRI	UZ55	0.95633	35,000 ft	71	-
FIX	AWY-HI	-45.38030	10,668 m		
OBGAP	UZ55	2.43000	35,000 ft	146	-
FIX	AWY-HI	-43.42800	10,668 m		
MAVKO	UZ55	5.00000	35,000 ft	256	-
FIX	AWY-HI	-40.00000	10,668 m		
600N0-3900W	-	6.00000	35,000 ft	84	-
LATLON	-	-39.00000	10,668 m		
700N0-3800W	-	7.00000	35,000 ft	84	-
LATLON	-	-38.00000	10,668 m		
800N0-3700W	-	8.00000	35,000 ft	84	-
LATLON	-	-37.00000	10,668 m		
1000N0-3500W	-	10.00000	35,000 ft	168	-
LATLON	-	-35.00000	10,668 m		
1100N0-3400W	-	11.00000	35,000 ft	84	-
LATLON	-	-34.00000	10,668 m		
1200N0-3300W	-	12.00000	35,000 ft	84	-
LATLON	-	-33.00000	10,668 m		
1300N0-3200W	-	13.00000	35,000 ft	83	-
LATLON	-	-32.00000	10,668 m		
1500N0-3000W	-	15.00000	35,000 ft	167	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-30.00000	10,668 m		
1600N0-2900W	-	16.00000	35,000 ft	83	-
LATLON	-	-29.00000	10,668 m		
1700N0-2800W	-	17.00000	35,000 ft	83	-
LATLON	-	-28.00000	10,668 m		
1800N0-2700W	-	18.00000	35,000 ft	82	-
LATLON	-	-27.00000	10,668 m		
GAMBA	-	18.95170	35,000 ft	78	-
FIX	-	-26.06170	10,668 m		
2000N0-2500W	-	20.00000	35,000 ft	87	-
LATLON	-	-25.00000	10,668 m		
2100N0-2400W	-	21.00000	35,000 ft	82	-
LATLON	-	-24.00000	10,668 m		
2100N0-2300W	-	21.00000	35,000 ft	56	-
LATLON	-	-23.00000	10,668 m		
TENPA	-	21.36170	35,000 ft	61	-
FIX	-	-21.97330	10,668 m		
USOTI	UN866	23.06680	35,000 ft	120	-
FIX	AWY-HI	-20.83640	10,668 m		
APASO	UN866	25.00000	35,000 ft	137	-
FIX	AWY-HI	-19.50460	10,668 m		
AGUMO	UN871	25.71060	35,000 ft	65	-
FIX	AWY-HI	-18.59610	10,668 m		
VIDRI	UN871	26.89460	35,000 ft	109	-
FIX	AWY-HI	-17.03990	10,668 m		
GDV	UN871	28.07710	35,000 ft	111	GRAN CANARIA
VOR	AWY-HI	-15.42900	10,668 m		
LZR	UN871	29.16600	35,000 ft	120	LANZAROTE
VOR	AWY-HI	-13.51070	10,668 m		
KORAL	UN871	29.73140	35,000 ft	59	-
FIX	AWY-HI	-12.57830	10,668 m		
SONSO	UG5	30.01220	35,000 ft	29	-
FIX	AWY-HI	-12.10190	10,668 m		
ESS	UN871	31.40130	35,000 ft	150	ESSAOUIRA
VOR	AWY-HI	-9.68692	10,668 m		
NIRAL	UN871	33.19470	35,000 ft	126	-
FIX	AWY-HI	-8.36667	10,668 m		
OSDAM	UN871	35.34580	35,000 ft	153	-
FIX	AWY-HI	-6.70111	10,668 m		
ROMSO	UB28	35.44530	35,000 ft	11	-
FIX	AWY-HI	-6.49250	10,668 m		
TNG	UB28	35.72880	35,000 ft	33	TANGER
VOR	AWY-HI	-5.89078	10,668 m		
BARPA	UB28	35.83330	35,000 ft	12	-
FIX	AWY-HI	-5.66667	10,668 m		
XAVIR	UM985	36.00410	35,000 ft	23	-
FIX	AWY-HI	-5.24303	10,668 m		
PIMOS	UM985	36.15040	35,000 ft	19	-
FIX	AWY-HI	-4.89347	10,668 m		
RAKOR	UM445	36.72000	35,000 ft	50	-
FIX	AWY-HI	-4.13414	10,668 m		
RIXUR	UM445	37.10890	35,000 ft	33	-
FIX	AWY-HI	-3.63650	10,668 m		
UNTOS	UN851	37.25060	35,000 ft	19	-
FIX	AWY-HI	-3.27769	10,668 m		
ROLAS	UN851	37.41560	35,000 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-2.85436	10,668 m		
TOSGA	UN851	37.62570	35,000 ft	28	-
FIX	AWY-HI	-2.30736	10,668 m		
RESTU	UN851	37.90760	32,000 ft	39	-
FIX	AWY-HI	-1.55758	9,754 m		
ALT	UN851	38.26830	21,000 ft	51	ALTET
VOR	AWY-HI	-0.57011	6,401 m		
LEIB	-	38.87280	0 ft	98	Ibiza
APT	-	1.37313	0 m		

SBCC

Region: BRAZIL
Timezone: AMERICA/SANTAREM
Runways: 1

Elevation: 1,764 ft / 538 m
Location: -9.333740 -54.965300
Magnetic Var: 19.251 W

METAR

SBCC 062000Z 08008KT CAVOK 31/15 Q1015

TAF

UNKNOWN

Frequencies

COM - 125.90 MHz - CACHIMBO RADIO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,522 ft	101.80	ASPHALT	0 ft	0 ft
	45 m	2,598 m	121.05		0 m	0 m
30	148 ft	8,522 ft	281.79	ASPHALT	0 ft	0 ft
	45 m	2,598 m	301.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	ICC	109.70 MHz	18 nm	101.79	-	1,764 ft
				33 km	121.04		1,764 m
12	GS	ICC	109.70 MHz	10 nm	101.79	3.00	1,764 ft
				19 km	121.04		1,764 m

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.364 E

METAR

LEIB 062100Z 06008KT CAVOK 22/18 Q1016 NOSIG

TAF

TAF LEIB 062000Z 0621/0721 07010KT CAVOK TX28/0712Z TN19/0705Z PROB40 TEMPO 0700/0702 VRB04KT PROB40 TEMPO 0704/0706 VRB04KT

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.62		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m