SBKP
Sao Paulo Viracopos


-

SBGR
Sao Paulo - Guarulhos

2024/03/19 0854Z

SBKP -23.06_-047.06 -23.26_-046.81 -23.45_-046.56 SBGR

45.04 nm / 83.42 km



Notes

Departing runway 12 SBKP. Arriving runway 7 SBGR.

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBKP APT	-	-23.01634 -47.12203	0 ft 0 m	-	-
-23.06_-047.06 LATLON	-	-23.06078 -47.05996	100 ft 30 m	4	-
-23.26_-046.81 LATLON	-	-23.25785 -46.80998	100 ft 30 m	18	-
-23.45_-046.56 LATLON	-	-23.45493 -46.55999	100 ft 30 m	18	-
SBGR APT	-	-23.43451 -46.48432	0 ft 0 m	4	-

SBKP

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 2,169 ft / 661 m
Location: -23.007400 -47.134500
Magnetic Var: 21.992 W

METAR

SBKP 190800Z 13005KT CAVOK 23/22 Q1014

TAF

TAF SBKP 190430Z 1906/2006 09005KT CAVOK TN23/1909Z TX31/1918Z BECMG 1912/1914 36005KT BECMG 1914/1916 31006KT SC

Frequencies

REC - 127.82 MHz - ATIS
GND - 121.90 MHz - CAMPINAS GROUND
APP - 119.25 MHz - SAO PAULO APPROACH
APP - 132.10 MHz - SAO PAULO APPROACH
APP - 135.75 MHz - SAO PAULO APPROACH
APP - 119.80 MHz - SAO PAULO APPROACH
APP - 119.60 MHz - SAO PAULO APPROACH

COM - 122.80 MHz - CAMPINAS UNICOM
TWR - 118.25 MHz - CAMPINAS TOWER
APP - 121.40 MHz - SAO PAULO APPROACH
APP - 120.25 MHz - SAO PAULO APPROACH
APP - 120.05 MHz - SAO PAULO APPROACH
APP - 129.00 MHz - SAO PAULO APPROACH
APP - 134.65 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft 45 m	10,666 ft 3,251 m	127.87 149.86	ASPHALT	0 ft 0 m	171 ft 52 m
33	148 ft 45 m	10,666 ft 3,251 m	307.86 329.85	ASPHALT	315 ft 96 m	177 ft 54 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IKP	110.30 MHz	18 nm 33 km	127.87 149.86	-	2,170 ft 2,170 m
15	GS	IJV	110.30 MHz	10 nm 19 km	127.87 149.86	3.00	2,170 ft 2,170 m

SBGR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,461 ft / 750 m
Location: -23.432300 -46.469500
Magnetic Var: 22.191 W

METAR

SBGR 190800Z 09003KT 4000 BR BKN006 23/22 Q1015

TAF

TAF SBGR 190430Z 1906/2012 12006KT 7000 SCT007 BKN016 TN22/1909Z TX28/1918Z PROB40 1906/1911 3000 BR BKN007 BECMG

Frequencies

REC - 127.75 MHz - GUARULHOS ATIS
GND - 121.70 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER
APP - 119.15 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH

CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 126.90 MHz - GUARULHOS GROUND
TWR - 132.75 MHz - GUARULHOS TOWER
APP - 129.75 MHz - SAO PAULO APPROACH
APP - 120.45 MHz - SAO PAULO APPROACH
APP - 133.85 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft 45 m	12,131 ft 3,698 m	73.60 95.79	ASPHALT	295 ft 90 m	190 ft 58 m
27R	148 ft 45 m	12,131 ft 3,698 m	253.59 275.78	ASPHALT	200 ft 61 m	194 ft 59 m
09R	148 ft 45 m	9,832 ft 2,997 m	73.60 95.79	ASPHALT	0 ft 0 m	194 ft 59 m
27L	148 ft 45 m	9,832 ft 2,997 m	253.59 275.78	ASPHALT	0 ft 0 m	194 ft 59 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm 33 km	73.59 95.78	-	2,461 ft 2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm 33 km	73.60 95.79	-	2,461 ft 2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm 33 km	253.60 275.79	-	2,459 ft 2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm 33 km	253.59 275.78	-	2,459 ft 2,459 m
09L	GS	IUC	110.70 MHz	10 nm 19 km	73.59 95.78	3.00	2,461 ft 2,461 m
09R	GS	IGR	111.50 MHz	10 nm 19 km	73.60 95.79	2.92	2,461 ft 2,461 m
27L	GS	IBC	111.10 MHz	10 nm 19 km	253.60 275.79	3.00	2,459 ft 2,459 m
27R	GS	IGS	111.90 MHz	10 nm 19 km	253.59 275.78	3.00	2,458 ft 2,458 m