

UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl


LFMN

Nice-Cote d'Azur

2024/05/17 0144Z

UUEE BG **R805** TU **G723** RATIN **N869** VTB VTB **N869** OKX ARTUP DOKEK OKL ELMEK DOBEN **P861** RUDAP **UP31**
DOSEL **UM736** OLPIX **M736** OZE **T897** IXOGU **Q984** VOG **Q712** LESAN LFMN

1420.91 nm / 2631.52 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UUEE	-	55.97670	0 ft	-	Moscow Sheremetyevo	Alexander S. Pushkin Intl
APT	-	37.39440	0 m			
BG	-	55.83330	30,600 ft	85	KARMANOVO	
NDB	-	34.85970	9,327 m			
TU	R805	55.85420	35,000 ft	64	BELY	
NDB	AWY-HI	32.93920	10,668 m			
RATIN	G723	55.28000	35,000 ft	78	-	
FIX	AWY-HI	30.86140	10,668 m			
VTB	N869	55.12790	35,000 ft	19	VICIEBSK	
VOR	AWY-HI	30.35990	10,668 m			
VTB	-	55.12500	35,000 ft	0	VITEBSK VOR-DME	
DME	-	30.35330	10,668 m			
KOSAN	N869	54.77500	35,000 ft	42	-	
FIX	AWY-HI	29.27640	10,668 m			
PENAL	N869	54.51810	35,000 ft	30	-	
FIX	AWY-HI	28.52140	10,668 m			
TEDRO	N869	54.28970	35,000 ft	26	-	
FIX	AWY-HI	27.86310	10,668 m			
MATUS	N869	54.10310	35,000 ft	21	-	
FIX	AWY-HI	27.33810	10,668 m			
OSMUS	N869	53.89470	35,000 ft	25	-	
FIX	AWY-HI	26.72250	10,668 m			
UGNAL	N869	53.46970	35,000 ft	66	-	
FIX	AWY-HI	25.00140	10,668 m			
GORAT	N869	53.17810	35,000 ft	43	-	
FIX	AWY-HI	23.89420	10,668 m			
BESOT	N869	52.92170	35,000 ft	37	-	
FIX	AWY-HI	22.94440	10,668 m			
BULEP	N869	52.77110	35,000 ft	21	-	
FIX	AWY-HI	22.41890	10,668 m			
XATOG	N869	52.45970	35,000 ft	43	-	
FIX	AWY-HI	21.33220	10,668 m			
WAR	N869	52.25930	35,000 ft	27	ZABOROWEK	
VOR	AWY-HI	20.65720	10,668 m			
KUKOP	N869	52.14780	35,000 ft	11	-	
FIX	AWY-HI	20.41060	10,668 m			
SOXER	N869	52.04380	35,000 ft	18	-	
FIX	AWY-HI	19.93500	10,668 m			
OTPOP	N869	51.96560	35,000 ft	14	-	
FIX	AWY-HI	19.57500	10,668 m			
VAMPU	N869	51.86580	35,000 ft	17	-	
FIX	AWY-HI	19.12500	10,668 m			
BAXIS	N869	51.80860	35,000 ft	10	-	
FIX	AWY-HI	18.86390	10,668 m			
UVIVI	N869	51.58750	35,000 ft	38	-	
FIX	AWY-HI	17.88330	10,668 m			
AGALU	N869	51.47140	35,000 ft	19	-	
FIX	AWY-HI	17.38560	10,668 m			
IXURO	N869	51.01780	35,000 ft	74	-	
FIX	AWY-HI	15.54390	10,668 m			
TOMTI	N869	50.95310	35,000 ft	10	-	
FIX	AWY-HI	15.29330	10,668 m			
OKX	N869	50.90270	35,000 ft	10	FRYDLANT	

Ident Type		Via	Lat Lon		Alt	Dist (nm)	Name
VOR	AWY-HI	15.03190	10,668 m				
ARTUP	-	50.68520	35,000 ft	13	-		
FIX	-	14.90510	10,668 m				
DOKEL	-	50.62760	35,000 ft	4	-		
FIX	-	14.82240	10,668 m				
OKL	-	50.09590	35,000 ft	38	PRAGUE		
VOR	-	14.26560	10,668 m				
ELMEK	-	49.90390	35,000 ft	14	-		
FIX	-	14.02990	10,668 m				
DOBEN	-	49.77330	35,000 ft	19	-		
FIX	-	13.56150	10,668 m				
RUDAP	P861	49.24130	35,000 ft	33	-		
FIX	AWY-HI	13.26560	10,668 m				
BARIX	UP31	49.12250	35,000 ft	7	-		
FIX	AWY-HI	13.17640	10,668 m				
BAMTA	UP31	48.73220	35,000 ft	26	-		
FIX	AWY-HI	12.88750	10,668 m				
DEGIN	UP31	48.60140	35,000 ft	10	-		
FIX	AWY-HI	12.70610	10,668 m				
DOSEL	UP31	48.43860	35,000 ft	13	-		
FIX	AWY-HI	12.48080	10,668 m				
MANAL	UM736	47.89940	35,000 ft	42	-		
FIX	AWY-HI	11.80000	10,668 m				
TULSI	UM736	47.70160	35,000 ft	11	-		
FIX	AWY-HI	11.78880	10,668 m				
BERAS	UM736	47.35940	35,000 ft	20	-		
FIX	AWY-HI	11.76960	10,668 m				
MIMVI	UM736	47.19170	35,000 ft	10	-		
FIX	AWY-HI	11.76030	10,668 m				
LIZUM	UM736	47.11510	35,000 ft	4	-		
FIX	AWY-HI	11.75600	10,668 m				
OLPIX	UM736	47.01720	35,000 ft	6	-		
FIX	AWY-HI	11.69030	10,668 m				
EKPEB	M736	46.69030	35,000 ft	21	-		
FIX	AWY-LO	11.47190	10,668 m				
NAXAV	M736	46.46390	35,000 ft	14	-		
FIX	AWY-HI	11.32220	10,668 m				
OZE	M736	46.40520	35,000 ft	3	BOLZANO		
VOR	AWY-HI	11.29230	10,668 m				
IXOGU	T897	46.37220	35,000 ft	2	-		
FIX	AWY-HI	11.25390	10,668 m				
LEVSI	Q984	45.93780	35,000 ft	49	-		
FIX	AWY-HI	10.25360	10,668 m				
VOG	Q984	44.96460	23,400 ft	79	VOGHERA		
VOR	AWY-HI	8.97019	7,132 m				
LESAN	Q712	44.77500	20,500 ft	13	-		
FIX	AWY-HI	8.81222	6,248 m				
LFMN	-	43.65840	0 ft	96	Nice-Cote d'Azur		
APT	-	7.21576	0 m				

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.979 E

METAR

UUEE 170130Z 28003MPS 250V320 CAVOK 12/11 Q1016 R24C/290151 NOSIG

TAF

TAF UUEE 162256Z 1700/1724 33005MPS 9999 BKN020 TX20/1712Z TN10/1701Z TEMPO 1700/1704 36009G14MPS 4900 -SHRA FEW0

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.04		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.09		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.738 E

METAR

LFMN 170130Z 31008KT CAVOK 13/09 Q1007 NOSIG

TAF

TAF LFMN 162000Z 1621/1803 27008KT CAVOK TEMPO 1621/1707 34010KT BECMG 1707/1709 21015KT BECMG 1718/1720 09005KT

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m