

# EIDW

Dublin


# KORD

Chicago O'Hare Intl

2024/06/06 0452Z

EIDW KORAK 5400N0-1100W 5400N0-1200W 5400N0-1300W 5400N0-1400W 5400N0-1500W 5500N0-1700W  
5500N0-1800W 5500N0-1900W 5500N0-2000W 5500N0-2100W 5500N0-2200W 5500N0-2300W 5500N0-2400W  
5500N0-2500W 5500N0-2600W 5500N0-2700W 5500N0-2800W 5500N0-2900W 5500N0-3000W 5500N0-3100W  
5500N0-3200W 5500N0-3300W 5500N0-3400W 5500N0-3500W 5500N0-3600W 5500N0-3700W 5500N0-3800W  
5500N0-3900W 5500N0-4000W 5500N0-4100W 5500N0-4200W 5500N0-4300W 5500N0-4400W 5500N0-4500W  
5500N0-4600W 5500N0-4700W 5500N0-4800W 5500N0-4900W 5500N0-5000W 5500N0-5100W 5400N0-5300W  
5400N0-5400W 5400N0-5500W 5400N0-5600W CA **AR38** YR YYR **V39** YWK **J551** MT **J545** YVO **Q923** HOCKE **Q824**  
FNT **J547** PMM KORD

3287.19 nm / 6087.87 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min

- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42490	0 ft	-	Dublin
APT	-	-6.26308	0 m		
KORAK	-	53.39500	19,500 ft	54	-
FIX	-	-7.79306	5,944 m		
5400N0-1100W	-	54.00000	35,000 ft	119	-
LATLON	-	-11.00000	10,668 m		
5400N0-1200W	-	54.00000	35,000 ft	35	-
LATLON	-	-12.00000	10,668 m		
5400N0-1300W	-	54.00000	35,000 ft	35	-
LATLON	-	-13.00000	10,668 m		
5400N0-1400W	-	54.00000	35,000 ft	35	-
LATLON	-	-14.00000	10,668 m		
5400N0-1500W	-	54.00000	35,000 ft	35	-
LATLON	-	-15.00000	10,668 m		
5500N0-1700W	-	55.00000	35,000 ft	92	-
LATLON	-	-17.00000	10,668 m		
5500N0-1800W	-	55.00000	35,000 ft	34	-
LATLON	-	-18.00000	10,668 m		
5500N0-1900W	-	55.00000	35,000 ft	34	-
LATLON	-	-19.00000	10,668 m		
5500N0-2000W	-	55.00000	35,000 ft	34	-
LATLON	-	-20.00000	10,668 m		
5500N0-2100W	-	55.00000	35,000 ft	34	-
LATLON	-	-21.00000	10,668 m		
5500N0-2200W	-	55.00000	35,000 ft	34	-
LATLON	-	-22.00000	10,668 m		
5500N0-2300W	-	55.00000	35,000 ft	34	-
LATLON	-	-23.00000	10,668 m		
5500N0-2400W	-	55.00000	35,000 ft	34	-
LATLON	-	-24.00000	10,668 m		
5500N0-2500W	-	55.00000	35,000 ft	34	-
LATLON	-	-25.00000	10,668 m		
5500N0-2600W	-	55.00000	35,000 ft	34	-
LATLON	-	-26.00000	10,668 m		
5500N0-2700W	-	55.00000	35,000 ft	34	-
LATLON	-	-27.00000	10,668 m		
5500N0-2800W	-	55.00000	35,000 ft	34	-
LATLON	-	-28.00000	10,668 m		
5500N0-2900W	-	55.00000	35,000 ft	34	-
LATLON	-	-29.00000	10,668 m		
5500N0-3000W	-	55.00000	35,000 ft	34	-
LATLON	-	-30.00000	10,668 m		
5500N0-3100W	-	55.00000	35,000 ft	34	-
LATLON	-	-31.00000	10,668 m		
5500N0-3200W	-	55.00000	35,000 ft	34	-
LATLON	-	-32.00000	10,668 m		
5500N0-3300W	-	55.00000	35,000 ft	34	-
LATLON	-	-33.00000	10,668 m		
5500N0-3400W	-	55.00000	35,000 ft	34	-
LATLON	-	-34.00000	10,668 m		
5500N0-3500W	-	55.00000	35,000 ft	34	-
LATLON	-	-35.00000	10,668 m		
5500N0-3600W	-	55.00000	35,000 ft	34	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-36.00000	10,668 m		
5500N0-3700W	-	55.00000	35,000 ft	34	-
LATLON	-	-37.00000	10,668 m		
5500N0-3800W	-	55.00000	35,000 ft	34	-
LATLON	-	-38.00000	10,668 m		
5500N0-3900W	-	55.00000	35,000 ft	34	-
LATLON	-	-39.00000	10,668 m		
5500N0-4000W	-	55.00000	35,000 ft	34	-
LATLON	-	-40.00000	10,668 m		
5500N0-4100W	-	55.00000	35,000 ft	34	-
LATLON	-	-41.00000	10,668 m		
5500N0-4200W	-	55.00000	35,000 ft	34	-
LATLON	-	-42.00000	10,668 m		
5500N0-4300W	-	55.00000	35,000 ft	34	-
LATLON	-	-43.00000	10,668 m		
5500N0-4400W	-	55.00000	35,000 ft	34	-
LATLON	-	-44.00000	10,668 m		
5500N0-4500W	-	55.00000	35,000 ft	34	-
LATLON	-	-45.00000	10,668 m		
5500N0-4600W	-	55.00000	35,000 ft	34	-
LATLON	-	-46.00000	10,668 m		
5500N0-4700W	-	55.00000	35,000 ft	34	-
LATLON	-	-47.00000	10,668 m		
5500N0-4800W	-	55.00000	35,000 ft	34	-
LATLON	-	-48.00000	10,668 m		
5500N0-4900W	-	55.00000	35,000 ft	34	-
LATLON	-	-49.00000	10,668 m		
5500N0-5000W	-	55.00000	35,000 ft	34	-
LATLON	-	-50.00000	10,668 m		
5500N0-5100W	-	55.00000	35,000 ft	34	-
LATLON	-	-51.00000	10,668 m		
5400N0-5300W	-	54.00000	35,000 ft	92	-
LATLON	-	-53.00000	10,668 m		
5400N0-5400W	-	54.00000	35,000 ft	35	-
LATLON	-	-54.00000	10,668 m		
5400N0-5500W	-	54.00000	35,000 ft	35	-
LATLON	-	-55.00000	10,668 m		
5400N0-5600W	-	54.00000	35,000 ft	35	-
LATLON	-	-56.00000	10,668 m		
CA	-	53.70910	35,000 ft	40	CARTWRIGHT
NDB	-	-57.02100	10,668 m		
YR	AR38	53.33780	35,000 ft	121	GOOSE (GOOSE BAY)
NDB	AWY-LO	-60.36580	10,668 m		
YYR	-	53.31970	35,000 ft	2	GOOSE (GOOSE BAY)
VOR	-	-60.29470	10,668 m		
YWK	V39	52.96010	35,000 ft	237	WABUSH
VOR	AWY-LO	-66.85350	10,668 m		
ILUGO	J551	50.32090	35,000 ft	290	-
FIX	AWY-HI	-73.37970	10,668 m		
MT	J551	49.79960	35,000 ft	53	CHIBOO (CHIBOUGAMAU)
NDB	AWY-HI	-74.49550	10,668 m		
YVO	J545	48.17530	35,000 ft	163	VAL-D'OR
VOR	AWY-HI	-77.82030	10,668 m		
DUTEL	Q923	44.66640	35,000 ft	255	-
FIX	AWY-HI	-81.29640	10,668 m		
KARIT	Q923	43.72310	35,000 ft	67	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-82.14440	10,668 m		
HOCKE	Q923	43.26210	35,000 ft	37	-
FIX	AWY-HI	-82.71060	10,668 m		
FNT	Q824	42.96680	35,000 ft	48	FLINT
VOR	AWY-HI	-83.74700	10,668 m		
DEWIT	J547	42.80250	33,600 ft	36	-
FIX	AWY-HI	-84.55000	10,241 m		
HASTE	J547	42.67100	27,500 ft	28	-
FIX	AWY-HI	-85.16740	8,382 m		
PMM	J547	42.46600	18,200 ft	43	PULLMAN
VOR	AWY-HI	-86.10480	5,547 m		
KORD	-	41.97570	0 ft	85	Chicago O'Hare Intl
APT	-	-87.90640	0 m		

## EIDW

Region: IRELAND  
Timezone: EUROPE/DUBLIN  
Runways: 2

Elevation: 240 ft / 73 m  
Location: 53.424900 -6.263080  
Magnetic Var: 1.964 W

## METAR

EIDW 060430Z 26009KT 230V290 9999 FEW018 06/05 Q1016 NOSIG

## TAF

TAF EIDW 052300Z 0600/0624 28010KT 9999 FEW020 SCT035 PROB30 TEMPO 0613/0618 27015G25KT -SHRA BECMG 0621/0623 240

## Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.22		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.25		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.60		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.61		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.22		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.60		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.22		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.22		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.60		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.22		242 m

## KORD

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 6

Elevation: 680 ft / 207 m  
Location: 41.973400 -87.906600  
Magnetic Var: 4.115 W

## METAR

KORD 060351Z 24005KT 10SM SCT095 BKN170 22/13 A2962 RMK A02 SLP027 T02220128

## TAF

KORD 060253Z 0603/0706 23008KT P6SM SCT050 BKN100 FM060430 30013KT P6SM SCT050 BKN090 TEMPO 0605/0607 P6SM -RA BKN

## Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.97		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.52		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.53		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.97		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m