


2024/05/15 0655Z

CYVR MERYT **Q860** TAVPO CYEG

438.76 nm / 812.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19400	0 ft	-	Vancouver
APT	-	-123.18500	0 m		
MERYT	-	49.94170	30,000 ft	97	-
FIX	-	-120.96100	9,144 m		
NADPI	Q860	51.71440	30,000 ft	173	-
FIX	AWY-HI	-117.34000	9,144 m		
TAVPO	Q860	52.98670	7,400 ft	132	-
FIX	AWY-HI	-114.38700	2,256 m		
CYEG	-	53.30870	0 ft	34	Edmonton Intl
APT	-	-113.58100	0 m		

CYVR

Region: CANADA

Timezone: AMERICA/VANCOUVER

Runways: 3

Elevation: 13 ft / 4 m

Location: 49.194000 -123.185000

Magnetic Var: 15.266 E

METAR

CYVR 150600Z 36006KT 20SM SCT230 13/10 A3014 RMK CI4 SLP210

TAF

TAF CYVR 150540Z 1506/1612 VRB03KT P6SM BKN220 FM151000 30008KT P6SM SCT015 FM152100 21008KT P6SM SCT080 BECMG 160000Z 30010KT P6SM SCT015

Frequencies

REC - 124.60 MHz - ATIS

GND - 121.70 MHz - VANCOUVER GROUND

TWR - 118.70 MHz - VANCOUVER TOWER

APP - 128.60 MHz - VANCOUVER APPROACH

DEP - 126.12 MHz - VANCOUVER DEPARTURE

CLD - 121.40 MHz - CLEARANCE DELIVERY

GND - 127.50 MHz - VANCOUVER GROUND

TWR - 119.55 MHz - VANCOUVER TOWER

APP - 133.10 MHz - VANCOUVER APPROACH

DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.61		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.64		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.65		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.67		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.62		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.63		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.62		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.66		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.62		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.63		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.63		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.62		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.66		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.62		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.63		13 m

CYEG

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 2

Elevation: 2,373 ft / 723 m
Location: 53.308700 -113.581000
Magnetic Var: 13.302 E

METAR

CYEG 150633Z CCA 27013G21KT 20SM OVC082 16/00 A2988 RMK AC8 VIRGA OHD MOON DIMLY VISBL SLP122 DENSITY ALT 3200FT

TAF

TAF CYEG 150540Z 1506/1606 29004KT P6SM BKN090 BKN120 TEMPO 1507/1512 SCT090 BKN120 BKN240 BECMG 1507/1509 24004KT

Frequencies

REC - 128.00 MHz - ATIS	CLD - 124.10 MHz - EDMONTON CLEARANCE
GND - 121.70 MHz - EDMONTON GROUND	TWR - 118.30 MHz - EDMONTON TOWER
COM - 122.37 MHz - EDMONTON UNICOM	APP - 120.50 MHz - EDMONTON ARRIVAL
DEP - 133.65 MHz - EDMONTON DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	200 ft	10,191 ft	135.02	ASPHALT	0 ft	95 ft
	61 m	3,106 m	121.72		0 m	29 m
30	200 ft	10,191 ft	315.04	ASPHALT	0 ft	92 ft
	61 m	3,106 m	301.74		0 m	28 m
02	200 ft	10,988 ft	34.87	ASPHALT	0 ft	98 ft
	61 m	3,349 m	21.57		0 m	30 m
20	200 ft	10,988 ft	214.89	ASPHALT	0 ft	98 ft
	61 m	3,349 m	201.59		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IEG	110.30 MHz	18 nm	34.89	-	2,373 ft
				33 km	21.59		2,373 m
12	LOC-ILS	IFP	109.90 MHz	18 nm	135.04	-	2,373 ft
				33 km	121.74		2,373 m
30	LOC-ILS	IKB	109.10 MHz	18 nm	315.04	-	2,373 ft
				33 km	301.74		2,373 m
02	GS	IEG	110.30 MHz	10 nm	34.89	3.00	2,373 ft
				19 km	21.59		2,373 m
12	GS	IFP	109.90 MHz	10 nm	135.04	3.00	2,373 ft
				19 km	121.74		2,373 m
30	GS	IKB	109.10 MHz	10 nm	315.04	3.00	2,373 ft
				19 km	301.74		2,373 m