

LFMN

Nice-Cote d'Azur


LFMD

Mandelieu

2024/05/03 0624Z

LFMN LFMD

13.25 nm / 24.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMN	-	43.65840	0 ft	-	Nice-Cote d'Azur
APT	-	7.21576	0 m		
LFMD	-	43.54670	0 ft	13	Mandelieu
APT	-	6.95310	0 m		

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.734 E

METAR

LFMN 030600Z 34008KT 9999 FEW030 12/07 Q1012 NOSIG

TAF

TAF LFMN 030200Z 0303/0409 34010KT CAVOK BECMG 0306/0308 18010KT BECMG 0312/0314 09010KT BECMG 0315/0317 25020G30

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m

LFMD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 14 ft / 4 m
Location: 43.546700 6.953250
Magnetic Var: 2.674 E

METAR

LFMD 030600Z AUTO 36004KT 310V040 9999 FEW026 11/07 Q1013 NOSIG

TAF

TAF LFMD 030200Z 0303/0403 VRB02KT CAVOK BECMG 0312/0314 24015KT TEMPO 0315/0322 26015G30KT BECMG 0321/0323 34006

Frequencies

REC - 130.47 MHz - ATIS
TWR - 118.62 MHz - CANNES TOWER

GND - 121.80 MHz - CANNES GROUND
TWR - 120.77 MHz - CANNES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	5,290 ft	172.67	ASPHALT	397 ft	0 ft
	45 m	1,612 m	170.00		121 m	0 m
35L	148 ft	5,290 ft	352.68	ASPHALT	1,155 ft	0 ft
	45 m	1,612 m	350.00		352 m	0 m
04	59 ft	2,394 ft	45.11	ASPHALT	262 ft	0 ft
	18 m	730 m	42.44		80 m	0 m
22	59 ft	2,394 ft	225.12	ASPHALT	0 ft	0 ft
	18 m	730 m	222.44		0 m	0 m
17L	164 ft	1,812 ft	172.67	GRASS	0 ft	0 ft
	50 m	552 m	170.00		0 m	0 m
35R	164 ft	1,812 ft	352.67	GRASS	0 ft	0 ft
	50 m	552 m	350.00		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	LOC-LOC	CMD	110.35 MHz	18 nm	352.67	-	14 ft
				33 km	350.00		14 m