

# SAEZ

Ministro Pistarini Intl


# MMUN

Cancun Intl

2024/05/02 1052Z

SAEZ BIVAM **UW8** ERE ERE **UT672** JUJ **UM776** IQT **UN420** BUSMO **UA321** SPP SPP **UA321** OMIRO **UM782** TAKUX MMUN

3740.85 nm / 6928.06 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m		
BIVAM	-	-33.97110	19,600 ft	55	-
FIX	-	-58.94560	5,974 m		
UGALA	UW8	-32.59580	35,000 ft	96	-
FIX	AWY-HI	-59.93390	10,668 m		
PAR	UW8	-31.80840	35,000 ft	54	PARANA
VOR	AWY-HI	-60.48450	10,668 m		
GAVAM	UW8	-31.03530	35,000 ft	55	-
FIX	AWY-HI	-61.06940	10,668 m		
ERE	UW8	-29.86440	35,000 ft	81	CERES VOR-DME
DME	AWY-HI	-61.87220	10,668 m		
ERE	-	-29.87330	35,000 ft	2	CERES
VOR	-	-61.92530	10,668 m		
DADMI	UT672	-28.83190	35,000 ft	70	-
FIX	AWY-HI	-62.56140	10,668 m		
ESPER	UT672	-27.01140	35,000 ft	123	-
FIX	AWY-HI	-63.63220	10,668 m		
GAVEX	UT672	-26.69970	35,000 ft	21	-
FIX	AWY-HI	-63.81060	10,668 m		
JUJ	UT672	-24.39350	35,000 ft	154	JUJUY
VOR	AWY-HI	-65.09280	10,668 m		
NAXET	UM776	-23.55780	35,000 ft	54	-
FIX	AWY-HI	-65.46780	10,668 m		
UBSAS	UM776	-21.80690	35,000 ft	113	-
FIX	AWY-HI	-66.23720	10,668 m		
AKVAG	UM776	-20.77250	35,000 ft	67	-
FIX	AWY-HI	-66.69500	10,668 m		
UNI	UM776	-20.45330	35,000 ft	20	UYUNI
VOR	AWY-HI	-66.83600	10,668 m		
BOGUB	UM776	-20.07080	35,000 ft	24	-
FIX	AWY-HI	-66.97170	10,668 m		
IMBAM	UM776	-18.56110	35,000 ft	95	-
FIX	AWY-HI	-67.50690	10,668 m		
PAZ	UM776	-16.51200	35,000 ft	129	LA PAZ
VOR	AWY-HI	-68.23350	10,668 m		
NESKI	UM776	-16.00610	35,000 ft	32	-
FIX	AWY-HI	-68.44360	10,668 m		
RAXUN	UM776	-14.44830	35,000 ft	100	-
FIX	AWY-HI	-69.09030	10,668 m		
OPTOP	UM776	-14.07640	35,000 ft	24	-
FIX	AWY-HI	-69.24360	10,668 m		
ASOLA	UM776	-9.79500	35,000 ft	276	-
FIX	AWY-HI	-70.97310	10,668 m		
BOBAS	UM776	-9.04704	35,000 ft	48	-
FIX	AWY-HI	-71.26940	10,668 m		
MUNEB	UM776	-8.54533	35,000 ft	32	-
FIX	AWY-HI	-71.46470	10,668 m		
EKURU	UM776	-7.80733	35,000 ft	47	-
FIX	AWY-HI	-71.75230	10,668 m		
SIGIX	UM776	-7.18533	35,000 ft	40	-
FIX	AWY-HI	-71.99900	10,668 m		
POSKA	UM776	-5.10639	35,000 ft	133	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-72.81190	10,668 m		
IQT	UM776	-3.79250	35,000 ft	84	IQUITOS
VOR	AWY-HI	-73.31780	10,668 m		
XUXAS	UN420	-3.01667	35,000 ft	50	-
FIX	AWY-HI	-73.63140	10,668 m		
PLG	UN420	-0.17861	35,000 ft	183	PUERTO LEGUIZAMO
VOR	AWY-HI	-74.77560	10,668 m		
EVTX	UN420	4.23618	35,000 ft	297	-
FIX	AWY-HI	-77.03970	10,668 m		
BUSMO	UN420	6.71811	35,000 ft	167	-
FIX	AWY-HI	-78.33310	10,668 m		
IRATA	UA321	7.49139	35,000 ft	54	-
FIX	AWY-HI	-78.80140	10,668 m		
TBG	UA321	8.78757	35,000 ft	90	TABOGA ISLAND
VOR	AWY-HI	-79.56200	10,668 m		
MORLI	UA321	10.68440	35,000 ft	129	-
FIX	AWY-HI	-80.61640	10,668 m		
SPP	UA321	12.58250	35,000 ft	130	SAN ANDRES VOR-DME
DME	AWY-HI	-81.70500	10,668 m		
SPP	-	12.58250	35,000 ft	0	SAN ANDRES
VOR	-	-81.70530	10,668 m		
PELRA	UA321	14.25110	35,000 ft	109	-
FIX	AWY-HI	-82.45000	10,668 m		
CRUTA	UA321	15.25220	35,000 ft	66	-
FIX	AWY-HI	-82.93470	10,668 m		
BONOS	UA321	16.05670	35,000 ft	53	-
FIX	AWY-HI	-83.31220	10,668 m		
CISNE	UA321	17.40000	35,000 ft	88	-
FIX	AWY-HI	-83.95000	10,668 m		
OMIRO	UA321	18.52500	35,000 ft	74	-
FIX	AWY-HI	-84.49500	10,668 m		
TAKUX	UM782	20.02690	17,500 ft	120	-
FIX	AWY-HI	-85.89610	5,334 m		
MMUN	-	21.04210	0 ft	82	Cancun Intl
APT	-	-86.87350	0 m		

## SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS\_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.806 W

## METAR

SAEZ 021000Z 18004KT 150V220 CAVOK 08/04 Q1014 NOSIG

## TAF

TAF SAEZ 020500Z 0206/0306 24005KT 9999 SCT040 BKN060 TX15/0218Z TN07/0210Z BECMG 0207/0209 20010KT BECMG 0218/02

## Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.87		302 m	28 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m

## MMUN

Region: MEXICO  
Timezone: AMERICA/CANCUN  
Runways: 2

Elevation: 22 ft / 7 m  
Location: 21.042100 -86.873500  
Magnetic Var: 2.717 W

## METAR

UNKNOWN

## TAF

TAF MMUN 020529Z 0206/0306 11005KT P6SM SCT015 TX31/0220Z TN24/0212Z BECMG 0209/0210 BKN015 FM021500 12010KT P6SM

## Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.56		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.57		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.55		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.56		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.56		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.57		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.56		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.57		21 m