


2024/05/29 0343Z

EINN KORAK EIDL

159.22 nm / 294.88 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 140kts
- Cruise Altitude: 7000ft
- Cruise Speed: 160kts
- Descent Rate: 1500ft/min
- Descent Speed: 130kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EINN	-	52.70200	0 ft	-	Shannon
APT	-	-8.92483	0 m		
KORAK	-	53.39500	7,000 ft	58	-
FIX	-	-7.79306	2,134 m		
EIDL	-	55.04420	0 ft	100	Donegal
APT	-	-8.34099	0 m		

## EINN

Region: IRELAND  
Timezone: EUROPE/DUBLIN  
Runways: 1

Elevation: 44 ft / 13 m  
Location: 52.702000 -8.924830  
Magnetic Var: 2.886 W

## METAR

EINN 290330Z 27007KT 9999 FEW008 BKN012 12/10 Q1009 NOSIG

## TAF

TAF EINN 282300Z 2900/2924 25012KT 9999 FEW010 SCT020 TEMPO 2900/2906 4000 -SHRA BKN014 BECMG 2906/2908 31010KT TS

## Frequencies

REC - 130.95 MHz - SHANNON INFORMATION  
TWR - 118.70 MHz - SHANNON TOWER  
APP - 120.20 MHz - SHANNON APPROACH  
GND - 121.80 MHz - SHANNON GROUND  
APP - 121.40 MHz - SHANNON APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,494 ft	52.17	ASPHALT	0 ft	0 ft
	45 m	3,199 m	55.05		0 m	0 m
24	148 ft	10,494 ft	232.19	ASPHALT	459 ft	95 ft
	45 m	3,199 m	235.08		140 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ISE	109.50 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
06	LOC-ILS	ISE	109.50 MHz	18 nm	52.19	-	21 ft
				33 km	55.07		21 m
24	LOC-ILS	ISW	109.50 MHz	18 nm	232.16	-	51 ft
				33 km	235.04		51 m
06	GS	ISE	109.50 MHz	10 nm	52.34	3.00	57 ft
				19 km	55.23		57 m
24	GS	ISW	109.50 MHz	10 nm	232.34	3.00	70 ft
				19 km	235.23		70 m

## EIDL

Region: IRELAND  
Timezone: UNKNOWN  
Runways: 1

Elevation: 30 ft / 9 m  
Location: 55.044200 -8.340990  
Magnetic Var: 3.081 W

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 129.92 MHz - ATIS  
TWR - 129.80 MHz -

GND - 129.80 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	98 ft	4,903 ft	20.37	ASPHALT	679 ft	0 ft
	30 m	1,494 m	23.45		207 m	0 m
21	98 ft	4,903 ft	200.37	ASPHALT	423 ft	0 ft
	30 m	1,494 m	203.45		129 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IFN	110.30 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
21	LOC-LOC	IFN	110.30 MHz	18 nm	200.16	-	29 ft
				33 km	203.24		29 m